

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **A - MEAT AND OFFAL**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	43,4	3,73	2,35	1,62	4,58		1,590
Children 7 - 10 years	32,2	622	50,2	2,81	1,81	1,60	4,19		1,379
Boys 11 - 14 years	46,9	108	54,6	2,54	1,48	1,26	2,47		1,328
Girls 11 - 14 years	45,3	110	50,0	2,27	1,42	1,55	3,67		1,131
Men 15 - 17 years	65,6	110	52,7	2,31	1,46	2,47	10,01		1,193
Women 15 - 17 years	55,6	110	36,4	2,01	1,08	0,78	2,14	2,78	0,719
Men 18 - 59 years	82,5	1422	58,9	1,95	1,31	1,75	4,64	2,22	1,131
Women 18 - 59 years	67,7	1492	41,0	1,83	1,36	5,06	50,59	1,67	0,737
Men 60+ years	82,9	332	57,2	1,72	0,99	1,82	7,36		0,995
Women 60+ years	75,2	510	41,2	1,55	0,89	1,11	2,31	1,59	0,640

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	43,4	0,61	0,92	3,50	6,15	8,39	9,13
Children 7 - 10 years	32,2	622	50,2	0,51	0,87	2,52	5,20	6,12	7,18
Boys 11 - 14 years	46,9	108	54,6	0,44	1,07	2,28	4,77	5,09	6,15
Girls 11 - 14 years	45,3	110	50,0	0,36	0,66	2,02	3,41	5,24	6,09
Men 15 - 17 years	65,6	110	52,7	0,74	0,96	1,99	3,73	4,08	5,42
Women 15 - 17 years	55,6	110	36,4	0,35	0,58	1,87	3,04	3,37	4,12
Men 18 - 59 years	82,5	1422	58,9	0,40	0,63	1,67	3,57	4,66	5,44
Women 18 - 59 years	67,7	1492	41,0	0,31	0,58	1,64	3,24	3,71	4,24
Men 60+ years	82,9	332	57,2	0,31	0,63	1,62	2,73	3,18	4,17
Women 60+ years	75,2	510	41,2	0,34	0,52	1,49	2,64	3,15	3,67

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	167	13,6	20,9	49,5	69,2	84,5	129,0	159,5	170,3
Children 7 - 10 years	338	13,6	27,6	47,3	76,5	108,7	139,6	169,1	212,3
Boys 11 - 14 years	68	22,4	53,0	66,7	86,4	126,0	149,1	192,2	221,1
Girls 11 - 14 years	58	14,9	30,6	61,4	91,6	125,0	161,8	167,6	210,9
Men 15 - 17 years	66	34,3	52,2	85,8	129,0	163,9	208,9	241,9	272,0
Women 15 - 17 years	45	19,0	24,5	66,7	97,6	125,0	166,7	166,7	167,1
Men 18 - 59 years	989	27,3	49,5	83,3	124,1	166,7	230,8	264,9	315,3
Women 18 - 59 years	659	18,2	31,8	70,0	109,9	138,7	187,6	235,3	247,3
Men 60+ years	224	22,7	35,9	77,8	111,1	164,8	200,0	246,8	287,6
Women 60+ years	229	18,2	33,9	65,2	105,0	138,9	176,5	204,0	238,7

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **B - POULTRY AND PRODUCTS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	32,4	5,07	4,56	2,11	5,75		1,589
Children 7 - 10 years	32,2	622	32,5	3,97	3,20	2,05	7,00	4,63	1,210
Boys 11 - 14 years	46,9	108	28,7	3,33	3,71	3,27	13,10		1,044
Girls 11 - 14 years	45,3	110	36,4	3,77	2,62	1,29	2,16		1,305
Men 15 - 17 years	65,6	110	37,3	3,27	2,25	0,98	0,12		1,172
Women 15 - 17 years	55,6	110	28,2	2,68	1,77	0,98	0,34		0,727
Men 18 - 59 years	82,5	1422	28,6	2,58	1,82	1,13	1,71		0,736
Women 18 - 59 years	67,7	1492	28,8	2,47	1,69	0,85	0,82		0,694
Men 60+ years	82,9	332	19,3	2,55	1,52	0,78	0,89		0,495
Women 60+ years	75,2	510	26,3	2,45	1,82	1,50	4,55		0,620

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	32,4	0,83	1,29	3,85	11,48	13,94	17,50
Children 7 - 10 years	32,2	622	32,5	0,57	0,88	2,93	8,24	9,89	11,37
Boys 11 - 14 years	46,9	108	28,7	0,76	0,82	2,24	6,00	8,46	11,86
Girls 11 - 14 years	45,3	110	36,4	0,60	0,95	3,43	7,14	8,26	10,15
Men 15 - 17 years	65,6	110	37,3	0,70	1,18	2,56	6,41	7,68	8,23
Women 15 - 17 years	55,6	110	28,2	0,59	0,68	2,19	4,81	6,41	6,74
Men 18 - 59 years	82,5	1422	28,6	0,37	0,46	2,21	4,88	5,95	7,15
Women 18 - 59 years	67,7	1492	28,8	0,35	0,47	2,14	4,79	5,34	5,91
Men 60+ years	82,9	332	19,3	0,52	0,78	2,27	4,54	4,64	5,06
Women 60+ years	75,2	510	26,3	0,30	0,49	1,98	4,91	5,45	5,99

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	127	18,2	20,3	45,0	83,3	112,9	208,3	277,8	321,5
Children 7 - 10 years	236	18,2	21,3	50,0	83,3	135,9	230,8	277,8	288,6
Boys 11 - 14 years	36	39,1	46,2	60,0	90,0	154,2	277,8	381,9	684,0
Girls 11 - 14 years	45	31,5	40,7	83,3	125,0	208,3	277,8	278,4	293,3
Men 15 - 17 years	48	36,2	56,3	97,2	166,5	277,8	308,1	319,4	334,5
Women 15 - 17 years	34	30,3	32,5	63,7	101,1	162,5	277,8	314,9	324,3
Men 18 - 59 years	445	30,0	36,8	91,7	173,1	277,8	347,2	388,0	417,9
Women 18 - 59 years	470	22,5	30,0	66,7	125,0	222,2	277,8	327,1	347,2
Men 60+ years	74	33,0	53,0	100,0	166,7	270,8	347,2	347,2	381,1
Women 60+ years	147	23,0	30,3	72,7	126,9	250,0	319,4	347,2	356,8

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **C - MEAT AND POULTRY CANS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	6,0	1,88	2,58	2,97	8,48		0,108
Children 7 - 10 years	32,2	622	8,2	1,13	0,92	1,77	3,06		0,100
Boys 11 - 14 years	46,9	108	9,3	2,19	1,73	1,88	3,97		0,166
Girls 11 - 14 years	45,3	110	5,5	0,63	0,31	0,05	-1,03		0,033
Men 15 - 17 years	65,6	110	9,1	1,35	0,87	0,63	-0,95		0,120
Women 15 - 17 years	55,6	110	2,7	0,54	0,24				
Men 18 - 59 years	82,5	1422	10,4	1,08	1,14	2,97	10,88		0,111
Women 18 - 59 years	67,7	1492	5,8	0,61	0,48	3,62	19,25		0,035
Men 60+ years	82,9	332	9,0	1,10	1,41	3,01	8,71		0,095
Women 60+ years	75,2	510	6,5	0,63	0,50	2,28	5,09		0,042

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,28	0,42	1,04	2,13	7,91	9,51
Children 7 - 10 years	32,2	622	8,2	0,36	0,38	0,74	2,50	3,06	3,38
Boys 11 - 14 years	46,9	108	9,3	0,89	0,90	1,43	3,40	4,93	5,69
Girls 11 - 14 years	45,3	110	5,5	0,26	0,27	0,68	0,93	1,00	1,04
Men 15 - 17 years	65,6	110	9,1	0,47	0,52	1,18	2,54	2,70	2,78
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	10,4	0,30	0,35	0,65	2,44	3,42	4,66
Women 18 - 59 years	67,7	1492	5,8	0,18	0,24	0,52	0,96	1,25	1,71
Men 60+ years	82,9	332	9,0	0,34	0,40	0,62	1,89	4,38	5,82
Women 60+ years	75,2	510	6,5	0,22	0,25	0,46	1,14	1,80	2,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	26	7,5	12,0	15,0	20,0	30,0	55,0	80,0	130,6
Children 7 - 10 years	55	13,5	15,0	15,0	30,0	45,0	78,0	100,0	100,0
Boys 11 - 14 years	12	40,0	40,5	45,0	50,0	100,0	106,4	115,2	120,1
Girls 11 - 14 years	6	12,5	15,0	22,5	30,0	30,0	37,5	41,3	43,1
Men 15 - 17 years	11	25,0	30,0	37,5	45,0	100,0	150,0	175,0	187,5
Women 15 - 17 years	3								
Men 18 - 59 years	155	27,9	30,0	45,0	45,0	98,0	200,0	250,0	346,0
Women 18 - 59 years	89	15,0	15,0	30,0	30,0	50,0	60,0	76,6	99,6
Men 60+ years	32	25,5	31,0	45,0	50,0	80,0	168,0	245,0	325,9
Women 60+ years	33	20,0	20,0	30,0	30,0	50,0	80,0	132,0	160,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **D - MEAT PRODUCTS (NOT CANS)**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	46,2	2,24	2,03	2,42	11,82	5,00	1,044
Children 7 - 10 years	32,2	622	50,2	2,10	1,86	1,86	4,58	1,67	1,024
Boys 11 - 14 years	46,9	108	68,5	2,13	1,86	1,77	3,94	0,65	1,424
Girls 11 - 14 years	45,3	110	53,6	1,75	1,93	3,68	19,40	0,83	0,947
Men 15 - 17 years	65,6	110	70,0	1,99	1,64	2,04	6,61		1,403
Women 15 - 17 years	55,6	110	50,9	1,10	0,75	0,99	0,17		0,567
Men 18 - 59 years	82,5	1422	71,1	1,88	1,44	1,39	2,99	1,33	1,315
Women 18 - 59 years	67,7	1492	47,3	1,22	1,04	1,98	7,20		0,567
Men 60+ years	82,9	332	68,4	1,60	1,10	1,00	0,57	1,33	1,077
Women 60+ years	75,2	510	50,0	1,09	0,87	1,71	5,16		0,534

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	46,2	0,18	0,37	1,78	5,00	5,29	6,46
Children 7 - 10 years	32,2	622	50,2	0,22	0,33	1,61	4,29	5,21	7,44
Boys 11 - 14 years	46,9	108	68,5	0,30	0,42	1,56	4,96	5,37	6,35
Girls 11 - 14 years	45,3	110	53,6	0,23	0,36	1,12	3,39	4,48	4,84
Men 15 - 17 years	65,6	110	70,0	0,27	0,49	1,45	4,13	4,94	5,49
Women 15 - 17 years	55,6	110	50,9	0,26	0,34	0,84	2,14	2,77	2,89
Men 18 - 59 years	82,5	1422	71,1	0,19	0,34	1,63	3,85	4,65	5,56
Women 18 - 59 years	67,7	1492	47,3	0,14	0,21	0,95	2,48	3,12	3,87
Men 60+ years	82,9	332	68,4	0,25	0,40	1,35	3,13	4,02	4,20
Women 60+ years	75,2	510	50,0	0,13	0,19	0,92	2,28	2,82	3,18

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	207	2,9	5,6	10,0	30,0	50,0	90,0	100,0	108,8
Children 7 - 10 years	417	5,7	10,0	20,0	40,0	70,0	100,0	112,0	155,1
Boys 11 - 14 years	105	7,7	12,0	25,0	50,0	100,0	150,0	200,0	200,0
Girls 11 - 14 years	83	6,2	10,0	20,0	40,0	85,0	121,4	149,0	159,0
Men 15 - 17 years	113	9,5	16,3	40,0	80,0	100,0	196,0	200,0	219,0
Women 15 - 17 years	77	3,0	6,5	12,1	40,0	60,0	100,0	109,2	117,9
Men 18 - 59 years	1552	10,0	20,0	40,0	100,0	150,0	200,0	200,0	260,0
Women 18 - 59 years	862	9,1	12,0	25,0	50,0	100,0	150,0	198,3	200,0
Men 60+ years	336	10,0	19,3	40,0	90,0	120,0	165,8	200,0	200,0
Women 60+ years	314	8,8	11,9	22,9	50,0	100,0	120,0	160,5	200,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **E - FISH AND PRODUCTS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	18,4	3,28	3,03	0,98	0,18	0,20	0,556
Children 7 - 10 years	32,2	622	13,7	3,25	2,12	0,22	-0,91		0,431
Boys 11 - 14 years	46,9	108	10,2	2,34	1,53	-0,49	-1,11		0,242
Girls 11 - 14 years	45,3	110	10,0	3,95	3,12	1,17	1,94		0,350
Men 15 - 17 years	65,6	110	11,8	2,50	1,58	1,24	2,31		0,306
Women 15 - 17 years	55,6	110	9,1	2,65	1,55	0,24	-0,28		0,243
Men 18 - 59 years	82,5	1422	10,9	2,14	1,56	1,38	3,40	1,25	0,232
Women 18 - 59 years	67,7	1492	12,3	2,23	1,64	1,69	5,13	1,67	0,272
Men 60+ years	82,9	332	9,9	1,78	1,12	0,50	-0,35	2,22	0,168
Women 60+ years	75,2	510	10,6	2,11	1,86	2,28	7,98		0,211

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	18,4	0,19	0,21	2,78	8,30	9,06	10,00
Children 7 - 10 years	32,2	622	13,7	0,35	0,49	3,46	6,00	6,41	7,38
Boys 11 - 14 years	46,9	108	10,2	0,11	0,18	2,56	3,75	4,10	4,27
Girls 11 - 14 years	45,3	110	10,0	0,45	0,56	3,57	6,25	8,72	9,96
Men 15 - 17 years	65,6	110	11,8	0,70	1,11	2,17	4,06	5,04	5,73
Women 15 - 17 years	55,6	110	9,1	0,55	0,55	2,52	4,04	4,75	5,10
Men 18 - 59 years	82,5	1422	10,9	0,18	0,40	1,76	4,08	4,87	5,75
Women 18 - 59 years	67,7	1492	12,3	0,26	0,38	1,98	3,98	5,31	6,12
Men 60+ years	82,9	332	9,9	0,32	0,44	1,85	3,19	3,65	4,20
Women 60+ years	75,2	510	10,6	0,27	0,43	1,69	3,87	4,36	6,46

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	72	4,5	4,5	13,1	50,0	93,8	149,1	150,0	150,0
Children 7 - 10 years	88	10,7	15,0	29,3	106,3	150,0	150,0	183,6	225,8
Boys 11 - 14 years	12	4,8	7,7	24,8	112,5	124,0	170,8	230,2	265,1
Girls 11 - 14 years	14	24,8	36,0	63,8	137,5	150,0	212,2	255,0	277,5
Men 15 - 17 years	13	54,6	84,0	112,5	150,0	173,1	290,0	360,0	405,0
Women 15 - 17 years	10	32,3	34,5	100,3	150,0	193,3	232,5	266,3	283,1
Men 18 - 59 years	163	15,0	30,6	93,8	150,0	240,4	300,0	328,3	403,5
Women 18 - 59 years	196	15,0	20,5	60,0	127,5	190,6	262,5	300,0	360,6
Men 60+ years	35	22,8	32,0	65,0	131,3	193,8	225,0	247,5	299,3
Women 60+ years	55	13,2	30,0	58,1	150,0	195,2	300,0	330,0	364,9

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **F - MILK**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	88,5	13,43	10,06	1,28	2,71	10,00	11,362
Children 7 - 10 years	32,2	622	84,6	7,72	7,08	1,49	3,47	6,25	6,249
Boys 11 - 14 years	46,9	108	76,9	5,69	5,42	1,09	0,67		4,198
Girls 11 - 14 years	45,3	110	90,0	5,11	5,04	1,22	1,03	0,41	4,131
Men 15 - 17 years	65,6	110	79,1	3,15	3,06	1,42	2,50	4,17	2,444
Women 15 - 17 years	55,6	110	78,2	2,97	2,99	1,16	0,79		2,339
Men 18 - 59 years	82,5	1422	68,1	1,87	2,67	3,00	11,48		1,266
Women 18 - 59 years	67,7	1492	69,7	1,68	2,12	2,27	6,10	0,33	1,140
Men 60+ years	82,9	332	70,5	2,04	2,46	2,15	5,89		1,372
Women 60+ years	75,2	510	76,7	1,99	2,17	1,86	3,93		1,461

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	88,5	0,74	1,43	11,90	28,18	33,58	36,63
Children 7 - 10 years	32,2	622	84,6	0,28	0,60	6,88	16,89	20,40	24,97
Boys 11 - 14 years	46,9	108	76,9	0,20	0,38	4,24	12,48	15,87	19,98
Girls 11 - 14 years	45,3	110	90,0	0,37	0,42	3,57	11,22	15,32	18,43
Men 15 - 17 years	65,6	110	79,1	0,16	0,27	2,35	7,39	9,13	10,39
Women 15 - 17 years	55,6	110	78,2	0,17	0,26	1,41	6,80	9,30	10,54
Men 18 - 59 years	82,5	1422	68,1	0,12	0,17	0,85	5,11	7,06	9,59
Women 18 - 59 years	67,7	1492	69,7	0,11	0,16	0,83	4,50	6,03	7,83
Men 60+ years	82,9	332	70,5	0,10	0,16	1,01	5,63	6,91	8,03
Women 60+ years	75,2	510	76,7	0,15	0,19	1,22	4,85	6,49	8,34

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	698	2,7	7,1	22,7	100,8	200,0	250,0	300,0	323,8
Children 7 - 10 years	966	6,8	10,0	25,0	72,8	211,9	300,0	300,0	369,2
Boys 11 - 14 years	161	4,2	7,5	22,7	53,6	200,0	300,0	500,0	527,7
Girls 11 - 14 years	170	9,8	12,0	26,3	59,2	200,0	300,0	300,0	349,4
Men 15 - 17 years	136	8,3	11,2	24,4	80,1	240,0	300,0	300,0	351,9
Women 15 - 17 years	139	6,0	8,3	17,4	50,0	200,0	250,0	300,0	405,0
Men 18 - 59 years	1509	8,3	10,0	18,8	44,4	99,9	253,4	500,0	500,0
Women 18 - 59 years	1701	6,3	9,1	14,3	30,0	62,5	200,0	267,9	308,1
Men 60+ years	389	7,6	10,0	20,0	50,0	100,0	250,0	367,7	500,0
Women 60+ years	660	8,3	10,0	17,1	40,0	100,0	250,0	300,0	322,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **G - CHEESE**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	50,3	1,51	1,48	3,20	17,22	1,00	0,716
Children 7 - 10 years	32,2	622	46,3	1,30	1,09	1,76	3,46		0,573
Boys 11 - 14 years	46,9	108	40,7	1,21	0,96	1,56	1,80	1,11	0,467
Girls 11 - 14 years	45,3	110	50,0	1,00	0,73	0,87	0,02	1,43	0,472
Men 15 - 17 years	65,6	110	46,4	1,16	0,83	1,24	0,81		0,536
Women 15 - 17 years	55,6	110	56,4	1,14	0,85	1,37	2,15		0,637
Men 18 - 59 years	82,5	1422	43,2	0,88	0,69	2,15	8,91	1,00	0,373
Women 18 - 59 years	67,7	1492	46,4	0,85	0,67	1,91	6,19	0,43	0,376
Men 60+ years	82,9	332	37,7	0,75	0,54	1,40	2,24	0,56	0,279
Women 60+ years	75,2	510	42,2	0,66	0,49	1,47	2,45	0,38	0,267

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	50,3	0,18	0,25	1,11	3,05	3,75	5,18
Children 7 - 10 years	32,2	622	46,3	0,19	0,29	0,97	2,56	3,79	4,39
Boys 11 - 14 years	46,9	108	40,7	0,33	0,36	0,91	2,81	3,42	3,65
Girls 11 - 14 years	45,3	110	50,0	0,15	0,22	0,71	2,08	2,17	2,57
Men 15 - 17 years	65,6	110	46,4	0,30	0,34	0,86	2,34	3,08	3,24
Women 15 - 17 years	55,6	110	56,4	0,25	0,27	0,88	2,27	2,74	3,07
Men 18 - 59 years	82,5	1422	43,2	0,14	0,21	0,71	1,74	2,02	2,52
Women 18 - 59 years	67,7	1492	46,4	0,15	0,21	0,65	1,67	2,08	2,52
Men 60+ years	82,9	332	37,7	0,13	0,19	0,61	1,45	1,85	2,07
Women 60+ years	75,2	510	42,2	0,16	0,20	0,53	1,36	1,62	1,94

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	224	2,0	4,0	10,0	17,5	30,0	50,0	68,5	91,6
Children 7 - 10 years	351	5,0	7,3	15,0	30,0	45,0	60,0	82,9	100,0
Boys 11 - 14 years	58	4,7	10,0	18,0	31,7	50,0	70,4	100,0	125,3
Girls 11 - 14 years	67	6,8	10,0	20,0	30,0	50,0	60,0	69,3	90,0
Men 15 - 17 years	72	15,0	19,1	30,0	50,0	71,6	100,0	107,1	125,0
Women 15 - 17 years	90	3,9	5,0	15,0	30,0	60,0	100,0	120,0	143,6
Men 18 - 59 years	741	10,0	15,0	30,0	50,0	80,0	100,0	142,9	154,4
Women 18 - 59 years	854	7,4	10,3	20,0	30,0	60,0	100,0	100,0	114,0
Men 60+ years	151	10,0	14,3	30,0	50,0	66,3	100,0	100,0	118,8
Women 60+ years	267	6,7	13,3	20,0	30,0	50,0	72,9	100,0	100,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **H - MILK PRODUCTS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	75,0	7,31	6,58	3,49	22,14	8,33	5,209
Children 7 - 10 years	32,2	622	64,8	5,10	4,04	1,83	5,54	5,00	3,021
Boys 11 - 14 years	46,9	108	59,3	3,75	3,23	1,39	1,71		2,040
Girls 11 - 14 years	45,3	110	55,5	3,56	3,10	1,81	4,13	3,57	1,863
Men 15 - 17 years	65,6	110	50,0	3,21	2,43	1,05	0,56	2,50	1,618
Women 15 - 17 years	55,6	110	56,4	3,13	2,64	2,44	9,76	2,73	1,726
Men 18 - 59 years	82,5	1422	37,5	1,62	1,65	1,73	3,10	1,88	0,598
Women 18 - 59 years	67,7	1492	49,1	2,29	2,16	2,59	11,60	2,08	1,084
Men 60+ years	82,9	332	33,7	1,82	2,36	2,71	9,37		0,575
Women 60+ years	75,2	510	49,2	1,94	1,86	2,00	5,81	2,00	0,911

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	75,0	0,64	1,07	6,52	13,48	18,13	22,59
Children 7 - 10 years	32,2	622	64,8	0,45	0,81	4,46	10,00	12,67	15,96
Boys 11 - 14 years	46,9	108	59,3	0,28	0,55	3,13	8,10	11,07	12,33
Girls 11 - 14 years	45,3	110	55,5	0,21	0,33	3,19	6,33	10,50	12,07
Men 15 - 17 years	65,6	110	50,0	0,36	0,44	2,63	6,92	8,19	8,68
Women 15 - 17 years	55,6	110	56,4	0,22	0,30	2,78	5,75	7,08	8,91
Men 18 - 59 years	82,5	1422	37,5	0,11	0,16	1,23	3,80	5,34	6,35
Women 18 - 59 years	67,7	1492	49,1	0,15	0,22	2,08	4,66	5,95	8,09
Men 60+ years	82,9	332	33,7	0,13	0,14	1,14	4,23	6,62	8,71
Women 60+ years	75,2	510	49,2	0,13	0,17	1,83	3,85	5,73	6,99

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	398	6,8	12,5	40,0	90,0	150,0	150,0	200,0	315,0
Children 7 - 10 years	549	9,5	13,3	41,7	100,0	150,0	200,0	250,0	375,6
Boys 11 - 14 years	92	8,0	15,6	44,1	83,3	150,0	190,8	336,0	386,3
Girls 11 - 14 years	89	7,2	8,3	30,0	120,0	150,0	180,0	200,0	354,4
Men 15 - 17 years	79	13,6	16,4	60,0	150,0	162,5	300,0	410,0	500,0
Women 15 - 17 years	91	10,0	14,0	30,0	125,0	150,0	200,0	315,0	382,0
Men 18 - 59 years	678	9,9	10,0	20,0	70,0	150,0	243,0	375,8	500,0
Women 18 - 59 years	1019	7,5	10,0	20,0	105,0	150,0	200,0	300,0	380,0
Men 60+ years	140	10,0	10,0	22,7	50,0	150,0	250,0	386,0	500,0
Women 60+ years	321	10,0	10,0	18,2	105,0	150,0	250,0	280,0	440,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **I - EGGS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	69,0	1,05	1,35	2,37	5,78	0,53	0,698
Children 7 - 10 years	32,2	622	71,9	0,86	1,10	2,69	8,77	0,24	0,587
Boys 11 - 14 years	46,9	108	70,4	0,90	1,07	1,83	3,03		0,584
Girls 11 - 14 years	45,3	110	70,0	0,82	1,32	5,09	33,57	0,28	0,508
Men 15 - 17 years	65,6	110	78,2	0,62	0,69	1,60	1,94	0,21	0,488
Women 15 - 17 years	55,6	110	74,5	0,63	0,66	1,90	3,50	0,18	0,457
Men 18 - 59 years	82,5	1422	67,9	0,50	0,62	2,36	8,47		0,339
Women 18 - 59 years	67,7	1492	65,5	0,51	0,59	2,11	5,27		0,328
Men 60+ years	82,9	332	72,3	0,47	0,61	2,77	9,51	0,07	0,335
Women 60+ years	75,2	510	64,1	0,48	0,59	2,31	6,40		0,295

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	69,0	0,09	0,14	0,48	2,74	4,30	5,42
Children 7 - 10 years	32,2	622	71,9	0,08	0,11	0,42	2,12	3,16	4,28
Boys 11 - 14 years	46,9	108	70,4	0,08	0,08	0,40	2,41	3,20	3,89
Girls 11 - 14 years	45,3	110	70,0	0,05	0,06	0,42	1,81	2,25	3,02
Men 15 - 17 years	65,6	110	78,2	0,05	0,08	0,33	1,73	1,97	2,43
Women 15 - 17 years	55,6	110	74,5	0,08	0,11	0,40	1,39	2,29	2,40
Men 18 - 59 years	82,5	1422	67,9	0,05	0,06	0,23	1,43	1,88	2,22
Women 18 - 59 years	67,7	1492	65,5	0,04	0,06	0,26	1,33	1,78	2,16
Men 60+ years	82,9	332	72,3	0,04	0,06	0,23	1,17	1,63	2,18
Women 60+ years	75,2	510	64,1	0,04	0,06	0,22	1,31	1,66	2,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	359	1,7	2,0	3,6	7,0	13,3	50,0	62,3	89,4
Children 7 - 10 years	668	2,4	2,9	4,5	8,9	18,0	50,0	61,3	94,4
Boys 11 - 14 years	139	3,0	3,2	5,0	10,0	20,7	50,0	88,9	124,9
Girls 11 - 14 years	117	2,5	3,0	5,0	10,3	20,0	50,0	86,3	93,8
Men 15 - 17 years	119	3,2	4,9	7,6	16,3	38,0	60,0	124,0	149,7
Women 15 - 17 years	128	2,9	3,6	6,7	12,0	26,9	54,0	73,9	95,1
Men 18 - 59 years	1416	3,2	4,2	6,7	13,3	30,0	80,0	120,0	145,6
Women 18 - 59 years	1410	2,5	3,2	6,0	12,0	29,1	55,7	93,3	110,0
Men 60+ years	378	3,0	3,5	6,3	12,0	23,8	56,7	100,0	137,8
Women 60+ years	492	2,5	3,1	5,5	11,3	24,3	53,3	97,8	107,5

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **J - FATS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	99,2	1,54	1,13	2,67	12,99	1,25	1,482
Children 7 - 10 years	32,2	622	99,5	1,14	0,76	1,81	5,58	0,50	1,089
Boys 11 - 14 years	46,9	108	99,1	1,12	0,77	1,41	3,69		1,083
Girls 11 - 14 years	45,3	110	99,1	1,08	0,91	3,35	18,00	0,38	0,989
Men 15 - 17 years	65,6	110	99,1	0,96	0,69	1,68	3,20		0,944
Women 15 - 17 years	55,6	110	97,3	0,76	0,70	4,46	29,43		0,718
Men 18 - 59 years	82,5	1422	97,7	0,61	0,47	2,71	15,45	0,50	0,588
Women 18 - 59 years	67,7	1492	94,8	0,60	0,48	2,76	14,62	0,42	0,559
Men 60+ years	82,9	332	98,5	0,66	0,49	2,33	10,33	0,33	0,639
Women 60+ years	75,2	510	97,8	0,54	0,35	1,34	2,19	0,25	0,507

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	99,2	0,34	0,52	1,29	2,98	3,59	4,21
Children 7 - 10 years	32,2	622	99,5	0,28	0,40	0,96	2,07	2,58	2,94
Boys 11 - 14 years	46,9	108	99,1	0,19	0,31	0,99	2,08	2,45	2,63
Girls 11 - 14 years	45,3	110	99,1	0,24	0,36	0,85	1,92	2,48	3,06
Men 15 - 17 years	65,6	110	99,1	0,23	0,32	0,78	1,83	2,67	2,79
Women 15 - 17 years	55,6	110	97,3	0,18	0,22	0,61	1,35	1,73	2,02
Men 18 - 59 years	82,5	1422	97,7	0,13	0,17	0,51	1,14	1,46	1,76
Women 18 - 59 years	67,7	1492	94,8	0,11	0,16	0,49	1,15	1,43	1,70
Men 60+ years	82,9	332	98,5	0,12	0,19	0,54	1,24	1,42	1,82
Women 60+ years	75,2	510	97,8	0,11	0,16	0,46	0,98	1,25	1,53

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	913	2,0	3,2	5,9	10,0	15,0	22,1	30,0	37,4
Children 7 - 10 years	1462	3,0	5,0	8,1	12,9	20,0	27,5	34,6	42,8
Boys 11 - 14 years	272	2,6	5,0	10,0	15,1	24,9	38,3	48,9	60,4
Girls 11 - 14 years	271	5,0	5,0	10,0	15,0	22,3	34,4	43,0	54,3
Men 15 - 17 years	283	4,6	7,7	12,5	20,0	30,0	40,0	50,3	75,9
Women 15 - 17 years	240	4,0	5,0	10,0	15,0	21,8	31,8	40,1	49,2
Men 18 - 59 years	3020	4,5	7,1	11,2	19,8	30,0	40,0	51,8	65,2
Women 18 - 59 years	2964	3,8	5,0	10,0	15,0	23,4	35,0	45,0	58,5
Men 60+ years	787	5,0	6,3	10,0	18,2	30,0	40,0	51,4	63,7
Women 60+ years	1117	4,5	6,0	10,0	15,0	20,0	30,1	40,0	47,4

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **K - CEREAL PRODUCTS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	98,1	5,92	3,42	1,89	7,26	5,00	5,569
Children 7 - 10 years	32,2	622	99,0	4,72	2,84	1,71	5,95	4,00	4,490
Boys 11 - 14 years	46,9	108	98,1	4,71	3,30	1,30	1,87		4,374
Girls 11 - 14 years	45,3	110	99,1	3,48	2,10	1,33	2,16	1,33	3,250
Men 15 - 17 years	65,6	110	98,2	4,24	2,85	2,29	7,78		4,177
Women 15 - 17 years	55,6	110	94,5	2,65	1,66	1,11	0,99		2,458
Men 18 - 59 years	82,5	1422	98,2	3,05	1,76	1,25	3,05		2,938
Women 18 - 59 years	67,7	1492	92,7	2,24	1,44	1,48	3,40	2,00	2,027
Men 60+ years	82,9	332	97,9	2,77	1,62	1,27	2,31	2,00	2,656
Women 60+ years	75,2	510	98,2	2,22	1,35	1,57	4,30		2,105

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	98,1	1,90	2,35	5,33	10,02	12,25	14,60
Children 7 - 10 years	32,2	622	99,0	1,41	1,79	4,17	8,52	9,99	11,64
Boys 11 - 14 years	46,9	108	98,1	1,06	1,52	3,57	9,11	10,92	12,55
Girls 11 - 14 years	45,3	110	99,1	1,02	1,33	2,86	6,01	7,45	8,50
Men 15 - 17 years	65,6	110	98,2	1,20	1,53	3,75	7,26	9,04	11,30
Women 15 - 17 years	55,6	110	94,5	0,74	0,87	2,03	4,75	5,83	6,64
Men 18 - 59 years	82,5	1422	98,2	0,73	1,08	2,75	5,28	6,37	7,38
Women 18 - 59 years	67,7	1492	92,7	0,56	0,73	1,93	4,04	5,00	6,01
Men 60+ years	82,9	332	97,9	0,80	1,00	2,42	4,71	5,64	6,96
Women 60+ years	75,2	510	98,2	0,56	0,83	1,97	4,00	4,65	5,61

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	985	10,0	15,0	30,0	40,0	50,0	80,0	80,0	105,0
Children 7 - 10 years	1686	11,6	18,0	40,0	40,0	60,0	100,0	120,0	145,3
Boys 11 - 14 years	289	13,9	19,2	40,0	60,0	100,0	160,0	180,0	211,9
Girls 11 - 14 years	278	12,3	17,7	40,0	50,0	80,0	100,0	120,0	159,5
Men 15 - 17 years	320	17,9	24,9	40,0	80,0	120,0	200,0	240,0	282,4
Women 15 - 17 years	256	13,6	16,7	37,4	50,0	80,0	100,0	125,0	158,0
Men 18 - 59 years	3735	18,0	27,0	50,0	80,0	120,0	160,0	200,0	230,0
Women 18 - 59 years	3254	13,6	20,0	40,0	60,0	80,0	120,0	150,0	180,0
Men 60+ years	911	16,7	27,0	40,0	80,0	100,0	160,0	165,7	200,0
Women 60+ years	1261	15,0	23,3	40,0	60,0	80,0	120,0	133,3	156,9

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	99,7	7,09	5,62	1,38	2,56	2,22	6,829
Children 7 - 10 years	32,2	622	98,6	6,10	4,81	1,64	4,46		5,689
Boys 11 - 14 years	46,9	108	98,1	6,01	4,87	2,25	7,92		5,700
Girls 11 - 14 years	45,3	110	98,2	5,13	3,57	1,05	0,84		4,762
Men 15 - 17 years	65,6	110	97,3	4,56	3,23	0,99	0,64		4,457
Women 15 - 17 years	55,6	110	94,5	4,48	3,13	0,77	0,03	2,71	4,128
Men 18 - 59 years	82,5	1422	97,0	3,50	2,71	1,52	4,16		3,337
Women 18 - 59 years	67,7	1492	95,4	3,65	2,88	1,84	8,96		3,381
Men 60+ years	82,9	332	98,5	3,30	2,43	1,17	1,77	0,62	3,218
Women 60+ years	75,2	510	98,0	3,22	2,44	1,00	0,66		3,053

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	99,7	0,92	1,26	5,63	14,17	18,37	20,31
Children 7 - 10 years	32,2	622	98,6	0,80	1,16	5,03	12,16	14,95	17,49
Boys 11 - 14 years	46,9	108	98,1	1,01	1,29	4,57	10,56	15,63	18,67
Girls 11 - 14 years	45,3	110	98,2	0,84	1,43	4,43	9,88	12,59	14,48
Men 15 - 17 years	65,6	110	97,3	0,65	1,01	3,85	9,11	10,56	12,91
Women 15 - 17 years	55,6	110	94,5	0,53	0,91	4,21	8,55	10,83	11,81
Men 18 - 59 years	82,5	1422	97,0	0,45	0,67	2,98	7,00	8,42	10,21
Women 18 - 59 years	67,7	1492	95,4	0,39	0,65	3,07	7,47	8,92	10,62
Men 60+ years	82,9	332	98,5	0,50	0,71	2,91	6,37	7,58	9,34
Women 60+ years	75,2	510	98,0	0,30	0,58	2,80	6,79	8,28	9,00

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	652	1,6	5,0	20,0	51,4	120,8	195,5	250,0	309,1
Children 7 - 10 years	1052	8,1	14,7	32,5	81,1	160,2	241,5	300,9	355,9
Boys 11 - 14 years	204	10,0	15,3	50,0	100,0	210,3	308,3	386,4	432,4
Girls 11 - 14 years	199	5,0	12,7	38,9	98,2	185,8	257,9	301,2	348,7
Men 15 - 17 years	208	11,7	20,0	50,0	113,1	241,5	341,5	427,2	491,6
Women 15 - 17 years	190	3,9	6,0	36,5	101,3	191,6	274,2	382,2	431,4
Men 18 - 59 years	2572	10,0	20,0	44,5	100,0	241,5	351,4	428,0	481,3
Women 18 - 59 years	2444	8,0	15,0	43,9	100,0	207,6	308,6	382,0	442,4
Men 60+ years	600	9,9	15,0	41,2	107,0	239,7	326,8	407,6	458,3
Women 60+ years	829	7,6	13,7	38,8	100,0	224,6	306,8	401,3	471,5

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **M - FRUIT**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	87,4	9,91	6,95	1,19	2,33	5,00	8,237
Children 7 - 10 years	32,2	622	85,0	7,17	5,28	1,38	2,92		5,840
Boys 11 - 14 years	46,9	108	74,1	6,05	4,59	0,83	0,00	5,00	4,192
Girls 11 - 14 years	45,3	110	77,3	6,22	5,27	1,53	2,81		4,442
Men 15 - 17 years	65,6	110	62,7	3,98	3,85	1,76	3,75	2,67	2,458
Women 15 - 17 years	55,6	110	85,5	4,71	3,18	0,88	0,20		3,912
Men 18 - 59 years	82,5	1422	59,2	2,40	2,35	2,46	11,56	2,00	1,398
Women 18 - 59 years	67,7	1492	74,1	3,78	2,95	1,72	4,66	5,00	2,708
Men 60+ years	82,9	332	69,3	2,53	2,01	1,18	1,86	2,50	1,711
Women 60+ years	75,2	510	79,0	3,47	2,49	1,17	1,87	2,00	2,665

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	87,4	0,87	2,23	8,44	19,03	21,93	26,11
Children 7 - 10 years	32,2	622	85,0	0,41	1,34	6,00	13,90	16,73	20,56
Boys 11 - 14 years	46,9	108	74,1	0,07	0,93	4,78	13,03	14,16	16,70
Girls 11 - 14 years	45,3	110	77,3	0,31	0,68	4,66	12,96	15,57	19,67
Men 15 - 17 years	65,6	110	62,7	0,05	0,29	2,88	9,22	12,03	13,22
Women 15 - 17 years	55,6	110	85,5	0,86	1,36	3,80	9,50	10,70	11,72
Men 18 - 59 years	82,5	1422	59,2	0,07	0,15	1,92	5,05	6,63	8,07
Women 18 - 59 years	67,7	1492	74,1	0,22	0,71	3,08	7,45	9,44	11,32
Men 60+ years	82,9	332	69,3	0,05	0,18	2,26	5,06	6,09	8,10
Women 60+ years	75,2	510	79,0	0,27	0,62	2,86	6,44	8,23	9,78

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	625	4,2	10,0	42,9	92,1	150,0	200,0	210,0	285,0
Children 7 - 10 years	1012	3,0	8,9	50,0	120,0	150,0	200,0	270,0	300,0
Boys 11 - 14 years	162	3,0	6,3	30,0	140,0	190,0	288,0	300,0	415,3
Girls 11 - 14 years	180	2,1	5,0	30,0	100,0	172,5	271,0	300,0	317,4
Men 15 - 17 years	109	3,0	4,5	20,0	150,0	200,0	412,0	528,0	600,0
Women 15 - 17 years	163	5,1	15,6	70,0	150,0	200,0	300,0	300,0	334,2
Men 18 - 59 years	1331	4,1	7,1	20,0	100,0	164,0	280,0	320,0	416,0
Women 18 - 59 years	1993	4,2	10,0	50,0	150,0	180,0	280,0	310,0	425,0
Men 60+ years	390	3,7	10,0	30,0	100,0	160,0	241,0	300,0	418,2
Women 60+ years	780	3,5	10,0	40,0	140,0	171,3	270,0	300,0	375,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	95,6	2,89	2,45	1,76	4,91	1,00	2,668
Children 7 - 10 years	32,2	622	94,7	2,03	1,80	1,81	5,03	2,00	1,853
Boys 11 - 14 years	46,9	108	89,8	1,67	1,97	3,94	24,00	1,25	1,325
Girls 11 - 14 years	45,3	110	90,9	1,69	1,59	1,91	3,99		1,403
Men 15 - 17 years	65,6	110	88,2	1,07	0,99	1,42	1,99		0,945
Women 15 - 17 years	55,6	110	81,8	0,85	0,95	2,45	8,82		0,671
Men 18 - 59 years	82,5	1422	85,4	0,55	0,61	2,71	11,49	0,12	0,457
Women 18 - 59 years	67,7	1492	78,4	0,67	0,76	2,73	11,21	0,15	0,506
Men 60+ years	82,9	332	83,1	0,51	0,54	2,16	5,44		0,408
Women 60+ years	75,2	510	80,6	0,56	0,60	2,20	6,05	0,50	0,441

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	95,6	0,33	0,51	2,32	5,95	8,25	9,36
Children 7 - 10 years	32,2	622	94,7	0,17	0,28	1,60	4,34	5,27	6,69
Boys 11 - 14 years	46,9	108	89,8	0,08	0,10	1,23	3,52	4,10	4,60
Girls 11 - 14 years	45,3	110	90,9	0,17	0,26	1,32	3,47	5,61	6,41
Men 15 - 17 years	65,6	110	88,2	0,11	0,15	0,74	2,60	2,86	3,35
Women 15 - 17 years	55,6	110	81,8	0,07	0,10	0,46	1,79	2,57	3,16
Men 18 - 59 years	82,5	1422	85,4	0,05	0,08	0,32	1,25	1,68	2,20
Women 18 - 59 years	67,7	1492	78,4	0,05	0,08	0,42	1,53	2,08	2,65
Men 60+ years	82,9	332	83,1	0,06	0,07	0,33	1,20	1,63	2,18
Women 60+ years	75,2	510	80,6	0,05	0,07	0,36	1,27	1,86	2,20

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	1045	2,5	5,0	6,0	10,0	24,0	50,0	60,0	90,0
Children 7 - 10 years	1560	2,3	3,8	6,0	12,0	34,7	55,0	80,0	100,0
Boys 11 - 14 years	246	2,5	3,8	5,1	12,0	40,0	60,0	100,0	103,2
Girls 11 - 14 years	286	3,0	5,0	7,0	10,0	31,1	50,0	87,5	100,0
Men 15 - 17 years	214	2,5	5,0	9,0	12,7	45,9	70,0	100,0	142,6
Women 15 - 17 years	186	2,5	4,0	5,5	10,0	27,8	50,0	60,0	84,6
Men 18 - 59 years	2674	2,7	4,0	5,0	10,0	20,0	50,0	70,0	102,5
Women 18 - 59 years	2635	2,5	4,0	5,0	10,0	20,0	50,0	70,2	100,0
Men 60+ years	605	3,0	5,0	5,0	10,0	21,7	46,6	60,0	87,2
Women 60+ years	935	2,5	4,0	5,0	10,0	18,8	47,5	60,0	91,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	100,0	3,19	2,93	2,48	9,75		3,052
Children 7 - 10 years	32,2	622	100,0	2,40	1,94	1,68	4,69		2,297
Boys 11 - 14 years	46,9	108	99,1	2,24	1,75	1,40	2,69		2,139
Girls 11 - 14 years	45,3	110	100,0	2,22	1,89	1,51	2,91		2,114
Men 15 - 17 years	65,6	110	100,0	1,99	1,62	1,69	4,46		1,978
Women 15 - 17 years	55,6	110	99,1	1,39	1,23	1,26	1,13		1,348
Men 18 - 59 years	82,5	1422	98,7	1,29	1,22	2,06	7,49	2,05	1,247
Women 18 - 59 years	67,7	1492	96,7	1,14	1,13	2,44	10,23		1,069
Men 60+ years	82,9	332	98,5	1,09	0,96	1,51	2,58		1,061
Women 60+ years	75,2	510	99,4	0,91	0,93	2,63	11,38	0,20	0,885

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	100,0	0,28	0,52	2,48	6,61	8,28	10,28
Children 7 - 10 years	32,2	622	100,0	0,26	0,46	1,96	4,80	6,12	7,11
Boys 11 - 14 years	46,9	108	99,1	0,21	0,35	2,00	4,74	5,26	6,67
Girls 11 - 14 years	45,3	110	100,0	0,15	0,41	1,70	4,92	6,03	6,64
Men 15 - 17 years	65,6	110	100,0	0,31	0,40	1,88	3,93	4,78	5,54
Women 15 - 17 years	55,6	110	99,1	0,10	0,20	1,01	3,35	3,66	4,50
Men 18 - 59 years	82,5	1422	98,7	0,10	0,18	0,93	2,82	3,51	4,38
Women 18 - 59 years	67,7	1492	96,7	0,08	0,14	0,85	2,43	3,20	4,06
Men 60+ years	82,9	332	98,5	0,11	0,20	0,79	2,37	3,03	3,56
Women 60+ years	75,2	510	99,4	0,07	0,13	0,61	2,03	2,43	3,24

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	813	0,3	0,9	7,8	19,6	41,0	69,9	91,8	103,2
Children 7 - 10 years	1320	1,0	1,9	10,0	23,2	50,4	80,0	102,3	123,8
Boys 11 - 14 years	257	1,0	1,8	10,7	28,0	62,0	102,5	134,2	151,4
Girls 11 - 14 years	247	1,2	2,7	9,7	27,1	61,7	100,0	135,6	155,7
Men 15 - 17 years	267	1,3	3,8	12,1	30,0	85,1	140,4	168,4	194,1
Women 15 - 17 years	233	1,0	1,6	7,0	20,0	50,0	90,4	114,3	139,5
Men 18 - 59 years	3131	1,2	2,8	8,4	22,0	67,3	134,6	160,4	196,6
Women 18 - 59 years	2900	0,8	2,0	7,6	20,1	50,1	95,7	124,0	156,5
Men 60+ years	743	0,5	1,9	8,0	21,5	51,6	100,0	140,0	166,9
Women 60+ years	1048	0,2	1,1	6,1	18,2	41,6	88,7	110,9	144,9

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **P - BEVERAGES**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	99,7	51,26	24,72	1,02	1,79		49,614
Children 7 - 10 years	32,2	622	99,5	37,84	21,11	2,17	10,18	32,00	35,771
Boys 11 - 14 years	46,9	108	100,0	31,80	14,06	0,58	-0,07		30,300
Girls 11 - 14 years	45,3	110	100,0	29,61	14,78	0,91	0,83		27,648
Men 15 - 17 years	65,6	110	100,0	27,03	13,43	1,08	2,52		26,700
Women 15 - 17 years	55,6	110	99,1	25,77	14,18	1,54	4,33		25,059
Men 18 - 59 years	82,5	1422	100,0	27,47	14,22	1,63	7,90		27,001
Women 18 - 59 years	67,7	1492	99,9	24,88	12,45	1,35	3,59	22,68	24,105
Men 60+ years	82,9	332	100,0	23,85	11,67	1,32	3,45		23,538
Women 60+ years	75,2	510	100,0	20,10	9,00	1,05	1,73		19,569

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	99,7	17,17	24,39	47,73	85,28	99,13	108,92
Children 7 - 10 years	32,2	622	99,5	13,11	17,16	34,07	63,69	72,32	85,33
Boys 11 - 14 years	46,9	108	100,0	12,93	15,18	29,53	51,46	56,67	59,61
Girls 11 - 14 years	45,3	110	100,0	10,59	13,77	26,84	52,27	56,52	62,91
Men 15 - 17 years	65,6	110	100,0	9,47	12,19	25,37	42,85	49,30	53,09
Women 15 - 17 years	55,6	110	99,1	7,86	10,57	23,79	42,33	45,48	54,22
Men 18 - 59 years	82,5	1422	100,0	9,02	11,96	25,08	45,83	52,28	58,86
Women 18 - 59 years	67,7	1492	99,9	9,06	11,41	22,77	40,67	47,28	54,67
Men 60+ years	82,9	332	100,0	8,67	10,69	22,12	38,02	45,24	51,50
Women 60+ years	75,2	510	100,0	8,44	9,99	18,67	31,87	37,14	41,49

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	1415	100,0	126,8	200,0	204,0	300,0	400,0	500,0	537,6
Children 7 - 10 years	2328	100,0	152,0	200,0	250,0	302,0	481,1	504,0	591,7
Boys 11 - 14 years	424	100,0	200,0	202,0	300,0	334,1	501,9	598,9	747,8
Girls 11 - 14 years	448	101,5	169,2	201,1	251,8	303,2	500,0	500,0	627,3
Men 15 - 17 years	414	77,0	200,0	250,0	319,5	500,0	594,3	791,2	1 000,0
Women 15 - 17 years	404	96,6	191,2	202,0	300,0	419,1	502,0	569,1	680,3
Men 18 - 59 years	6726	114,0	200,0	207,0	301,5	500,0	700,0	1 000,0	1 002,0
Women 18 - 59 years	7161	107,0	200,0	202,0	252,0	314,0	500,0	542,4	691,5
Men 60+ years	1557	107,0	198,6	207,0	300,0	500,0	680,8	1 000,0	1 023,1
Women 60+ years	2326	100,0	157,0	202,0	252,0	302,0	500,0	524,9	618,7

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed a commodity from the food group, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **Q - CONVENIENT FOOD, MEALS**

Statistics describing food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall*
Children 4 - 6 years	21,4	364	20,9	2,60	2,69	1,36	2,63	4,00	0,551
Children 7 - 10 years	32,2	622	19,6	2,06	2,61	1,83	4,13	0,02	0,404
Boys 11 - 14 years	46,9	108	25,9	2,27	2,09	0,28	-1,38	5,00	0,555
Girls 11 - 14 years	45,3	110	16,4	1,00	1,45	1,41	0,74	2,67	0,140
Men 15 - 17 years	65,6	110	32,7	2,41	1,68	-0,05	-0,53	2,86	0,800
Women 15 - 17 years	55,6	110	19,1	1,51	2,01	2,02	5,04	0,03	0,270
Men 18 - 59 years	82,5	1422	26,2	1,91	1,66	1,02	2,21	2,00	0,489
Women 18 - 59 years	67,7	1492	17,0	1,36	1,43	1,54	4,30		0,224
Men 60+ years	82,9	332	31,0	1,13	1,09	0,67	-0,03		0,354
Women 60+ years	75,2	510	25,9	1,00	1,12	1,64	3,96		0,257

Distribution of food group consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	20,9	0,04	0,04	2,29	5,66	6,74	9,10
Children 7 - 10 years	32,2	622	19,6	0,02	0,02	0,89	4,68	6,81	9,71
Boys 11 - 14 years	46,9	108	25,9	0,02	0,03	2,51	5,04	5,27	5,63
Girls 11 - 14 years	45,3	110	16,4	0,02	0,02	0,13	3,11	4,15	4,18
Men 15 - 17 years	65,6	110	32,7	0,02	0,02	2,79	4,31	5,00	5,19
Women 15 - 17 years	55,6	110	19,1	0,02	0,02	0,50	3,33	4,34	6,24
Men 18 - 59 years	82,5	1422	26,2	0,02	0,02	2,00	3,79	4,62	5,74
Women 18 - 59 years	67,7	1492	17,0	0,01	0,02	1,14	3,02	3,60	4,70
Men 60+ years	82,9	332	31,0	0,01	0,02	1,14	2,42	2,78	3,19
Women 60+ years	75,2	510	25,9	0,02	0,02	0,43	2,35	2,83	3,30

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	79	0,9	0,9	1,7	40,0	80,0	120,0	124,0	193,2
Children 7 - 10 years	126	0,9	0,9	0,9	35,0	115,0	155,0	160,0	227,5
Boys 11 - 14 years	28	0,9	0,9	1,8	80,0	165,0	240,0	246,5	282,5
Girls 11 - 14 years	18	0,9	1,1	1,5	8,3	72,7	120,0	126,0	143,0
Men 15 - 17 years	39	1,5	1,5	13,6	160,0	230,0	252,0	300,0	300,0
Women 15 - 17 years	23	0,9	1,0	1,5	60,0	120,0	160,0	196,0	218,0
Men 18 - 59 years	395	1,5	1,5	20,0	160,0	240,0	292,0	320,0	366,2
Women 18 - 59 years	265	0,9	1,2	1,8	80,0	160,0	200,0	201,0	250,0
Men 60+ years	107	1,2	1,5	1,8	50,0	160,0	217,3	240,0	241,9
Women 60+ years	144	0,9	1,5	2,8	30,0	120,0	160,0	195,0	207,0

Notes:

*Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.