

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **A - MEAT AND OFFAL**

Subgroup: **1 - BEEF AND VEAL**

Commodity: **beef***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	17,9	3,77	2,03	0,73	0,54		0,666
Children 7 - 10 years	32,3	622	18,6	2,49	1,63	0,64	0,06		0,461
Boys 11 - 14 years	46,9	108	20,4	2,12	1,24	0,25	-0,82	3,14	0,429
Girls 11 - 14 years	45,3	110	17,3	2,60	1,64	0,62	-0,01		0,440
Men 15 - 17 years	65,6	110	21,8	2,00	1,30	1,59	3,84		0,425
Women 15 - 17 years	55,6	110	7,3	1,65	1,06	0,04	-1,52		0,114
Men 18 - 59 years	82,5	1422	24,3	1,40	0,88	0,73	0,49		0,337
Women 18 - 59 years	67,7	1492	12,5	1,63	1,07	0,76	1,06		0,193
Men 60+ years	82,9	332	20,8	1,29	0,81	0,35	-0,57		0,277
Women 60+ years	75,2	510	12,7	1,56	1,06	1,13	2,42	1,82	0,202

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	17,9	0,81	1,21	3,66	6,17	8,32	8,59
Children 7 - 10 years	32,3	622	18,6	0,34	0,43	2,41	4,54	5,83	6,32
Boys 11 - 14 years	46,9	108	20,4	0,46	0,54	1,92	3,28	3,69	4,23
Girls 11 - 14 years	45,3	110	17,3	0,38	0,44	2,39	5,02	5,60	5,83
Men 15 - 17 years	65,6	110	21,8	0,41	0,64	1,81	3,43	3,99	4,96
Women 15 - 17 years	55,6	110	7,3	0,39	0,46	1,85	2,95	3,03	3,06
Men 18 - 59 years	82,5	1422	24,3	0,22	0,27	1,34	2,53	3,29	3,54
Women 18 - 59 years	67,7	1492	12,5	0,21	0,26	1,57	3,07	3,41	3,97
Men 60+ years	82,9	332	20,8	0,22	0,26	1,29	2,34	2,67	2,96
Women 60+ years	75,2	510	12,7	0,25	0,32	1,60	2,82	3,45	3,72

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	66	15,4	29,0	50,7	80,0	97,9	136,5	159,8	161,3
Children 7 - 10 years	117	11,8	13,6	40,1	80,6	123,5	138,8	161,3	188,8
Boys 11 - 14 years	23	24,0	38,2	65,2	94,3	133,2	139,9	141,3	164,4
Girls 11 - 14 years	20	13,6	13,6	80,8	100,0	135,0	169,1	240,0	250,4
Men 15 - 17 years	24	24,1	37,3	80,0	124,5	143,3	224,6	241,9	310,5
Women 15 - 17 years	8	18,4	23,2	31,5	96,2	127,5	153,4	157,4	159,3
Men 18 - 59 years	362	15,3	22,7	55,3	109,9	150,0	192,1	241,9	265,3
Women 18 - 59 years	187	13,6	18,2	54,9	105,6	137,4	193,5	217,6	241,9
Men 60+ years	69	18,2	22,4	45,5	109,9	164,8	196,2	220,0	250,3
Women 60+ years	68	18,2	22,7	45,0	109,6	161,3	202,9	241,9	322,2

Notes:

*Food item beef includes commodities: beef; beef, fore part without bones; beef, fore part with bones; beef, hind part and veal.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **A - MEAT AND OFFAL**

Subgroup: **2 - PORK**

Commodity: **pork***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,1	4,13	2,58	2,35	6,87	3,70	0,602
Children 7 - 10 years	32,3	622	22,0	2,96	1,69	1,69	4,01	2,22	0,644
Boys 11 - 14 years	46,9	108	26,9	2,51	1,16	1,08	0,36	1,11	0,617
Girls 11 - 14 years	45,3	110	24,5	2,14	0,82	-0,12	-0,87	3,14	0,536
Men 15 - 17 years	65,6	110	21,8	2,33	1,00	0,39	-0,53		0,513
Women 15 - 17 years	55,6	110	23,6	2,19	0,68	-0,22	0,36	2,78	0,513
Men 18 - 59 years	82,5	1422	28,4	2,07	1,31	2,12	6,34	1,39	0,580
Women 18 - 59 years	67,7	1492	20,9	1,97	1,25	5,14	49,35		0,409
Men 60+ years	82,9	332	27,4	1,87	1,00	2,45	9,74	1,96	0,515
Women 60+ years	75,2	510	19,4	1,62	0,80	0,96	1,25		0,309

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,1	1,62	2,07	3,70	6,83	8,37	12,11
Children 7 - 10 years	32,3	622	22,0	0,97	1,26	2,66	5,40	6,25	6,79
Boys 11 - 14 years	46,9	108	26,9	1,17	1,43	2,18	4,77	4,93	5,02
Girls 11 - 14 years	45,3	110	24,5	0,82	1,11	2,03	3,16	3,29	3,38
Men 15 - 17 years	65,6	110	21,8	0,81	1,23	2,15	3,68	4,00	4,18
Women 15 - 17 years	55,6	110	23,6	1,41	1,56	2,16	2,96	3,26	3,39
Men 18 - 59 years	82,5	1422	28,4	0,71	0,94	1,79	3,55	5,08	5,55
Women 18 - 59 years	67,7	1492	20,9	0,72	0,94	1,79	3,27	3,90	4,24
Men 60+ years	82,9	332	27,4	0,84	1,01	1,66	2,71	3,10	4,44
Women 60+ years	75,2	510	19,4	0,51	0,74	1,55	2,64	3,09	3,43

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	57	34,0	44,6	54,3	66,7	87,0	123,2	169,2	244,8
Children 7 - 10 years	147	33,9	38,5	55,0	83,3	108,7	143,7	172,9	221,5
Boys 11 - 14 years	32	51,3	54,3	66,7	88,9	116,7	139,8	166,7	184,0
Girls 11 - 14 years	27	36,4	48,6	60,5	90,9	144,0	163,0	165,6	168,9
Men 15 - 17 years	29	54,8	64,4	93,0	116,7	152,2	185,5	211,6	247,0
Women 15 - 17 years	27	66,7	78,8	92,2	116,7	142,9	166,7	166,7	168,9
Men 18 - 59 years	449	59,5	80,9	111,1	138,5	173,1	230,8	275,4	375,1
Women 18 - 59 years	333	50,0	63,0	90,9	116,7	150,0	173,1	217,4	282,1
Men 60+ years	102	65,3	77,8	87,9	125,0	166,7	200,0	260,0	304,9
Women 60+ years	107	43,6	54,3	69,4	115,0	132,4	166,7	188,7	204,4

Notes:

*Food item pork includes commodities: pork; pork, flank; pork, head; pork, knee; pork, chops; pork, neck; pork, ham; pork, trotters; pork, shoulder and pork, spare ribs.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **A - MEAT AND OFFAL**

Subgroup: **5 - MINCED MEAT**

Commodity: **minced meat**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	2,95	1,86	2,16	5,98		0,171
Children 7 - 10 years	32,3	622	8,5	1,87	0,94	1,43	3,82	1,85	0,151
Boys 11 - 14 years	46,9	108	8,3	2,01	0,74	0,37	-1,86		0,188
Girls 11 - 14 years	45,3	110	8,2	1,87	0,30	0,70	-0,66	1,90	0,146
Men 15 - 17 years	65,6	110	8,2	1,92	0,97	1,19	1,92		0,151
Women 15 - 17 years	55,6	110	6,4	1,26	0,64	0,08	-1,11		0,073
Men 18 - 59 years	82,5	1422	8,0	1,19	0,61	1,83	4,85		0,096
Women 18 - 59 years	67,7	1492	5,5	1,11	0,55	1,44	3,56	1,25	0,061
Men 60+ years	82,9	332	6,6	1,54	0,67	0,60	0,05		0,097
Women 60+ years	75,2	510	6,1	1,27	0,63	1,24	1,79		0,077

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	1,12	1,58	2,64	4,89	5,79	7,50
Children 7 - 10 years	32,3	622	8,5	0,74	0,87	1,78	2,76	3,46	3,89
Boys 11 - 14 years	46,9	108	8,3	1,23	1,31	1,76	2,94	2,98	3,00
Girls 11 - 14 years	45,3	110	8,2	1,55	1,55	1,88	2,32	2,33	2,33
Men 15 - 17 years	65,6	110	8,2	0,90	0,99	2,00	2,79	3,40	3,70
Women 15 - 17 years	55,6	110	6,4	0,48	0,53	1,17	1,94	2,06	2,13
Men 18 - 59 years	82,5	1422	8,0	0,51	0,60	1,02	1,80	2,37	2,84
Women 18 - 59 years	67,7	1492	5,5	0,37	0,47	1,00	1,72	1,85	2,61
Men 60+ years	82,9	332	6,6	0,65	0,71	1,57	2,47	2,62	2,86
Women 60+ years	75,2	510	6,1	0,57	0,60	1,10	2,08	2,38	2,72

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	22	35,0	35,0	40,5	55,8	70,0	101,5	105,0	121,6
Children 7 - 10 years	53	24,7	27,8	40,0	55,6	70,0	91,7	111,1	113,1
Boys 11 - 14 years	9	55,7	55,9	70,0	83,3	138,9	154,0	182,0	196,0
Girls 11 - 14 years	9	53,0	64,3	70,0	80,0	98,0	106,2	108,7	109,9
Men 15 - 17 years	9	50,0	58,3	80,0	138,9	140,0	163,6	201,8	220,9
Women 15 - 17 years	7	25,2	28,1	43,8	56,0	88,0	99,6	102,3	103,7
Men 18 - 59 years	121	44,4	55,6	68,2	83,3	111,1	140,0	160,0	219,8
Women 18 - 59 years	86	27,8	37,9	55,6	70,0	83,3	111,1	123,8	140,0
Men 60+ years	26	43,9	55,6	61,2	103,6	132,2	153,3	191,7	214,1
Women 60+ years	34	51,7	55,6	67,5	80,0	99,6	139,7	152,2	166,7

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **A - MEAT AND OFFAL**

Subgroup: **6 - OFFAL, BONES**

Commodity: **beef offal***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,1	0,55	0,20				0,025
Children 7 - 10 years	32,3	622	3,5	0,66	0,59				0,020
Boys 11 - 14 years	46,9	108	5,6	0,65	0,54	0,99	-1,11	0,30	0,029
Girls 11 - 14 years	45,3	110	2,7	0,33	0,04				0,009
Men 15 - 17 years	65,6	110	2,7	0,25	0,02				0,006
Women 15 - 17 years	55,6	110	2,7	0,27	0,09				0,007
Men 18 - 59 years	82,5	1422	4,9	0,42	0,24				0,021
Women 18 - 59 years	67,7	1492	2,7	0,34	0,25				0,009
Men 60+ years	82,9	332	6,0	0,38	0,32	1,73	3,45	0,33	0,022
Women 60+ years	75,2	510	4,1	0,31	0,21				0,013

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,1						
Children 7 - 10 years	32,3	622	3,5						
Boys 11 - 14 years	46,9	108	5,6	0,21	0,24	0,38	1,32	1,40	1,44
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	4,9						
Women 18 - 59 years	67,7	1492	2,7						
Men 60+ years	82,9	332	6,0	0,08	0,09	0,33	0,80	0,87	1,12
Women 60+ years	75,2	510	4,1						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	6	10,6	12,1	15,2	16,7	31,8	45,5	50,0	52,3
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	22	7,4	9,1	15,0	19,7	36,4	54,5	60,3	62,0
Women 60+ years									

Notes:

*Food item beef offal includes commodities: tripe, beef liver, ox-tongue, beef bones, beef kidney, oxtail and beef heart.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **B - POULTRY AND PRODUCTS**

Subgroup: **1 - CHICKEN MEAT**

Commodity: **chicken**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,9	6,20	5,61	1,51	2,83	0,83	0,923
Children 7 - 10 years	32,3	622	17,0	4,49	3,81	1,71	4,86	4,63	0,712
Boys 11 - 14 years	46,9	108	13,0	4,42	4,95	2,60	7,81		0,655
Girls 11 - 14 years	45,3	110	22,7	4,69	2,78	0,99	1,43		1,026
Men 15 - 17 years	65,6	110	21,8	3,57	2,32	0,57	-0,24		0,763
Women 15 - 17 years	55,6	110	13,6	3,15	2,38	0,27	-1,40		0,407
Men 18 - 59 years	82,5	1422	15,4	2,96	1,99	0,70	1,11		0,464
Women 18 - 59 years	67,7	1492	14,9	2,78	1,93	0,23	-0,73	4,79	0,408
Men 60+ years	82,9	332	8,1	2,83	1,81	0,57	0,70		0,227
Women 60+ years	75,2	510	15,7	2,89	2,02	1,21	3,93		0,428

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,9	0,59	0,75	4,62	13,74	16,58	18,24
Children 7 - 10 years	32,3	622	17,0	0,46	0,73	3,65	8,83	11,35	12,34
Boys 11 - 14 years	46,9	108	13,0	0,65	0,74	2,93	7,48	11,96	15,90
Girls 11 - 14 years	45,3	110	22,7	0,67	1,73	3,97	8,09	9,68	10,97
Men 15 - 17 years	65,6	110	21,8	0,54	0,88	3,38	6,22	7,49	8,23
Women 15 - 17 years	55,6	110	13,6	0,49	0,54	2,88	6,46	6,76	6,85
Men 18 - 59 years	82,5	1422	15,4	0,33	0,38	3,18	5,22	6,22	7,67
Women 18 - 59 years	67,7	1492	14,9	0,29	0,35	2,98	5,10	5,78	6,01
Men 60+ years	82,9	332	8,1	0,34	0,44	3,16	4,59	4,63	5,79
Women 60+ years	75,2	510	15,7	0,22	0,32	2,94	4,97	5,58	6,91

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	62	18,2	18,2	25,8	97,2	152,5	277,8	317,4	347,2
Children 7 - 10 years	114	11,6	18,2	36,6	97,2	197,8	277,8	277,8	320,2
Boys 11 - 14 years	16	34,8	39,4	66,7	97,2	277,8	486,1	694,4	694,4
Girls 11 - 14 years	29	32,7	73,9	125,0	138,9	277,8	277,9	289,0	296,8
Men 15 - 17 years	27	39,2	65,7	97,2	225,0	277,8	312,6	319,4	329,2
Women 15 - 17 years	15	28,0	30,3	33,9	150,0	277,8	316,7	327,8	337,5
Men 18 - 59 years	239	30,0	30,3	91,7	277,8	319,4	347,2	416,7	432,7
Women 18 - 59 years	229	18,2	24,2	37,5	208,3	277,8	319,4	347,2	361,7
Men 60+ years	29	26,7	33,7	97,2	277,8	333,3	347,2	347,2	347,2
Women 60+ years	84	18,2	24,2	95,9	208,3	277,8	347,2	347,2	370,8

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **B - POULTRY AND PRODUCTS**

Subgroup: **1 - CHICKEN MEAT**

Commodity: **chicken meat**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,3	3,52	2,01	1,38	1,92		0,330
Children 7 - 10 years	32,3	622	8,5	3,11	1,74	1,29	1,54		0,258
Boys 11 - 14 years	46,9	108	4,6	1,76	0,63				0,084
Girls 11 - 14 years	45,3	110	8,2	2,06	0,82	1,28	0,38	1,74	0,166
Men 15 - 17 years	65,6	110	10,0	1,88	0,79	-0,58	-0,33		0,177
Women 15 - 17 years	55,6	110	9,1	2,15	0,63	1,72	4,25		0,183
Men 18 - 59 years	82,5	1422	6,7	1,71	1,03	2,55	12,08		0,111
Women 18 - 59 years	67,7	1492	8,2	2,02	1,15	2,18	8,30	2,66	0,157
Men 60+ years	82,9	332	5,1	1,92	0,68	0,25	-1,19	1,32	0,099
Women 60+ years	75,2	510	6,3	1,40	0,65	0,55	-0,10		0,088

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,3	1,43	1,61	2,90	5,92	7,14	9,14
Children 7 - 10 years	32,3	622	8,5	1,33	1,40	2,38	5,40	6,42	7,42
Boys 11 - 14 years	46,9	108	4,6						
Girls 11 - 14 years	45,3	110	8,2	1,32	1,49	1,74	3,41	3,47	3,50
Men 15 - 17 years	65,6	110	10,0	0,58	0,70	1,99	2,74	2,86	2,92
Women 15 - 17 years	55,6	110	9,1	1,48	1,56	2,08	2,58	3,14	3,42
Men 18 - 59 years	82,5	1422	6,7	0,53	0,74	1,56	2,88	3,27	3,55
Women 18 - 59 years	67,7	1492	8,2	0,80	0,93	1,78	3,15	3,85	4,53
Men 60+ years	82,9	332	5,1	1,03	1,19	1,85	2,83	3,04	3,04
Women 60+ years	75,2	510	6,3	0,54	0,66	1,35	2,29	2,47	2,67

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	34	33,3	33,3	51,1	66,7	83,3	122,5	166,7	167,8
Children 7 - 10 years	56	50,0	50,0	66,7	82,1	116,7	146,8	173,1	209,1
Boys 11 - 14 years									
Girls 11 - 14 years	9	51,7	61,7	83,3	83,3	116,7	127,3	131,8	134,1
Men 15 - 17 years	11	40,9	47,7	100,0	119,3	149,0	166,7	166,7	166,7
Women 15 - 17 years	10	83,3	83,3	88,1	115,4	122,6	130,9	148,8	157,7
Men 18 - 59 years	96	50,0	66,7	83,3	125,0	168,3	230,8	230,8	266,5
Women 18 - 59 years	131	59,8	66,7	83,3	115,4	166,7	180,0	208,3	230,8
Men 60+ years	18	99,7	100,0	125,0	145,8	172,9	215,1	230,8	230,8
Women 60+ years	33	47,6	50,0	66,7	102,3	125,0	166,7	171,5	180,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **B - POULTRY AND PRODUCTS**

Subgroup: **7 - POULTRY SPECIALITIES**

Commodity: **poultry frankfurters***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,3	3,89	1,29				0,132
Children 7 - 10 years	32,3	622	3,2	2,67	0,83				0,082
Boys 11 - 14 years	46,9	108	5,6	2,84	1,64	1,94	3,74		0,144
Girls 11 - 14 years	45,3	110	2,7	3,25	0,43			3,00	0,072
Men 15 - 17 years	65,6	110	2,7	3,56	2,21				0,082
Women 15 - 17 years	55,6	110	3,6	1,29	0,50				0,048
Men 18 - 59 years	82,5	1422	1,9	1,89	1,03				0,035
Women 18 - 59 years	67,7	1492	1,8	1,27	0,49			1,43	0,023
Men 60+ years	82,9	332	2,1	1,42	0,51			1,05	0,031
Women 60+ years	75,2	510	1,6	1,43	0,57			1,13	0,022

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,3						
Children 7 - 10 years	32,3	622	3,2						
Boys 11 - 14 years	46,9	108	5,6	1,77	1,78	2,13	4,61	5,31	5,65
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	1,9						
Women 18 - 59 years	67,7	1492	1,8						
Men 60+ years	82,9	332	2,1						
Women 60+ years	75,2	510	1,6						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	6	90,0	90,0	90,0	90,0	97,5	185,0	227,5	248,8
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item poultry frankfurters includes commodities: poultry sausage and poultry frankfurters.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **C - MEAT AND POULTRY CANS**

Subgroup: **1 - MEAT CANS**

Commodity: **canned pate***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,4	1,00	0,49				0,039
Children 7 - 10 years	32,3	622	6,1	1,14	0,97	1,87	3,39		0,074
Boys 11 - 14 years	46,9	108	6,5	1,34	0,62	1,76	3,02		0,088
Girls 11 - 14 years	45,3	110	4,5	0,70	0,28				0,031
Men 15 - 17 years	65,6	110	7,3	1,27	0,72	0,56	-0,93		0,088
Women 15 - 17 years	55,6	110	2,7	0,54	0,24				0,016
Men 18 - 59 years	82,5	1422	7,8	0,72	0,46	2,82	12,61	0,56	0,055
Women 18 - 59 years	67,7	1492	4,4	0,53	0,28			0,38	0,023
Men 60+ years	82,9	332	7,5	0,70	0,36	1,50	2,61	0,56	0,052
Women 60+ years	75,2	510	5,7	0,54	0,32	2,09	5,53		0,031

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,4						
Children 7 - 10 years	32,3	622	6,1	0,36	0,38	0,71	2,57	3,34	3,53
Boys 11 - 14 years	46,9	108	6,5	0,89	0,90	1,19	2,04	2,32	2,46
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	7,3	0,55	0,58	1,18	2,02	2,26	2,38
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	7,8	0,28	0,34	0,58	1,23	1,44	1,64
Women 18 - 59 years	67,7	1492	4,4						
Men 60+ years	82,9	332	7,5	0,32	0,39	0,58	1,14	1,31	1,53
Women 60+ years	75,2	510	5,7	0,22	0,24	0,44	0,86	1,11	1,34

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	42	15,0	15,0	15,0	20,0	45,0	72,5	89,5	107,9
Boys 11 - 14 years	7	41,5	43,0	45,0	50,0	70,0	104,0	114,5	119,8
Girls 11 - 14 years									
Men 15 - 17 years	9	24,0	28,0	45,0	45,0	100,0	110,0	130,0	140,0
Women 15 - 17 years									
Men 18 - 59 years	115	22,1	30,0	40,0	45,0	77,5	100,0	121,5	144,8
Women 18 - 59 years									
Men 60+ years	25	22,0	34,0	45,0	50,0	60,0	80,0	96,0	128,0
Women 60+ years	29	20,0	20,0	30,0	30,0	45,0	80,0	80,0	92,0

Notes:

*Food item canned pate includes commodities: canned liver pate, canned liver pate "Majka" and canned meat spread.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **1 - DRY SALAMI**

Commodity: **cooked dry salami***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,0	1,10	1,16	1,77	3,43	2,50	0,089
Children 7 - 10 years	32,3	622	5,5	0,85	0,76	1,22	0,81	1,00	0,044
Boys 11 - 14 years	46,9	108	9,3	0,99	1,45	2,86	8,51		0,069
Girls 11 - 14 years	45,3	110	6,4	0,34	0,23	1,66	3,12		0,019
Men 15 - 17 years	65,6	110	24,5	1,10	1,04	2,18	6,72		0,276
Women 15 - 17 years	55,6	110	12,7	0,61	0,48	1,33	1,47		0,075
Men 18 - 59 years	82,5	1422	16,2	0,98	0,85	1,87	4,82	0,40	0,156
Women 18 - 59 years	67,7	1492	6,0	0,68	0,59	1,30	1,04		0,041
Men 60+ years	82,9	332	15,7	0,82	0,62	0,81	-0,23		0,131
Women 60+ years	75,2	510	6,5	0,73	0,76	2,20	5,13	0,13	0,048

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,0	0,09	0,12	0,69	2,50	3,00	3,83
Children 7 - 10 years	32,3	622	5,5	0,12	0,15	0,58	1,92	2,37	2,75
Boys 11 - 14 years	46,9	108	9,3	0,21	0,26	0,49	1,70	3,35	4,17
Girls 11 - 14 years	45,3	110	6,4	0,14	0,16	0,24	0,56	0,68	0,74
Men 15 - 17 years	65,6	110	24,5	0,15	0,16	0,82	2,15	2,46	3,38
Women 15 - 17 years	55,6	110	12,7	0,14	0,16	0,49	1,21	1,46	1,62
Men 18 - 59 years	82,5	1422	16,2	0,20	0,24	0,65	2,04	2,50	3,03
Women 18 - 59 years	67,7	1492	6,0	0,13	0,16	0,49	1,67	1,82	2,02
Men 60+ years	82,9	332	15,7	0,14	0,21	0,65	1,60	2,16	2,25
Women 60+ years	75,2	510	6,5	0,13	0,14	0,42	1,40	2,26	3,05

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	31	1,5	1,5	5,3	10,0	30,0	50,0	75,0	100,0
Children 7 - 10 years	38	4,3	5,7	10,0	17,5	40,0	50,0	51,5	59,5
Boys 11 - 14 years	12	6,8	7,1	10,0	20,0	22,5	39,0	89,5	119,8
Girls 11 - 14 years	8	5,4	5,7	9,0	10,0	15,0	17,3	19,9	21,2
Men 15 - 17 years	30	7,8	10,0	20,0	50,0	80,0	105,0	150,0	218,8
Women 15 - 17 years	26	3,0	3,0	6,0	10,0	20,0	40,0	47,5	68,8
Men 18 - 59 years	254	15,0	20,0	30,0	50,0	100,0	150,0	200,0	200,0
Women 18 - 59 years	96	10,0	10,0	15,0	30,0	52,5	100,0	100,0	102,5
Men 60+ years	53	10,0	15,0	30,0	50,0	100,0	150,0	150,0	150,0
Women 60+ years	35	10,0	12,0	20,0	30,0	90,0	100,0	115,0	165,5

Notes:

*Food item cooked dry salami includes commodities: cooked salami "inovecky", salami "selsky", dry salami, salami "turisticky" and salami "Vysocina".

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **2 - COOKED SALAMI**

Commodity: **cooked salami "sunkovy"***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,3	1,45	0,70	0,05	-1,01	1,54	0,099
Children 7 - 10 years	32,3	622	11,4	1,30	0,92	1,43	1,95		0,140
Boys 11 - 14 years	46,9	108	15,7	1,33	0,99	1,24	0,28		0,193
Girls 11 - 14 years	45,3	110	4,5	1,18	0,88				0,057
Men 15 - 17 years	65,6	110	11,8	1,25	0,82	1,29	1,32	0,88	0,145
Women 15 - 17 years	55,6	110	8,2	0,84	0,35	0,74	-0,08		0,072
Men 18 - 59 years	82,5	1422	10,2	1,05	0,67	1,35	1,89	0,67	0,104
Women 18 - 59 years	67,7	1492	6,6	0,87	0,53	1,11	0,49		0,055
Men 60+ years	82,9	332	7,8	1,05	0,64	1,19	1,74	0,67	0,079
Women 60+ years	75,2	510	7,3	0,76	0,48	1,10	0,59	0,71	0,051

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,3	0,46	0,49	1,54	2,31	2,35	2,54
Children 7 - 10 years	32,3	622	11,4	0,30	0,43	1,03	2,40	3,20	3,68
Boys 11 - 14 years	46,9	108	15,7	0,39	0,52	0,93	3,16	3,19	3,26
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	11,8	0,34	0,47	1,03	2,49	2,87	2,97
Women 15 - 17 years	55,6	110	8,2	0,45	0,53	0,78	1,34	1,40	1,44
Men 18 - 59 years	82,5	1422	10,2	0,27	0,41	0,81	2,04	2,47	2,81
Women 18 - 59 years	67,7	1492	6,6	0,25	0,29	0,71	1,73	2,01	2,21
Men 60+ years	82,9	332	7,8	0,29	0,42	0,86	1,86	1,92	2,32
Women 60+ years	75,2	510	7,3	0,24	0,26	0,70	1,47	1,65	1,85

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	23	10,0	11,0	20,0	30,0	40,0	50,0	68,0	72,3
Children 7 - 10 years	76	9,8	11,9	20,0	30,4	40,0	60,0	100,0	100,0
Boys 11 - 14 years	18	18,5	23,5	30,0	40,0	60,0	120,0	120,0	120,0
Girls 11 - 14 years									
Men 15 - 17 years	13	30,2	40,0	60,0	60,0	100,0	140,0	170,0	185,0
Women 15 - 17 years	9	24,3	28,6	40,0	40,0	60,0	68,0	84,0	92,0
Men 18 - 59 years	158	20,0	27,9	40,8	60,0	100,0	150,0	150,0	182,3
Women 18 - 59 years	107	15,4	19,5	34,4	40,0	60,0	100,0	100,0	100,0
Men 60+ years	31	20,0	20,0	40,0	60,0	100,0	120,0	150,0	162,5
Women 60+ years	39	20,0	20,0	30,0	40,0	60,0	100,0	102,0	122,2

Notes:

*Food item cooked salami "sunkovy" includes commodities: cooked salami "Apollo" and cooked salami "sunkovy".

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **2 - COOKED SALAMI**

Commodity: **cooked salami***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,2	1,84	1,58				0,039
Children 7 - 10 years	32,3	622	5,1	1,34	0,97	1,15	0,33	0,67	0,063
Boys 11 - 14 years	46,9	108	8,3	1,09	0,57	0,84	0,99	1,03	0,094
Girls 11 - 14 years	45,3	110	6,4	0,88	0,62	0,73	-0,16		0,055
Men 15 - 17 years	65,6	110	9,1	1,02	0,48	-0,54	-0,99		0,094
Women 15 - 17 years	55,6	110	5,5	0,91	0,60	0,91	0,97		0,051
Men 18 - 59 years	82,5	1422	8,5	1,09	0,80	1,45	3,63		0,092
Women 18 - 59 years	67,7	1492	5,0	0,81	0,65	1,67	2,84	0,63	0,039
Men 60+ years	82,9	332	5,7	0,91	0,78	2,32	6,64		0,051
Women 60+ years	75,2	510	5,7	0,70	0,54	1,12	0,06	1,54	0,039

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,2						
Children 7 - 10 years	32,3	622	5,1	0,37	0,48	0,94	2,95	3,36	3,59
Boys 11 - 14 years	46,9	108	8,3	0,42	0,52	1,03	1,64	1,93	2,08
Girls 11 - 14 years	45,3	110	6,4	0,20	0,30	0,71	1,67	1,79	1,85
Men 15 - 17 years	65,6	110	9,1	0,31	0,45	1,13	1,49	1,53	1,54
Women 15 - 17 years	55,6	110	5,5	0,29	0,39	0,78	1,55	1,74	1,83
Men 18 - 59 years	82,5	1422	8,5	0,20	0,30	0,85	2,14	2,31	2,74
Women 18 - 59 years	67,7	1492	5,0	0,16	0,22	0,67	1,87	2,07	2,36
Men 60+ years	82,9	332	5,7	0,16	0,22	0,73	1,48	2,23	2,88
Women 60+ years	75,2	510	5,7	0,10	0,18	0,53	1,56	1,79	1,88

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	34	13,9	20,0	20,0	30,0	47,5	67,0	87,0	101,8
Boys 11 - 14 years	9	17,0	19,0	40,0	40,0	60,0	100,0	100,0	100,0
Girls 11 - 14 years	9	11,0	17,0	30,0	30,0	40,0	42,0	46,0	48,0
Men 15 - 17 years	10	19,6	29,1	50,0	79,0	95,0	100,0	100,0	100,0
Women 15 - 17 years	6	15,0	20,0	30,0	35,0	85,0	100,0	100,0	100,0
Men 18 - 59 years	132	19,4	22,2	40,0	60,0	120,0	150,0	200,0	200,0
Women 18 - 59 years	78	9,9	14,8	22,9	40,0	58,1	100,0	124,5	161,5
Men 60+ years	19	14,5	19,0	45,0	60,0	80,0	110,0	165,0	232,5
Women 60+ years	31	8,0	15,0	18,0	40,0	55,0	100,0	135,0	150,0

Notes:

*Food item cooked salami includes commodities: Czech cooked salami, dietary cooked salami, cooked salami "gothajsky", cooked salami "krkonosky", cooked salami "mekky", paprika cooked salami and cooked salami "pikantni".

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **3 - SAUSAGES**

Commodity: **frankfurters***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,9	3,41	2,20	2,07	8,09		0,344
Children 7 - 10 years	32,3	622	13,2	2,47	1,59	0,88	2,33	3,33	0,327
Boys 11 - 14 years	46,9	108	11,1	2,16	2,09	1,11	0,40		0,238
Girls 11 - 14 years	45,3	110	10,9	2,76	2,90	2,84	9,12		0,291
Men 15 - 17 years	65,6	110	13,6	1,58	1,02	0,86	0,20	1,67	0,208
Women 15 - 17 years	55,6	110	7,3	1,49	0,94	-0,30	-1,12	1,92	0,105
Men 18 - 59 years	82,5	1422	15,5	1,54	0,88	1,00	2,83	2,00	0,237
Women 18 - 59 years	67,7	1492	8,8	1,29	0,82	0,75	0,83		0,115
Men 60+ years	82,9	332	14,2	1,39	0,79	0,37	-0,55		0,185
Women 60+ years	75,2	510	10,6	1,18	0,76	1,25	3,22		0,125

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,9	0,48	1,07	3,33	5,00	5,73	7,74
Children 7 - 10 years	32,3	622	13,2	0,22	0,24	2,47	4,21	4,98	5,44
Boys 11 - 14 years	46,9	108	11,1	0,21	0,27	1,59	4,81	5,68	6,17
Girls 11 - 14 years	45,3	110	10,9	0,39	0,54	2,34	3,19	6,94	9,22
Men 15 - 17 years	65,6	110	13,6	0,43	0,50	1,38	2,95	3,31	3,58
Women 15 - 17 years	55,6	110	7,3	0,24	0,25	1,83	2,37	2,60	2,71
Men 18 - 59 years	82,5	1422	15,5	0,22	0,31	1,35	2,63	2,99	3,48
Women 18 - 59 years	67,7	1492	8,8	0,16	0,26	1,25	2,31	2,68	3,10
Men 60+ years	82,9	332	14,2	0,17	0,32	1,25	2,61	2,77	2,84
Women 60+ years	75,2	510	10,6	0,17	0,23	1,21	2,10	2,64	2,83

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	38	8,7	13,6	45,0	70,0	90,0	100,0	112,0	178,2
Children 7 - 10 years	84	9,1	9,4	45,0	90,0	100,0	100,0	150,0	195,1
Boys 11 - 14 years	13	10,9	12,1	21,2	90,0	100,0	180,0	240,0	270,0
Girls 11 - 14 years	12	16,5	24,8	90,0	100,0	108,8	139,5	284,0	372,0
Men 15 - 17 years	16	29,1	31,8	56,3	100,0	100,0	165,0	185,0	192,5
Women 15 - 17 years	8	12,7	13,2	37,2	95,0	107,5	136,0	143,0	146,5
Men 18 - 59 years	226	15,2	22,0	90,0	100,0	150,0	200,0	242,5	277,5
Women 18 - 59 years	134	10,5	15,8	45,0	90,0	100,0	150,0	200,0	200,0
Men 60+ years	51	12,3	13,5	90,0	100,0	100,0	200,0	200,0	200,0
Women 60+ years	55	14,4	15,6	50,0	90,0	100,0	150,0	200,0	200,0

Notes:

*Food item frankfurters includes commodities: frankfurters "cigarka", frankfurters "debrecinske", dietary frankfurters, frankfurters "jemne", frankfurters "liberecke", frankfurters "spisske" and Viense frankfurters.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **3 - SAUSAGES**

Commodity: **sausages***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	1,9	1,93	2,68				0,035
Boys 11 - 14 years	46,9	108	4,6	3,25	1,54				0,178
Girls 11 - 14 years	45,3	110	0,9	0,76				0,76	0,005
Men 15 - 17 years	65,6	110	4,5	2,38	0,84				0,111
Women 15 - 17 years	55,6	110	1,8	0,35	0,21				0,007
Men 18 - 59 years	82,5	1422	9,1	1,77	0,83	-0,30	-0,76	2,50	0,157
Women 18 - 59 years	67,7	1492	2,8	1,24	1,06				0,035
Men 60+ years	82,9	332	9,0	1,57	0,74	0,15	-0,14		0,147
Women 60+ years	75,2	510	2,7	0,86	0,80			1,25	0,024

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	1,9						
Boys 11 - 14 years	46,9	108	4,6						
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	9,1	0,21	0,40	1,81	2,82	2,92	3,09
Women 18 - 59 years	67,7	1492	2,8						
Men 60+ years	82,9	332	9,0	0,33	0,59	1,52	2,74	2,82	2,91
Women 60+ years	75,2	510	2,7						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years	132	17,4	28,2	100,0	150,0	200,0	200,0	200,0	200,0
Women 18 - 59 years									
Men 60+ years	33	23,3	28,7	100,0	120,0	160,0	200,0	200,0	200,0
Women 60+ years									

Notes:

*Food item sausages includes commodities: sausage "ostravska" and sausages.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **4 - COOKED MEAT PRODUCTS**

Commodity: **cooked ham***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	10,2	1,80	1,52	2,23	6,21	1,05	0,182
Children 7 - 10 years	32,3	622	7,2	1,21	0,70	1,21	1,62	0,67	0,092
Boys 11 - 14 years	46,9	108	7,4	1,74	0,91	-0,04	-1,19		0,118
Girls 11 - 14 years	45,3	110	19,1	1,22	1,08	1,76	3,01		0,237
Men 15 - 17 years	65,6	110	9,1	2,00	2,37	2,85	8,59	1,43	0,183
Women 15 - 17 years	55,6	110	10,0	0,92	0,39	1,16	1,06		0,094
Men 18 - 59 years	82,5	1422	7,0	0,91	0,57	1,07	0,99	0,50	0,062
Women 18 - 59 years	67,7	1492	6,0	0,83	0,56	0,86	0,31	0,67	0,048
Men 60+ years	82,9	332	4,5	0,76	0,39				0,036
Women 60+ years	75,2	510	4,3	0,71	0,36				0,029

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	10,2	0,47	0,58	1,07	2,82	4,75	5,82
Children 7 - 10 years	32,3	622	7,2	0,37	0,52	1,08	1,91	2,49	3,04
Boys 11 - 14 years	46,9	108	7,4	0,61	0,62	1,97	2,63	2,88	3,00
Girls 11 - 14 years	45,3	110	19,1	0,41	0,42	0,78	2,67	3,13	3,79
Men 15 - 17 years	65,6	110	9,1	0,47	0,63	1,43	2,93	5,75	7,16
Women 15 - 17 years	55,6	110	10,0	0,50	0,61	0,83	1,54	1,63	1,68
Men 18 - 59 years	82,5	1422	7,0	0,27	0,30	0,75	1,51	2,09	2,39
Women 18 - 59 years	67,7	1492	6,0	0,15	0,24	0,67	1,63	1,70	1,99
Men 60+ years	82,9	332	4,5						
Women 60+ years	75,2	510	4,3						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	39	10,0	10,0	20,0	30,0	50,0	52,0	82,0	108,0
Children 7 - 10 years	49	10,8	19,0	20,0	33,3	50,0	60,0	90,0	100,0
Boys 11 - 14 years	9	30,0	30,0	40,0	60,0	100,0	100,0	100,0	100,0
Girls 11 - 14 years	26	12,6	15,2	20,0	40,0	57,5	103,6	120,5	125,0
Men 15 - 17 years	10	31,2	38,4	65,0	100,0	100,0	168,0	384,0	492,0
Women 15 - 17 years	11	26,7	33,3	40,0	40,0	60,0	89,3	94,6	97,3
Men 18 - 59 years	108	23,3	25,0	40,0	56,8	100,0	107,1	142,9	162,3
Women 18 - 59 years	92	10,0	15,1	20,0	46,4	80,0	100,0	103,2	118,0
Men 60+ years									
Women 60+ years									

Notes:

*Food item cooked ham includes commodities: gammon and cooked ham.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **6 - SMOKED MEATS**

Commodity: **smoked meat***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,3	1,96	1,94				0,064
Children 7 - 10 years	32,3	622	4,5	2,21	1,68				0,097
Boys 11 - 14 years	46,9	108	9,3	2,23	2,03	2,22	5,75		0,187
Girls 11 - 14 years	45,3	110	5,5	1,22	0,62	0,06	-0,67		0,079
Men 15 - 17 years	65,6	110	4,5	1,57	1,00				0,073
Women 15 - 17 years	55,6	110	7,3	0,83	0,66	1,30	1,16		0,062
Men 18 - 59 years	82,5	1422	6,7	1,44	1,03	0,83	0,52		0,095
Women 18 - 59 years	67,7	1492	4,8	1,08	0,96	2,05	6,98		0,051
Men 60+ years	82,9	332	7,5	1,35	1,01	1,19	1,54		0,097
Women 60+ years	75,2	510	4,3	1,18	0,97				0,048

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,3						
Children 7 - 10 years	32,3	622	4,5						
Boys 11 - 14 years	46,9	108	9,3	0,54	0,63	1,87	3,62	5,56	6,53
Girls 11 - 14 years	45,3	110	5,5	0,47	0,54	1,26	1,87	1,99	2,05
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	7,3	0,21	0,25	0,64	1,67	1,90	2,02
Men 18 - 59 years	82,5	1422	6,7	0,20	0,29	1,32	2,81	3,24	3,86
Women 18 - 59 years	67,7	1492	4,8	0,22	0,31	0,57	2,22	2,66	2,86
Men 60+ years	82,9	332	7,5	0,18	0,28	1,23	2,13	3,46	3,89
Women 60+ years	75,2	510	4,3						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	11	20,0	22,9	37,1	80,0	125,0	150,0	175,0	187,5
Girls 11 - 14 years	6	24,3	25,7	33,9	55,0	75,0	115,0	132,5	141,3
Men 15 - 17 years									
Women 15 - 17 years	8	15,0	15,0	20,9	34,3	62,5	102,7	105,9	107,4
Men 18 - 59 years	102	18,1	22,9	34,3	100,0	150,0	200,0	238,6	300,0
Women 18 - 59 years	76	11,9	17,6	28,6	34,3	100,0	150,0	153,8	195,6
Men 60+ years	28	19,1	27,9	46,1	100,0	150,0	153,6	164,0	176,4
Women 60+ years									

Notes:

*Food item smoked meat includes commodities: smoked meat; smoked meat, chop; smoked meat; neck; smoked ham; smoked meat, shoulder and smoked meat, ribs.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **6 - SMOKED MEATS**

Commodity: **smoked meat, flank**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,7	2,92	1,55			1,92	0,078
Children 7 - 10 years	32,3	622	3,4	1,79	1,75			1,67	0,057
Boys 11 - 14 years	46,9	108	2,8	1,47	0,70				0,038
Girls 11 - 14 years	45,3	110	0,9	1,59				1,59	0,013
Men 15 - 17 years	65,6	110	5,5	1,25	0,55	0,91	-1,22		0,073
Women 15 - 17 years	55,6	110	1,8	0,60	0,78				0,011
Men 18 - 59 years	82,5	1422	2,8	1,02	0,83				0,030
Women 18 - 59 years	67,7	1492	3,5	0,93	0,69				0,034
Men 60+ years	82,9	332	4,8	0,94	0,63			0,92	0,047
Women 60+ years	75,2	510	3,5	0,86	0,66			0,63	0,030

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,7						
Children 7 - 10 years	32,3	622	3,4						
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	5,5	0,79	0,81	1,00	1,93	2,01	2,05
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	2,8						
Women 18 - 59 years	67,7	1492	3,5						
Men 60+ years	82,9	332	4,8						
Women 60+ years	75,2	510	3,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	6	54,2	58,3	66,7	73,3	120,0	133,3	133,3	133,3
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **D - MEAT PRODUCTS (NOT CANS)**

Subgroup: **7 - OTHER MEAT PRODUCTS**

Commodity: **bacon**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	0,28	0,42	4,21	18,81		0,016
Children 7 - 10 years	32,3	622	5,0	0,28	0,43	3,04	9,16	1,25	0,016
Boys 11 - 14 years	46,9	108	6,5	0,46	0,45	1,36	1,23		0,028
Girls 11 - 14 years	45,3	110	9,1	0,28	0,37	1,89	2,40		0,028
Men 15 - 17 years	65,6	110	8,2	0,15	0,08	0,46	-1,31		0,012
Women 15 - 17 years	55,6	110	1,8	0,21	0,24				0,004
Men 18 - 59 years	82,5	1422	10,1	0,39	0,60	2,23	4,79		0,039
Women 18 - 59 years	67,7	1492	5,4	0,31	0,49	2,17	3,85		0,016
Men 60+ years	82,9	332	8,7	0,51	0,64	1,68	3,07	0,53	0,043
Women 60+ years	75,2	510	6,3	0,22	0,36	3,04	10,65		0,014

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,09	0,09	0,16	0,42	0,42	1,21
Children 7 - 10 years	32,3	622	5,0	0,04	0,06	0,14	0,38	1,25	1,43
Boys 11 - 14 years	46,9	108	6,5	0,14	0,15	0,16	0,97	1,14	1,23
Girls 11 - 14 years	45,3	110	9,1	0,04	0,06	0,13	0,85	0,98	1,05
Men 15 - 17 years	65,6	110	8,2	0,07	0,07	0,16	0,27	0,27	0,27
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	10,1	0,04	0,05	0,10	1,25	1,73	2,28
Women 18 - 59 years	67,7	1492	5,4	0,04	0,05	0,09	1,17	1,36	1,62
Men 60+ years	82,9	332	8,7	0,03	0,05	0,12	1,29	1,53	1,93
Women 60+ years	75,2	510	6,3	0,03	0,04	0,08	0,66	0,78	1,07

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	22	1,9	2,0	2,4	3,3	5,7	7,5	8,8	24,4
Children 7 - 10 years	32	1,5	2,3	2,9	4,5	6,4	10,0	50,0	57,5
Boys 11 - 14 years	8	3,6	4,2	4,7	6,6	28,4	44,2	47,1	48,5
Girls 11 - 14 years	10	2,2	2,9	3,7	5,0	9,4	43,3	50,8	54,6
Men 15 - 17 years	10	4,7	5,2	5,5	8,8	8,8	12,8	16,4	18,2
Women 15 - 17 years									
Men 18 - 59 years	149	3,5	3,8	4,7	7,7	40,0	100,0	118,3	189,0
Women 18 - 59 years	82	2,7	3,0	3,8	5,6	11,8	82,0	100,0	100,8
Men 60+ years	30	2,3	3,0	4,5	8,8	65,6	100,0	125,2	155,2
Women 60+ years	33	1,6	2,3	4,5	5,9	10,0	50,0	62,5	70,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **E - FISH AND PRODUCTS**

Subgroup: **1 - SEA FISH**

Commodity: **sea fish fillets***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	7,4	5,57	2,65	0,45	-0,99	8,33	0,371
Children 7 - 10 years	32,3	622	6,9	4,48	1,50	0,34	-0,13		0,298
Boys 11 - 14 years	46,9	108	3,7	2,86	0,83				0,135
Girls 11 - 14 years	45,3	110	5,5	4,15	1,98	-0,56	-1,83		0,208
Men 15 - 17 years	65,6	110	5,5	3,13	1,82	1,56	1,75		0,182
Women 15 - 17 years	55,6	110	4,5	3,53	1,40				0,153
Men 18 - 59 years	82,5	1422	3,6	2,90	1,37			3,75	0,105
Women 18 - 59 years	67,7	1492	5,0	2,83	1,46	2,57	11,78		0,139
Men 60+ years	82,9	332	3,6	2,85	0,82				0,090
Women 60+ years	75,2	510	3,5	2,53	1,00				0,088

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	7,4	2,53	2,71	5,00	9,29	10,00	10,25
Children 7 - 10 years	32,3	622	6,9	2,07	2,59	4,29	6,02	7,12	7,52
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	5,5	1,65	1,73	4,71	6,01	6,13	6,19
Men 15 - 17 years	65,6	110	5,5	1,82	1,87	2,24	5,27	5,85	6,14
Women 15 - 17 years	55,6	110	4,5						
Men 18 - 59 years	82,5	1422	3,6						
Women 18 - 59 years	67,7	1492	5,0	1,11	1,54	2,59	4,55	5,36	5,48
Men 60+ years	82,9	332	3,6						
Women 60+ years	75,2	510	3,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	27	57,7	59,1	75,0	115,4	150,0	150,0	150,0	176,3
Children 7 - 10 years	43	75,0	75,0	117,7	150,0	150,0	150,0	225,0	230,0
Boys 11 - 14 years									
Girls 11 - 14 years	7	64,5	69,0	112,5	150,0	150,0	210,0	255,0	277,5
Men 15 - 17 years	6	124,0	132,7	150,0	150,0	262,5	375,0	412,5	431,3
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years	77	60,0	115,4	150,0	150,0	225,0	300,0	300,0	311,1
Men 60+ years									
Women 60+ years									

Notes:

*Food item sea fish fillets includes commodities: sea fish fillets, hake and halibut.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **E - FISH AND PRODUCTS**

Subgroup: **6 - CANNED FISH**

Commodity: **fish, canned in oil***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,6	0,61	0,77	3,13	11,63	0,20	0,045
Children 7 - 10 years	32,3	622	3,7	1,09	1,06			0,43	0,035
Boys 11 - 14 years	46,9	108	3,7	0,23	0,17				0,009
Girls 11 - 14 years	45,3	110	0,9	0,35				0,35	0,003
Men 15 - 17 years	65,6	110	0,9	0,21				0,21	0,002
Women 15 - 17 years	55,6	110	0,9	0,55				0,55	0,005
Men 18 - 59 years	82,5	1422	2,7	0,85	0,64				0,022
Women 18 - 59 years	67,7	1492	2,5	0,59	0,56				0,015
Men 60+ years	82,9	332	2,4	0,69	0,50				0,018
Women 60+ years	75,2	510	2,0	0,58	0,57				0,012

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,6	0,17	0,19	0,26	1,32	1,41	2,40
Children 7 - 10 years	32,3	622	3,7						
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	0,9						
Men 18 - 59 years	82,5	1422	2,7						
Women 18 - 59 years	67,7	1492	2,5						
Men 60+ years	82,9	332	2,4						
Women 60+ years	75,2	510	2,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	24	3,0	3,5	4,5	6,0	15,0	28,2	42,8	68,4
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item fish, canned in oil includes commodities: fish, canned in oil and sardines, canned in oil.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **F - MILK**

Subgroup: **1 - MILK**

Commodity: **milk**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	88,5	13,43	10,06	1,28	2,71	10,00	11,362
Children 7 - 10 years	32,3	622	84,6	7,72	7,08	1,49	3,47	6,25	6,249
Boys 11 - 14 years	46,9	108	76,9	5,69	5,42	1,09	0,67		4,198
Girls 11 - 14 years	45,3	110	90,0	5,11	5,04	1,22	1,03	0,41	4,131
Men 15 - 17 years	65,6	110	79,1	3,15	3,06	1,42	2,50	4,17	2,444
Women 15 - 17 years	55,6	110	78,2	2,97	2,99	1,16	0,79		2,339
Men 18 - 59 years	82,5	1422	68,1	1,87	2,67	3,00	11,48		1,266
Women 18 - 59 years	67,7	1492	69,7	1,68	2,12	2,27	6,10	0,33	1,140
Men 60+ years	82,9	332	70,5	2,04	2,46	2,15	5,89		1,372
Women 60+ years	75,2	510	76,7	1,99	2,17	1,86	3,93		1,461

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	88,5	0,74	1,43	11,90	28,18	33,58	36,63
Children 7 - 10 years	32,3	622	84,6	0,28	0,60	6,88	16,89	20,40	24,97
Boys 11 - 14 years	46,9	108	76,9	0,20	0,38	4,24	12,48	15,87	19,98
Girls 11 - 14 years	45,3	110	90,0	0,37	0,42	3,57	11,22	15,32	18,43
Men 15 - 17 years	65,6	110	79,1	0,16	0,27	2,35	7,39	9,13	10,39
Women 15 - 17 years	55,6	110	78,2	0,17	0,26	1,41	6,80	9,30	10,54
Men 18 - 59 years	82,5	1422	68,1	0,12	0,17	0,85	5,11	7,06	9,59
Women 18 - 59 years	67,7	1492	69,7	0,11	0,16	0,83	4,50	6,03	7,83
Men 60+ years	82,9	332	70,5	0,10	0,16	1,01	5,63	6,91	8,03
Women 60+ years	75,2	510	76,7	0,15	0,19	1,22	4,85	6,49	8,34

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	698	2,7	7,1	22,7	100,8	200,0	250,0	300,0	323,8
Children 7 - 10 years	966	6,8	10,0	25,0	72,8	211,9	300,0	300,0	369,2
Boys 11 - 14 years	161	4,2	7,5	22,7	53,6	200,0	300,0	500,0	527,7
Girls 11 - 14 years	170	9,8	12,0	26,3	59,2	200,0	300,0	300,0	349,4
Men 15 - 17 years	136	8,3	11,2	24,4	80,1	240,0	300,0	300,0	351,9
Women 15 - 17 years	139	6,0	8,3	17,4	50,0	200,0	250,0	300,0	405,0
Men 18 - 59 years	1509	8,3	10,0	18,8	44,4	99,9	253,4	500,0	500,0
Women 18 - 59 years	1701	6,3	9,1	14,3	30,0	62,5	200,0	267,9	308,1
Men 60+ years	389	7,6	10,0	20,0	50,0	100,0	250,0	367,7	500,0
Women 60+ years	660	8,3	10,0	17,1	40,0	100,0	250,0	300,0	322,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **G - CHEESE**
 Subgroup: **1 - HARD CHEESE**
 Commodity: **hard cheese Edam**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	18,1	1,74	2,00	2,99	12,47		0,293
Children 7 - 10 years	32,3	622	23,0	1,17	0,96	1,43	2,21		0,256
Boys 11 - 14 years	46,9	108	27,8	1,02	0,75	1,51	2,18	1,11	0,279
Girls 11 - 14 years	45,3	110	31,8	0,93	0,64	0,70	-0,60		0,292
Men 15 - 17 years	65,6	110	30,9	0,90	0,59	1,28	1,84		0,277
Women 15 - 17 years	55,6	110	40,9	0,99	0,64	1,04	0,32		0,398
Men 18 - 59 years	82,5	1422	23,5	0,78	0,61	2,14	9,49	1,00	0,180
Women 18 - 59 years	67,7	1492	23,7	0,73	0,61	2,62	13,68		0,163
Men 60+ years	82,9	332	16,3	0,73	0,50	0,68	-0,20		0,114
Women 60+ years	75,2	510	15,9	0,55	0,41	0,95	-0,02		0,084

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	18,1	0,17	0,18	1,17	3,99	5,28	6,18
Children 7 - 10 years	32,3	622	23,0	0,14	0,21	0,93	2,48	3,06	3,71
Boys 11 - 14 years	46,9	108	27,8	0,31	0,33	0,78	1,81	2,62	3,08
Girls 11 - 14 years	45,3	110	31,8	0,15	0,17	0,70	2,06	2,11	2,16
Men 15 - 17 years	65,6	110	30,9	0,28	0,33	0,72	1,57	1,85	2,29
Women 15 - 17 years	55,6	110	40,9	0,28	0,35	0,81	1,92	2,26	2,40
Men 18 - 59 years	82,5	1422	23,5	0,11	0,17	0,65	1,50	1,89	2,13
Women 18 - 59 years	67,7	1492	23,7	0,13	0,17	0,53	1,45	1,69	2,19
Men 60+ years	82,9	332	16,3	0,13	0,15	0,70	1,43	1,63	1,87
Women 60+ years	75,2	510	15,9	0,08	0,13	0,42	1,23	1,35	1,46

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	75	3,3	5,0	10,0	20,0	40,0	70,9	100,0	100,0
Children 7 - 10 years	161	5,0	6,7	13,3	30,0	44,6	60,0	80,0	94,0
Boys 11 - 14 years	35	9,9	14,0	22,1	30,0	50,0	66,9	93,0	107,9
Girls 11 - 14 years	40	6,7	8,2	18,8	30,0	50,0	60,4	72,4	89,5
Men 15 - 17 years	37	15,5	19,6	30,0	50,0	60,0	100,0	107,1	112,1
Women 15 - 17 years	61	3,0	5,0	10,0	30,0	60,0	90,0	100,0	125,0
Men 18 - 59 years	373	9,8	13,3	30,0	50,0	73,8	107,1	142,9	150,0
Women 18 - 59 years	393	7,4	10,0	20,0	30,0	60,0	80,0	100,0	107,1
Men 60+ years	62	10,0	10,4	30,0	46,4	67,5	99,0	100,0	100,0
Women 60+ years	88	6,7	9,5	15,0	30,0	53,7	77,0	100,0	100,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **G - CHEESE**
 Subgroup: **4 - PROCESSED CHEESE**
 Commodity: **processed cheese***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	31,9	1,09	0,94	2,52	11,31	1,00	0,332
Children 7 - 10 years	32,3	622	24,0	1,01	0,80	2,42	8,65	1,25	0,228
Boys 11 - 14 years	46,9	108	18,5	0,87	0,66	0,51	-0,78		0,144
Girls 11 - 14 years	45,3	110	20,0	0,78	0,55	0,98	0,25		0,131
Men 15 - 17 years	65,6	110	18,2	0,84	0,66	2,13	5,60	0,58	0,155
Women 15 - 17 years	55,6	110	16,4	0,63	0,58	1,83	3,96	0,25	0,106
Men 18 - 59 years	82,5	1422	16,7	0,61	0,41	1,67	4,81		0,100
Women 18 - 59 years	67,7	1492	18,0	0,57	0,38	1,38	2,20	0,43	0,100
Men 60+ years	82,9	332	17,8	0,54	0,38	1,71	3,38		0,096
Women 60+ years	75,2	510	21,2	0,49	0,37	2,92	12,89	0,40	0,100

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	31,9	0,08	0,21	0,87	2,35	2,67	2,98
Children 7 - 10 years	32,3	622	24,0	0,17	0,27	0,81	1,80	2,14	3,09
Boys 11 - 14 years	46,9	108	18,5	0,06	0,09	0,78	1,94	2,00	2,04
Girls 11 - 14 years	45,3	110	20,0	0,20	0,25	0,63	1,51	1,66	1,89
Men 15 - 17 years	65,6	110	18,2	0,21	0,33	0,66	1,53	1,82	2,41
Women 15 - 17 years	55,6	110	16,4	0,16	0,18	0,35	1,17	1,42	1,90
Men 18 - 59 years	82,5	1422	16,7	0,12	0,18	0,54	1,13	1,33	1,54
Women 18 - 59 years	67,7	1492	18,0	0,10	0,18	0,48	1,09	1,37	1,62
Men 60+ years	82,9	332	17,8	0,11	0,19	0,48	0,96	1,42	1,53
Women 60+ years	75,2	510	21,2	0,14	0,19	0,40	0,79	1,14	1,43

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	131	1,5	2,7	8,0	15,0	27,5	40,0	50,0	55,5
Children 7 - 10 years	162	5,0	8,1	15,0	30,0	40,0	50,0	59,5	75,6
Boys 11 - 14 years	21	2,5	3,0	15,0	30,0	50,0	60,0	70,0	85,0
Girls 11 - 14 years	23	10,0	11,2	18,8	30,0	35,0	49,0	50,0	54,5
Men 15 - 17 years	22	15,1	16,4	30,0	50,0	57,5	90,0	99,5	119,0
Women 15 - 17 years	20	9,8	10,0	15,0	20,0	35,0	60,0	64,5	107,3
Men 18 - 59 years	248	10,0	15,0	30,0	45,0	60,0	90,0	100,0	100,6
Women 18 - 59 years	290	5,0	10,0	17,5	30,0	48,8	60,0	80,0	100,0
Men 60+ years	64	10,0	15,0	20,0	40,0	50,0	67,0	88,5	102,8
Women 60+ years	114	8,3	15,0	18,1	30,0	45,0	50,0	60,0	102,5

Notes:

*Food item processed cheese includes commodities: processed cheese, processed cheese "Apetito", reduced fat processed cheese, cream processed cheese and processed cheese with ham.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **H - MILK PRODUCTS**
 Subgroup: **1 - FERMENTED MILK PRODUCTS**
 Commodity: **yogurt**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	37,1	8,00	6,05	5,31	35,89	8,33	2,844
Children 7 - 10 years	32,3	622	30,1	5,85	3,46	2,09	5,32	5,00	1,598
Boys 11 - 14 years	46,9	108	27,8	4,18	1,89	1,98	4,91	3,57	1,060
Girls 11 - 14 years	45,3	110	31,8	4,04	1,84	1,76	3,12		1,252
Men 15 - 17 years	65,6	110	29,1	3,72	2,07	1,35	0,91	2,50	1,087
Women 15 - 17 years	55,6	110	34,5	3,34	1,87	1,40	2,06		1,121
Men 18 - 59 years	82,5	1422	12,9	2,52	1,56	1,61	2,36	1,67	0,319
Women 18 - 59 years	67,7	1492	26,3	2,80	1,91	4,09	24,31	2,08	0,708
Men 60+ years	82,9	332	11,4	2,21	1,17	2,13	5,78	1,67	0,247
Women 60+ years	75,2	510	24,5	2,62	1,69	2,76	9,43	2,00	0,607

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	37,1	3,91	4,55	6,82	9,62	15,64	22,20
Children 7 - 10 years	32,3	622	30,1	2,40	2,98	5,00	10,88	12,67	16,44
Boys 11 - 14 years	46,9	108	27,8	2,23	2,55	3,66	6,10	7,88	8,86
Girls 11 - 14 years	45,3	110	31,8	2,19	2,43	3,49	6,15	8,17	8,94
Men 15 - 17 years	65,6	110	29,1	1,86	2,05	2,69	7,12	7,39	8,13
Women 15 - 17 years	55,6	110	34,5	1,44	1,87	2,83	6,27	7,12	7,76
Men 18 - 59 years	82,5	1422	12,9	0,78	1,39	1,96	5,07	5,84	6,79
Women 18 - 59 years	67,7	1492	26,3	1,25	1,67	2,34	4,55	5,85	7,85
Men 60+ years	82,9	332	11,4	1,16	1,37	1,95	3,52	4,42	5,62
Women 60+ years	75,2	510	24,5	1,30	1,56	2,08	4,41	6,08	7,24

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	140	79,8	118,0	125,0	150,0	150,0	175,0	380,0	380,0
Children 7 - 10 years	199	67,5	100,0	125,0	150,0	150,0	200,0	380,0	500,0
Boys 11 - 14 years	31	125,0	125,0	150,0	150,0	150,0	250,0	380,0	380,0
Girls 11 - 14 years	37	125,0	125,0	150,0	150,0	150,0	200,0	380,0	380,0
Men 15 - 17 years	38	125,0	144,0	150,0	150,0	237,5	416,0	500,0	500,0
Women 15 - 17 years	40	77,5	100,0	148,8	150,0	150,0	263,0	380,0	393,2
Men 18 - 59 years	192	50,0	120,5	150,0	150,0	200,0	380,0	500,0	500,0
Women 18 - 59 years	434	50,0	120,0	140,0	150,0	150,0	250,0	380,0	380,0
Men 60+ years	38	108,5	123,5	150,0	150,0	168,8	300,0	398,0	493,4
Women 60+ years	133	112,0	125,0	150,0	150,0	170,0	250,0	380,0	442,4

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **H - MILK PRODUCTS**

Subgroup: **2 - ICE CREAM**

Commodity: **packed ice cream**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,7	3,37	3,58				0,151
Children 7 - 10 years	32,3	622	5,6	2,16	1,06	1,38	2,67		0,121
Boys 11 - 14 years	46,9	108	7,4	3,08	2,29	1,04	-0,35		0,220
Girls 11 - 14 years	45,3	110	2,7	2,51	0,87				0,056
Men 15 - 17 years	65,6	110	3,6	2,24	1,11				0,086
Women 15 - 17 years	55,6	110	6,4	1,90	2,52	2,07	4,48		0,117
Men 18 - 59 years	82,5	1422	2,0	1,62	1,27			1,43	0,031
Women 18 - 59 years	67,7	1492	2,1	1,60	0,97			2,14	0,034
Men 60+ years	82,9	332	0,9	1,93	1,60				0,017
Women 60+ years	75,2	510	0,8	1,70	0,82				0,014

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,7						
Children 7 - 10 years	32,3	622	5,6	0,98	1,15	1,75	3,40	3,83	4,64
Boys 11 - 14 years	46,9	108	7,4	0,83	1,07	2,36	6,61	6,64	6,65
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	6,4	0,26	0,33	0,55	4,44	5,86	6,56
Men 18 - 59 years	82,5	1422	2,0						
Women 18 - 59 years	67,7	1492	2,1						
Men 60+ years	82,9	332	0,9						
Women 60+ years	75,2	510	0,8						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	37	22,5	24,2	50,0	60,0	80,0	100,0	100,0	114,0
Boys 11 - 14 years	11	45,0	50,0	52,0	80,0	125,0	150,0	225,0	262,5
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	7	13,6	17,2	26,0	30,0	112,5	235,0	317,5	358,8
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **H - MILK PRODUCTS**
 Subgroup: **3 - CURD (AND DESSERTS)**
 Commodity: **curd dessert***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,6	4,95	2,36	0,22	-1,22		0,336
Children 7 - 10 years	32,3	622	6,6	4,41	2,30	1,73	4,11	3,57	0,256
Boys 11 - 14 years	46,9	108	3,7	2,43	1,41				0,075
Girls 11 - 14 years	45,3	110	4,5	2,65	0,99				0,109
Men 15 - 17 years	65,6	110	1,8	2,36	0,74				0,036
Women 15 - 17 years	55,6	110	9,1	2,13	0,72	0,36	-0,36	2,73	0,197
Men 18 - 59 years	82,5	1422	1,2	1,50	0,56				0,018
Women 18 - 59 years	67,7	1492	2,3	2,21	0,91				0,047
Men 60+ years	82,9	332	0,3	2,67				2,67	0,007
Women 60+ years	75,2	510	2,4	1,91	0,52				0,042

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,6	1,68	1,92	4,27	7,78	8,68	8,94
Children 7 - 10 years	32,3	622	6,6	1,79	2,17	4,17	6,40	8,82	10,72
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	9,1	1,22	1,29	2,12	2,80	3,13	3,30
Men 18 - 59 years	82,5	1422	1,2						
Women 18 - 59 years	67,7	1492	2,3						
Men 60+ years	82,9	332	0,3						
Women 60+ years	75,2	510	2,4						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	24	38,0	55,0	75,0	100,0	150,0	150,0	192,5	200,0
Children 7 - 10 years	41	50,0	60,0	100,0	125,0	150,0	150,0	160,0	214,0
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	10	66,8	73,5	92,5	125,0	150,0	153,0	166,5	173,3
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item curd dessert includes commodities: frozen curd dessert and curd dessert.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **H - MILK PRODUCTS**
 Subgroup: **3 - CURD (AND DESSERTS)**
 Commodity: **curd***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,7	1,21	1,78	3,71	17,40		0,188
Children 7 - 10 years	32,3	622	9,6	1,11	1,22	1,96	4,09		0,097
Boys 11 - 14 years	46,9	108	14,8	0,84	0,62	0,64	-0,22		0,132
Girls 11 - 14 years	45,3	110	8,2	0,87	0,61	0,96	1,27		0,058
Men 15 - 17 years	65,6	110	3,6	0,54	0,27				0,021
Women 15 - 17 years	55,6	110	9,1	0,71	0,70	1,25	0,09		0,060
Men 18 - 59 years	82,5	1422	6,0	0,60	0,68	2,46	6,58		0,036
Women 18 - 59 years	67,7	1492	6,2	0,60	0,67	3,54	16,55		0,035
Men 60+ years	82,9	332	8,4	0,71	0,87	2,81	8,22	0,50	0,054
Women 60+ years	75,2	510	7,3	0,79	0,74	1,15	0,39	0,22	0,056

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,7	0,16	0,17	0,67	2,81	3,86	5,33
Children 7 - 10 years	32,3	622	9,6	0,16	0,20	0,66	2,68	3,37	4,24
Boys 11 - 14 years	46,9	108	14,8	0,09	0,13	0,81	1,70	2,00	2,04
Girls 11 - 14 years	45,3	110	8,2	0,21	0,26	0,95	1,35	1,74	1,93
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	9,1	0,20	0,21	0,37	1,61	1,87	1,99
Men 18 - 59 years	82,5	1422	6,0	0,08	0,10	0,34	1,41	1,97	2,77
Women 18 - 59 years	67,7	1492	6,2	0,10	0,12	0,40	1,04	1,76	2,33
Men 60+ years	82,9	332	8,4	0,13	0,16	0,47	1,48	2,47	3,33
Women 60+ years	75,2	510	7,3	0,08	0,11	0,47	2,08	2,15	2,34

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	65	3,2	3,8	5,0	12,5	26,3	53,3	77,2	92,0
Children 7 - 10 years	64	6,0	6,5	10,0	20,5	30,1	79,2	114,2	120,0
Boys 11 - 14 years	19	4,2	5,9	12,4	36,4	43,7	60,0	100,7	103,7
Girls 11 - 14 years	10	11,2	12,0	13,9	24,1	38,8	44,5	57,3	63,6
Men 15 - 17 years									
Women 15 - 17 years	11	6,1	6,1	11,4	20,0	45,8	70,0	93,3	105,0
Men 18 - 59 years	90	6,7	8,9	15,2	26,9	50,0	105,0	151,0	233,3
Women 18 - 59 years	105	7,1	7,6	12,5	24,2	40,0	55,6	100,0	129,4
Men 60+ years	30	9,8	13,1	21,2	35,0	50,0	103,3	151,7	178,6
Women 60+ years	43	6,2	7,5	12,3	33,0	76,3	121,0	139,3	172,5

Notes:

*Food item curd includes commodities: curd and white cheese.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **H - MILK PRODUCTS**
 Subgroup: **4 - CREAM (AND DESSERTS)**
 Commodity: **cream dessert**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	16,5	4,26	1,73	1,42	3,51	5,00	0,640
Children 7 - 10 years	32,3	622	7,6	3,31	1,98	2,85	11,02	2,67	0,234
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	1,8	2,94	0,62				0,041
Men 15 - 17 years	65,6	110	1,8	1,52	0,34				0,027
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	0,5	1,35	0,56			2,00	0,006
Women 18 - 59 years	67,7	1492	0,9	1,81	0,93			1,15	0,015
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	1,0	1,67	0,47				0,018

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	16,5	2,14	2,80	3,89	5,77	7,86	8,82
Children 7 - 10 years	32,3	622	7,6	1,68	1,87	2,67	5,69	6,41	7,25
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	0,5						
Women 18 - 59 years	67,7	1492	0,9						
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	1,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	60	49,0	70,0	70,0	80,0	80,0	125,0	126,3	150,0
Children 7 - 10 years	48	63,5	70,0	70,0	80,0	125,0	150,0	160,0	178,1
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **H - MILK PRODUCTS**
 Subgroup: **4 - CREAM (AND DESSERTS)**
 Commodity: **cream**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,2	1,41	1,19	1,47	1,17		0,112
Children 7 - 10 years	32,3	622	12,2	0,94	0,83	1,23	0,53		0,110
Boys 11 - 14 years	46,9	108	14,8	1,14	0,61	-0,59	-1,46		0,160
Girls 11 - 14 years	45,3	110	15,5	0,72	1,48	3,81	15,04		0,091
Men 15 - 17 years	65,6	110	13,6	0,73	0,69	1,22	-0,05	1,79	0,097
Women 15 - 17 years	55,6	110	10,9	0,53	0,42	0,95	-0,47		0,056
Men 18 - 59 years	82,5	1422	14,5	0,55	0,43	1,02	0,30	1,04	0,080
Women 18 - 59 years	67,7	1492	12,7	0,41	0,37	1,80	3,72	0,29	0,051
Men 60+ years	82,9	332	13,3	0,47	0,43	1,48	1,30	0,13	0,063
Women 60+ years	75,2	510	15,5	0,33	0,35	3,73	16,23		0,048

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,2	0,44	0,50	0,85	3,00	4,20	4,25
Children 7 - 10 years	32,3	622	12,2	0,15	0,24	0,58	2,33	2,67	2,99
Boys 11 - 14 years	46,9	108	14,8	0,24	0,28	1,46	1,71	1,79	1,80
Girls 11 - 14 years	45,3	110	15,5	0,10	0,12	0,33	1,06	2,39	4,35
Men 15 - 17 years	65,6	110	13,6	0,13	0,18	0,43	1,79	1,91	2,05
Women 15 - 17 years	55,6	110	10,9	0,12	0,18	0,31	1,20	1,26	1,28
Men 18 - 59 years	82,5	1422	14,5	0,09	0,11	0,41	1,25	1,39	1,51
Women 18 - 59 years	67,7	1492	12,7	0,07	0,11	0,29	0,99	1,21	1,36
Men 60+ years	82,9	332	13,3	0,10	0,13	0,31	1,19	1,35	1,44
Women 60+ years	75,2	510	15,5	0,12	0,13	0,24	0,50	0,88	1,40

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	32	7,3	8,6	13,3	20,0	41,7	57,2	64,1	68,2
Children 7 - 10 years	77	4,7	8,9	11,4	20,0	41,7	73,3	83,3	83,3
Boys 11 - 14 years	17	7,8	10,6	21,4	61,3	62,5	83,3	83,3	83,3
Girls 11 - 14 years	19	3,9	5,6	7,2	11,4	18,3	66,1	104,2	104,2
Men 15 - 17 years	15	9,9	13,3	19,6	26,7	56,7	125,0	125,0	125,0
Women 15 - 17 years	12	7,1	10,4	14,8	18,3	34,6	61,5	72,5	77,9
Men 18 - 59 years	227	7,3	10,0	10,0	30,0	62,5	83,3	125,0	125,0
Women 18 - 59 years	218	5,0	7,0	10,0	15,0	29,8	53,5	83,3	83,3
Men 60+ years	46	8,0	10,0	11,9	26,7	45,8	91,7	118,8	125,2
Women 60+ years	90	5,9	10,0	10,0	13,3	20,6	33,7	56,9	90,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **I - EGGS**

Subgroup: **1 - EGGS**

Commodity: **eggs**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	68,7	1,01	1,31	2,41	6,12	0,53	0,671
Children 7 - 10 years	32,3	622	70,4	0,78	1,06	2,76	8,93		0,524
Boys 11 - 14 years	46,9	108	69,4	0,82	1,05	2,05	3,97		0,529
Girls 11 - 14 years	45,3	110	69,1	0,67	0,76	2,07	4,93		0,431
Men 15 - 17 years	65,6	110	77,3	0,54	0,63	1,83	2,84	0,21	0,421
Women 15 - 17 years	55,6	110	73,6	0,55	0,66	2,22	4,67	0,18	0,391
Men 18 - 59 years	82,5	1422	66,7	0,45	0,61	2,59	10,05		0,300
Women 18 - 59 years	67,7	1492	63,0	0,44	0,56	2,44	7,13		0,275
Men 60+ years	82,9	332	71,7	0,45	0,61	2,89	10,06		0,314
Women 60+ years	75,2	510	63,7	0,44	0,56	2,34	6,10		0,268

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	68,7	0,09	0,14	0,47	2,66	4,14	5,14
Children 7 - 10 years	32,3	622	70,4	0,08	0,10	0,37	2,06	3,08	4,18
Boys 11 - 14 years	46,9	108	69,4	0,07	0,08	0,38	2,19	3,22	3,90
Girls 11 - 14 years	45,3	110	69,1	0,05	0,06	0,40	1,77	2,06	2,59
Men 15 - 17 years	65,6	110	77,3	0,05	0,07	0,27	1,57	1,96	2,08
Women 15 - 17 years	55,6	110	73,6	0,08	0,11	0,28	1,26	2,31	2,41
Men 18 - 59 years	82,5	1422	66,7	0,05	0,06	0,19	1,39	1,83	2,18
Women 18 - 59 years	67,7	1492	63,0	0,04	0,06	0,21	1,19	1,64	2,10
Men 60+ years	82,9	332	71,7	0,04	0,06	0,22	1,17	1,63	2,19
Women 60+ years	75,2	510	63,7	0,04	0,06	0,19	1,22	1,57	1,99

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	356	1,7	2,0	3,6	6,7	13,3	50,0	60,6	88,9
Children 7 - 10 years	647	2,4	2,9	4,3	8,0	14,5	50,0	60,0	94,4
Boys 11 - 14 years	134	2,8	3,2	5,0	9,3	18,9	50,0	88,9	125,9
Girls 11 - 14 years	115	2,5	3,0	5,0	10,0	19,1	46,0	74,7	90,5
Men 15 - 17 years	115	3,1	4,2	7,5	13,3	29,3	60,0	108,8	133,6
Women 15 - 17 years	124	2,9	3,5	6,0	11,3	17,1	50,0	77,4	95,7
Men 18 - 59 years	1372	3,2	4,0	6,3	11,4	22,0	80,0	120,0	146,0
Women 18 - 59 years	1344	2,5	3,2	5,7	10,0	20,0	50,0	88,9	110,0
Men 60+ years	372	3,0	3,3	6,0	11,2	20,0	50,0	100,0	137,8
Women 60+ years	481	2,5	3,0	5,0	10,0	20,0	50,0	97,8	109,9

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **I - EGGS**
 Subgroup: **2 - EGG PRODUCTS**
 Commodity: **mayonnaise**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	1,1	0,69	0,42				0,007
Children 7 - 10 years	32,3	622	3,5	0,81	0,64				0,027
Boys 11 - 14 years	46,9	108	2,8	0,73	0,46			1,00	0,018
Girls 11 - 14 years	45,3	110	1,8	0,80	0,12				0,012
Men 15 - 17 years	65,6	110	5,5	0,55	0,27	-1,22	-0,04		0,029
Women 15 - 17 years	55,6	110	4,5	0,50	0,33				0,022
Men 18 - 59 years	82,5	1422	3,2	0,45	0,24				0,014
Women 18 - 59 years	67,7	1492	5,7	0,48	0,27	1,69	7,88		0,027
Men 60+ years	82,9	332	2,7	0,45	0,27				0,013
Women 60+ years	75,2	510	3,9	0,35	0,20				0,014

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	1,1						
Children 7 - 10 years	32,3	622	3,5						
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	5,5	0,16	0,22	0,68	0,74	0,76	0,76
Women 15 - 17 years	55,6	110	4,5						
Men 18 - 59 years	82,5	1422	3,2						
Women 18 - 59 years	67,7	1492	5,7	0,10	0,16	0,50	0,73	0,86	0,97
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	3,9						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	6	10,6	13,8	25,0	40,0	40,0	50,0	55,0	57,5
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years	90	5,5	10,0	20,0	30,0	40,0	45,0	50,0	60,0
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **I - EGGS**
 Subgroup: **2 - EGG PRODUCTS**
 Commodity: **tartar sauce**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,8	2,43	3,00				0,017
Children 7 - 10 years	32,3	622	4,5	0,83	0,49				0,037
Boys 11 - 14 years	46,9	108	5,6	0,58	0,39	0,48	-1,66		0,034
Girls 11 - 14 years	45,3	110	1,8	5,33	6,60				0,064
Men 15 - 17 years	65,6	110	8,2	0,50	0,41	2,46	6,75		0,039
Women 15 - 17 years	55,6	110	9,1	0,50	0,27	0,77	-0,33		0,044
Men 18 - 59 years	82,5	1422	5,9	0,40	0,31	3,29	15,74	0,18	0,023
Women 18 - 59 years	67,7	1492	5,4	0,46	0,41	2,78	8,80		0,024
Men 60+ years	82,9	332	3,0	0,25	0,15				0,007
Women 60+ years	75,2	510	3,1	0,38	0,27			0,25	0,012

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,8						
Children 7 - 10 years	32,3	622	4,5						
Boys 11 - 14 years	46,9	108	5,6	0,17	0,21	0,48	1,05	1,07	1,07
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	8,2	0,19	0,23	0,42	0,72	1,13	1,33
Women 15 - 17 years	55,6	110	9,1	0,21	0,26	0,41	0,91	0,94	0,95
Men 18 - 59 years	82,5	1422	5,9	0,13	0,18	0,29	0,71	0,77	0,99
Women 18 - 59 years	67,7	1492	5,4	0,13	0,15	0,32	0,82	0,98	1,86
Men 60+ years	82,9	332	3,0						
Women 60+ years	75,2	510	3,1						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	7	13,0	16,0	20,0	20,0	25,0	38,0	44,0	47,0
Girls 11 - 14 years									
Men 15 - 17 years	10	14,5	19,0	20,0	30,0	30,0	41,0	45,5	47,8
Women 15 - 17 years	10	14,5	19,0	20,0	20,0	30,0	50,0	50,0	50,0
Men 18 - 59 years	86	10,0	12,5	20,0	27,5	40,0	50,0	60,0	66,0
Women 18 - 59 years	83	10,0	10,0	15,0	20,0	30,0	50,0	50,0	109,0
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **J - FATS**

Subgroup: **1 - VEGETABLE OIL**

Commodity: **oil**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	80,8	0,59	0,65	6,80	76,98		0,454
Children 7 - 10 years	32,3	622	82,6	0,44	0,34	1,69	3,79	0,30	0,354
Boys 11 - 14 years	46,9	108	88,0	0,38	0,25	0,95	0,27		0,323
Girls 11 - 14 years	45,3	110	86,4	0,36	0,28	1,61	4,11	0,18	0,297
Men 15 - 17 years	65,6	110	91,8	0,38	0,35	3,25	15,47		0,342
Women 15 - 17 years	55,6	110	83,6	0,38	0,57	6,74	55,33	0,16	0,311
Men 18 - 59 years	82,5	1422	84,5	0,27	0,25	5,25	53,16	0,13	0,222
Women 18 - 59 years	67,7	1492	77,7	0,28	0,32	6,70	67,06	0,17	0,212
Men 60+ years	82,9	332	81,0	0,23	0,16	1,29	2,10	0,14	0,182
Women 60+ years	75,2	510	71,4	0,21	0,15	1,89	5,64	0,13	0,147

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	80,8	0,06	0,10	0,45	1,19	1,45	1,86
Children 7 - 10 years	32,3	622	82,6	0,07	0,10	0,35	0,86	1,14	1,37
Boys 11 - 14 years	46,9	108	88,0	0,08	0,11	0,31	0,80	0,84	0,94
Girls 11 - 14 years	45,3	110	86,4	0,04	0,09	0,31	0,75	0,82	0,93
Men 15 - 17 years	65,6	110	91,8	0,07	0,09	0,30	0,77	0,89	1,29
Women 15 - 17 years	55,6	110	83,6	0,03	0,08	0,24	0,70	0,82	1,07
Men 18 - 59 years	82,5	1422	84,5	0,04	0,07	0,21	0,51	0,64	0,79
Women 18 - 59 years	67,7	1492	77,7	0,04	0,07	0,21	0,54	0,69	0,84
Men 60+ years	82,9	332	81,0	0,03	0,05	0,19	0,43	0,52	0,64
Women 60+ years	75,2	510	71,4	0,04	0,06	0,18	0,39	0,53	0,62

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	390	1,0	1,5	4,1	7,4	11,2	15,8	20,8	26,7
Children 7 - 10 years	708	1,4	2,1	5,0	8,1	13,8	19,5	23,0	29,9
Boys 11 - 14 years	144	1,5	2,5	6,6	10,1	14,2	22,5	26,4	29,9
Girls 11 - 14 years	132	2,0	2,5	5,0	10,0	14,8	19,3	27,1	32,1
Men 15 - 17 years	153	2,5	4,0	7,7	12,5	20,2	30,0	37,0	43,6
Women 15 - 17 years	125	1,5	2,0	6,4	11,3	18,3	30,9	34,7	40,6
Men 18 - 59 years	1682	2,5	3,8	7,6	12,7	20,0	29,6	34,8	44,9
Women 18 - 59 years	1554	1,7	3,0	6,5	10,7	16,7	25,3	30,1	38,0
Men 60+ years	367	1,9	3,7	7,5	12,1	19,6	25,0	29,9	34,3
Women 60+ years	481	1,8	3,3	6,4	10,0	16,0	22,5	27,6	29,9

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **J - FATS**
 Subgroup: **2 - MARGARINES**
 Commodity: **margarines***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	25,0	0,75	0,89	4,27	23,68		0,189
Children 7 - 10 years	32,3	622	18,6	0,61	0,56	2,67	10,49	0,36	0,107
Boys 11 - 14 years	46,9	108	23,1	0,59	0,82	4,15	19,03		0,134
Girls 11 - 14 years	45,3	110	20,9	0,49	0,38	2,26	7,81	0,50	0,091
Men 15 - 17 years	65,6	110	20,9	0,35	0,19	0,71	-0,71		0,073
Women 15 - 17 years	55,6	110	17,3	0,26	0,17	0,97	0,26	0,18	0,041
Men 18 - 59 years	82,5	1422	16,0	0,34	0,25	1,45	2,71	0,25	0,053
Women 18 - 59 years	67,7	1492	19,9	0,30	0,26	3,12	16,83		0,061
Men 60+ years	82,9	332	26,8	0,30	0,23	2,63	11,54		0,080
Women 60+ years	75,2	510	26,7	0,30	0,20	1,54	2,68	0,19	0,077

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	25,0	0,09	0,16	0,53	1,40	2,02	2,51
Children 7 - 10 years	32,3	622	18,6	0,10	0,15	0,45	1,20	1,53	2,01
Boys 11 - 14 years	46,9	108	23,1	0,09	0,14	0,40	0,90	1,14	2,44
Girls 11 - 14 years	45,3	110	20,9	0,06	0,14	0,48	0,76	0,85	1,32
Men 15 - 17 years	65,6	110	20,9	0,14	0,15	0,29	0,59	0,66	0,71
Women 15 - 17 years	55,6	110	17,3	0,07	0,09	0,21	0,46	0,58	0,62
Men 18 - 59 years	82,5	1422	16,0	0,04	0,07	0,28	0,65	0,85	1,01
Women 18 - 59 years	67,7	1492	19,9	0,05	0,09	0,24	0,60	0,73	0,96
Men 60+ years	82,9	332	26,8	0,06	0,11	0,23	0,58	0,64	0,73
Women 60+ years	75,2	510	26,7	0,08	0,11	0,24	0,54	0,68	0,85

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	120	1,8	2,4	5,0	10,0	15,0	20,0	26,5	33,1
Children 7 - 10 years	148	2,9	5,0	10,0	10,0	19,1	26,3	30,8	43,4
Boys 11 - 14 years	29	3,6	5,0	10,0	20,0	30,0	30,0	36,0	76,0
Girls 11 - 14 years	30	3,6	5,0	5,3	13,5	20,0	30,0	30,7	33,7
Men 15 - 17 years	28	10,0	10,0	10,0	15,0	22,5	30,4	36,9	42,2
Women 15 - 17 years	26	2,5	2,5	4,3	7,7	10,0	22,5	28,8	30,0
Men 18 - 59 years	279	3,6	5,0	10,0	20,0	30,0	40,0	47,0	55,0
Women 18 - 59 years	350	3,6	5,0	10,0	15,0	20,0	30,1	45,0	55,0
Men 60+ years	113	5,0	5,0	10,0	15,0	30,0	37,2	42,0	47,7
Women 60+ years	173	4,7	5,0	10,0	15,0	20,0	30,0	40,0	47,1

Notes:

*Food item margarines includes commodities: margarines, margarine "Flora", vegetable fat "Hera", margarine "Perla" and margarine "Rama".

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **J - FATS**
 Subgroup: **2 - MARGARINES**
 Commodity: **vegetable fat, hard**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,3	0,39	0,29	2,11	5,09		0,025
Children 7 - 10 years	32,3	622	2,7	0,33	0,24				0,009
Boys 11 - 14 years	46,9	108	4,6	0,27	0,14				0,015
Girls 11 - 14 years	45,3	110	3,6	0,22	0,16				0,009
Men 15 - 17 years	65,6	110	2,7	0,26	0,14				0,006
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	1,2	0,22	0,13				0,002
Women 18 - 59 years	67,7	1492	2,5	0,19	0,25				0,005
Men 60+ years	82,9	332	2,7	0,26	0,32				0,007
Women 60+ years	75,2	510	3,7	0,15	0,08				0,006

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,3	0,13	0,14	0,30	0,63	0,93	1,15
Children 7 - 10 years	32,3	622	2,7						
Boys 11 - 14 years	46,9	108	4,6						
Girls 11 - 14 years	45,3	110	3,6						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	1,2						
Women 18 - 59 years	67,7	1492	2,5						
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	3,7						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	24	3,2	3,4	4,5	6,2	11,3	13,4	16,2	21,8
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **J - FATS**
 Subgroup: **3 - BUTTER**
 Commodity: **butter**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	85,2	0,90	0,74	1,94	5,78	0,75	0,738
Children 7 - 10 years	32,3	622	83,3	0,64	0,56	2,09	7,40	0,36	0,514
Boys 11 - 14 years	46,9	108	76,9	0,60	0,48	0,93	0,40		0,453
Girls 11 - 14 years	45,3	110	83,6	0,59	0,77	6,25	48,94	0,16	0,445
Men 15 - 17 years	65,6	110	75,5	0,48	0,44	2,00	4,78		0,362
Women 15 - 17 years	55,6	110	72,7	0,43	0,44	2,93	11,96		0,306
Men 18 - 59 years	82,5	1422	65,8	0,34	0,29	2,58	10,11	0,33	0,219
Women 18 - 59 years	67,7	1492	64,1	0,33	0,27	1,99	5,63	0,21	0,204
Men 60+ years	82,9	332	69,0	0,35	0,30	1,68	3,14	0,20	0,237
Women 60+ years	75,2	510	73,1	0,31	0,22	1,54	3,03		0,214

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	85,2	0,15	0,21	0,72	1,75	2,44	3,05
Children 7 - 10 years	32,3	622	83,3	0,11	0,14	0,47	1,35	1,80	2,11
Boys 11 - 14 years	46,9	108	76,9	0,06	0,11	0,47	1,29	1,41	1,59
Girls 11 - 14 years	45,3	110	83,6	0,10	0,15	0,44	1,08	1,31	1,69
Men 15 - 17 years	65,6	110	75,5	0,09	0,13	0,33	1,00	1,24	1,77
Women 15 - 17 years	55,6	110	72,7	0,07	0,09	0,30	0,94	1,13	1,39
Men 18 - 59 years	82,5	1422	65,8	0,06	0,08	0,26	0,64	0,87	1,10
Women 18 - 59 years	67,7	1492	64,1	0,06	0,08	0,25	0,69	0,87	1,07
Men 60+ years	82,9	332	69,0	0,06	0,08	0,25	0,74	0,93	1,17
Women 60+ years	75,2	510	73,1	0,06	0,08	0,26	0,61	0,73	0,91

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	555	2,1	3,0	5,0	8,8	14,5	20,0	23,2	30,0
Children 7 - 10 years	872	2,6	3,8	5,4	10,0	15,0	20,0	28,6	34,6
Boys 11 - 14 years	152	2,5	4,5	6,2	12,5	18,4	31,8	40,8	45,8
Girls 11 - 14 years	164	3,8	4,5	6,7	10,0	16,7	22,1	29,0	37,3
Men 15 - 17 years	137	4,6	5,8	9,1	15,0	21,5	30,0	40,0	63,3
Women 15 - 17 years	122	3,8	4,6	8,3	11,3	19,8	28,6	30,4	40,5
Men 18 - 59 years	1383	4,7	5,5	9,1	15,0	22,5	33,3	40,0	55,0
Women 18 - 59 years	1418	3,8	4,7	7,5	12,0	20,0	29,1	31,9	41,4
Men 60+ years	357	4,5	5,0	8,3	15,0	22,6	35,0	45,2	54,8
Women 60+ years	568	4,2	5,0	8,5	13,5	18,8	24,5	30,0	37,7

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **J - FATS**
 Subgroup: **3 - BUTTER**
 Commodity: **butter spread**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,5	0,87	0,67				0,022
Children 7 - 10 years	32,3	622	3,9	0,56	0,43			0,83	0,019
Boys 11 - 14 years	46,9	108	1,9	0,43	0,04				0,008
Girls 11 - 14 years	45,3	110	3,6	0,62	0,41			0,96	0,025
Men 15 - 17 years	65,6	110	9,1	0,92	0,59	0,76	-0,54		0,082
Women 15 - 17 years	55,6	110	4,5	0,27	0,12				0,012
Men 18 - 59 years	82,5	1422	2,7	0,49	0,44				0,013
Women 18 - 59 years	67,7	1492	4,0	0,37	0,25				0,014
Men 60+ years	82,9	332	2,7	0,45	0,30				0,013
Women 60+ years	75,2	510	4,7	0,29	0,18				0,014

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,5						
Children 7 - 10 years	32,3	622	3,9						
Boys 11 - 14 years	46,9	108	1,9						
Girls 11 - 14 years	45,3	110	3,6						
Men 15 - 17 years	65,6	110	9,1	0,29	0,34	0,65	1,62	1,82	1,93
Women 15 - 17 years	55,6	110	4,5						
Men 18 - 59 years	82,5	1422	2,7						
Women 18 - 59 years	67,7	1492	4,0						
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	4,7						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	13	18,0	22,0	30,0	40,0	50,0	68,0	82,0	91,0
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **J - FATS**

Subgroup: **4 - LARD**

Commodity: **lard**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,9	0,49	0,35	1,42	1,44		0,048
Children 7 - 10 years	32,3	622	17,0	0,49	0,49	2,35	6,76	0,11	0,076
Boys 11 - 14 years	46,9	108	24,1	0,60	0,52	0,81	-1,03	1,11	0,141
Girls 11 - 14 years	45,3	110	20,0	0,57	0,56	1,28	0,56		0,109
Men 15 - 17 years	65,6	110	18,2	0,35	0,50	2,79	7,07		0,068
Women 15 - 17 years	55,6	110	10,9	0,31	0,32	2,92	9,11		0,032
Men 18 - 59 years	82,5	1422	23,5	0,27	0,28	3,06	14,98	0,09	0,063
Women 18 - 59 years	67,7	1492	17,9	0,30	0,31	3,18	15,24	0,21	0,053
Men 60+ years	82,9	332	25,3	0,28	0,23	1,16	0,56	0,14	0,070
Women 60+ years	75,2	510	18,2	0,21	0,19	2,09	4,45		0,037

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,9	0,15	0,19	0,37	1,00	1,15	1,35
Children 7 - 10 years	32,3	622	17,0	0,11	0,12	0,29	1,13	1,42	1,90
Boys 11 - 14 years	46,9	108	24,1	0,12	0,13	0,32	1,48	1,51	1,53
Girls 11 - 14 years	45,3	110	20,0	0,09	0,12	0,37	1,38	1,65	1,81
Men 15 - 17 years	65,6	110	18,2	0,10	0,11	0,18	0,62	1,58	1,78
Women 15 - 17 years	55,6	110	10,9	0,11	0,11	0,22	0,45	0,84	1,06
Men 18 - 59 years	82,5	1422	23,5	0,06	0,07	0,15	0,60	0,79	0,92
Women 18 - 59 years	67,7	1492	17,9	0,07	0,09	0,18	0,65	0,96	1,16
Men 60+ years	82,9	332	25,3	0,06	0,08	0,18	0,57	0,80	0,86
Women 60+ years	75,2	510	18,2	0,06	0,06	0,14	0,44	0,63	0,81

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	37	3,8	4,5	5,0	7,6	12,0	18,8	25,2	29,8
Children 7 - 10 years	114	4,4	4,5	5,9	8,6	15,8	29,6	44,4	44,6
Boys 11 - 14 years	28	4,5	4,9	8,4	15,0	42,8	54,5	62,8	80,8
Girls 11 - 14 years	22	4,5	4,5	7,3	15,0	33,0	65,6	66,7	77,2
Men 15 - 17 years	22	6,4	7,5	7,6	10,3	14,6	32,2	96,7	126,4
Women 15 - 17 years	13	6,2	7,4	9,1	10,0	13,6	14,7	35,7	51,2
Men 18 - 59 years	384	5,0	6,4	7,6	10,6	22,3	44,4	59,1	65,8
Women 18 - 59 years	293	4,5	6,1	7,6	11,0	21,3	43,9	55,6	70,8
Men 60+ years	101	5,4	6,1	7,6	10,6	30,0	48,0	50,0	64,4
Women 60+ years	105	4,4	4,5	6,7	10,0	16,7	29,4	35,9	47,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **J - FATS**

Subgroup: **4 - LARD**

Commodity: **speck**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,5	0,28	0,22			0,17	0,006
Children 7 - 10 years	32,3	622	6,6	0,17	0,14	3,44	14,63	0,11	0,010
Boys 11 - 14 years	46,9	108	9,3	0,10	0,05	0,48	-0,30		0,009
Girls 11 - 14 years	45,3	110	7,3	0,22	0,11	0,29	-1,52		0,013
Men 15 - 17 years	65,6	110	7,3	0,14	0,12	2,17	5,26		0,011
Women 15 - 17 years	55,6	110	7,3	0,25	0,26	1,91	3,86	0,15	0,016
Men 18 - 59 years	82,5	1422	9,0	0,18	0,40	5,17	29,17		0,016
Women 18 - 59 years	67,7	1492	6,2	0,16	0,33	5,76	37,94	0,07	0,010
Men 60+ years	82,9	332	9,6	0,56	0,91	2,08	4,01	1,59	0,050
Women 60+ years	75,2	510	6,7	0,17	0,33	3,90	14,87		0,011

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,5						
Children 7 - 10 years	32,3	622	6,6	0,06	0,07	0,13	0,27	0,36	0,52
Boys 11 - 14 years	46,9	108	9,3	0,03	0,05	0,08	0,18	0,18	0,18
Girls 11 - 14 years	45,3	110	7,3	0,10	0,10	0,21	0,33	0,35	0,37
Men 15 - 17 years	65,6	110	7,3	0,05	0,05	0,11	0,23	0,32	0,37
Women 15 - 17 years	55,6	110	7,3	0,04	0,05	0,15	0,52	0,68	0,76
Men 18 - 59 years	82,5	1422	9,0	0,04	0,04	0,08	0,20	0,58	1,43
Women 18 - 59 years	67,7	1492	6,2	0,03	0,04	0,08	0,24	0,41	1,01
Men 60+ years	82,9	332	9,6	0,04	0,05	0,11	1,64	2,25	3,00
Women 60+ years	75,2	510	6,7	0,03	0,04	0,08	0,17	0,61	1,30

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	42	1,7	2,3	2,7	4,0	5,0	6,7	13,4	18,7
Boys 11 - 14 years	10	1,5	2,3	3,5	4,3	5,0	8,4	8,5	8,6
Girls 11 - 14 years	9	4,6	4,9	5,0	6,7	8,3	11,1	12,3	13,0
Men 15 - 17 years	8	3,0	3,6	4,0	7,2	9,5	18,2	25,3	28,9
Women 15 - 17 years	9	2,1	2,9	6,0	8,0	13,6	20,0	22,5	23,8
Men 18 - 59 years	137	3,1	3,3	4,7	6,7	10,0	16,3	60,0	100,0
Women 18 - 59 years	96	1,7	2,7	3,3	5,0	8,5	16,6	28,8	74,5
Men 60+ years	37	3,3	3,9	5,8	7,2	22,5	132,0	150,0	164,0
Women 60+ years	35	3,1	3,3	4,2	5,8	10,0	13,8	44,0	99,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **K - CEREAL PRODUCTS**

Subgroup: **1 - BREAD**

Commodity: **bread**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	61,5	3,05	1,90	1,89	5,82		1,821
Children 7 - 10 years	32,3	622	56,8	2,60	1,85	2,64	10,42	2,00	1,407
Boys 11 - 14 years	46,9	108	63,0	2,99	2,56	3,04	13,90		1,789
Girls 11 - 14 years	45,3	110	57,3	2,07	1,13	1,07	1,38	2,00	1,125
Men 15 - 17 years	65,6	110	63,6	2,24	1,62	2,42	9,65	1,14	1,461
Women 15 - 17 years	55,6	110	52,7	1,58	1,05	1,23	1,02		0,802
Men 18 - 59 years	82,5	1422	72,1	2,00	1,33	1,73	4,72	2,00	1,415
Women 18 - 59 years	67,7	1492	57,6	1,43	0,91	1,95	5,33	1,00	0,820
Men 60+ years	82,9	332	83,7	1,87	1,16	1,27	1,71		1,536
Women 60+ years	75,2	510	74,1	1,41	0,95	1,90	4,98		1,003

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	61,5	1,09	1,37	2,39	5,45	6,32	7,74
Children 7 - 10 years	32,3	622	56,8	0,95	1,03	2,07	4,67	5,88	7,46
Boys 11 - 14 years	46,9	108	63,0	0,98	1,05	2,05	5,88	6,95	8,16
Girls 11 - 14 years	45,3	110	57,3	0,74	0,89	1,78	3,45	4,21	4,86
Men 15 - 17 years	65,6	110	63,6	0,71	0,88	1,80	4,01	4,78	5,72
Women 15 - 17 years	55,6	110	52,7	0,58	0,71	1,15	3,35	3,50	3,86
Men 18 - 59 years	82,5	1422	72,1	0,62	0,73	1,67	3,76	4,67	5,39
Women 18 - 59 years	67,7	1492	57,6	0,53	0,60	1,15	2,65	3,27	3,84
Men 60+ years	82,9	332	83,7	0,57	0,67	1,60	3,43	4,24	4,86
Women 60+ years	75,2	510	74,1	0,47	0,53	1,12	2,54	3,17	3,97

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	298	20,0	25,0	40,0	40,0	60,0	80,0	80,0	100,0
Children 7 - 10 years	462	20,0	40,0	40,0	60,0	78,8	100,0	120,0	155,0
Boys 11 - 14 years	100	39,5	40,0	60,0	60,0	120,0	160,0	181,0	200,4
Girls 11 - 14 years	85	40,0	40,0	40,0	60,0	80,0	112,0	120,0	121,6
Men 15 - 17 years	102	40,0	40,0	60,0	80,0	120,0	160,0	240,0	319,0
Women 15 - 17 years	73	32,0	40,0	40,0	60,0	80,0	100,0	136,0	160,0
Men 18 - 59 years	1556	40,0	60,0	80,0	80,0	120,0	160,0	200,0	240,0
Women 18 - 59 years	1126	40,0	40,0	50,0	60,0	80,0	120,0	150,0	180,0
Men 60+ years	463	40,0	40,0	60,0	80,0	120,0	160,0	160,0	200,0
Women 60+ years	537	40,0	40,0	45,0	60,0	80,0	120,0	150,0	170,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**
 Subgroup: **2 - ROLLS AND FRENCH LOAF**
 Commodity: **wholemeal bread**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	3,12	1,26				0,100
Children 7 - 10 years	32,3	622	5,9	2,38	1,12	0,93	1,15		0,135
Boys 11 - 14 years	46,9	108	4,6	2,96	1,61			2,50	0,128
Girls 11 - 14 years	45,3	110	3,6	1,63	0,52				0,064
Men 15 - 17 years	65,6	110	5,5	1,31	0,48	0,59	-1,20		0,078
Women 15 - 17 years	55,6	110	9,1	1,64	0,91	1,62	3,49	1,36	0,150
Men 18 - 59 years	82,5	1422	6,0	1,43	0,68	1,10	2,61		0,087
Women 18 - 59 years	67,7	1492	9,9	1,28	0,67	1,97	5,31	2,00	0,122
Men 60+ years	82,9	332	4,8	1,00	0,34				0,048
Women 60+ years	75,2	510	9,2	1,20	0,57	1,94	5,99	1,00	0,107

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	5,9	0,94	1,07	2,27	3,91	4,37	4,82
Boys 11 - 14 years	46,9	108	4,6						
Girls 11 - 14 years	45,3	110	3,6						
Men 15 - 17 years	65,6	110	5,5	0,81	0,88	1,16	1,88	1,94	1,97
Women 15 - 17 years	55,6	110	9,1	0,77	1,03	1,36	2,46	3,14	3,48
Men 18 - 59 years	82,5	1422	6,0	0,57	0,69	1,33	2,35	2,50	2,72
Women 18 - 59 years	67,7	1492	9,9	0,59	0,67	1,13	2,04	2,54	3,13
Men 60+ years	82,9	332	4,8						
Women 60+ years	75,2	510	9,2	0,55	0,71	1,00	1,84	2,15	2,30

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	40	40,0	40,0	50,0	75,0	75,0	82,0	121,0	138,3
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	6	60,0	60,0	63,8	87,5	115,0	135,0	142,5	146,3
Women 15 - 17 years	11	45,0	60,0	65,0	75,0	100,0	120,0	135,0	142,5
Men 18 - 59 years	97	48,0	60,0	75,0	80,0	150,0	150,0	200,0	218,4
Women 18 - 59 years	164	40,0	40,0	60,0	70,0	75,0	120,0	150,0	150,0
Men 60+ years									
Women 60+ years	54	38,3	43,0	60,0	72,5	75,0	120,0	143,5	150,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**
 Subgroup: **2 - ROLLS AND FRENCH LOAF**
 Commodity: **rolls**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	64,8	2,91	1,92	2,72	12,23	2,22	1,840
Children 7 - 10 years	32,3	622	66,2	2,21	1,40	2,38	14,00	1,60	1,415
Boys 11 - 14 years	46,9	108	60,2	2,17	2,13	3,23	14,69		1,244
Girls 11 - 14 years	45,3	110	60,0	1,57	0,94	1,31	2,20	1,14	0,936
Men 15 - 17 years	65,6	110	73,6	1,93	1,45	1,82	3,74		1,418
Women 15 - 17 years	55,6	110	50,9	1,30	0,88	1,82	4,51		0,667
Men 18 - 59 years	82,5	1422	59,8	1,47	1,07	2,58	13,20	1,00	0,866
Women 18 - 59 years	67,7	1492	45,1	1,10	0,78	2,80	16,58	0,67	0,483
Men 60+ years	82,9	332	48,8	1,10	0,78	3,51	20,70	1,00	0,528
Women 60+ years	75,2	510	46,1	1,02	0,75	3,70	25,23		0,455

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	64,8	1,00	1,33	2,29	5,24	5,71	7,57
Children 7 - 10 years	32,3	622	66,2	0,58	0,98	1,90	4,00	4,80	5,35
Boys 11 - 14 years	46,9	108	60,2	0,51	0,63	1,56	4,85	5,46	6,46
Girls 11 - 14 years	45,3	110	60,0	0,30	0,78	1,33	2,94	3,21	3,77
Men 15 - 17 years	65,6	110	73,6	0,50	0,59	1,53	3,53	5,23	6,00
Women 15 - 17 years	55,6	110	50,9	0,42	0,57	0,91	2,32	3,14	3,33
Men 18 - 59 years	82,5	1422	59,8	0,32	0,45	1,20	2,67	3,46	4,10
Women 18 - 59 years	67,7	1492	45,1	0,32	0,47	0,85	2,03	2,57	2,95
Men 60+ years	82,9	332	48,8	0,31	0,45	0,98	1,80	2,15	3,04
Women 60+ years	75,2	510	46,1	0,25	0,44	0,93	1,82	2,15	2,52

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	341	13,5	20,0	40,0	40,0	40,0	60,0	80,0	80,6
Children 7 - 10 years	622	12,6	18,2	40,0	40,0	40,0	80,0	80,0	110,0
Boys 11 - 14 years	101	18,0	18,0	40,0	40,0	80,0	100,0	160,0	180,0
Girls 11 - 14 years	98	9,0	16,3	40,0	40,0	53,8	80,0	80,0	101,8
Men 15 - 17 years	119	19,8	28,6	40,0	80,0	120,0	160,0	200,0	200,0
Women 15 - 17 years	75	6,0	17,3	40,0	40,0	80,0	80,0	120,0	125,2
Men 18 - 59 years	1182	20,0	27,0	40,0	80,0	120,0	160,0	160,0	205,0
Women 18 - 59 years	868	18,0	29,0	40,0	40,0	80,0	80,0	120,0	130,0
Men 60+ years	214	20,0	29,0	40,0	75,0	80,0	120,0	120,0	160,0
Women 60+ years	306	17,2	30,0	40,0	40,0	80,0	80,0	120,0	129,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**
 Subgroup: **2 - ROLLS AND FRENCH LOAF**
 Commodity: **breadcrumbs**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	28,6	0,85	0,65	1,50	3,10	0,83	0,226
Children 7 - 10 years	32,3	622	28,9	0,59	0,39	1,10	1,93	1,00	0,164
Boys 11 - 14 years	46,9	108	29,6	0,49	0,29	0,65	-0,20	0,56	0,145
Girls 11 - 14 years	45,3	110	24,5	0,51	0,28	0,02	-1,17	0,31	0,118
Men 15 - 17 years	65,6	110	33,6	0,41	0,23	0,86	0,80	0,51	0,141
Women 15 - 17 years	55,6	110	37,3	0,46	0,25	1,73	6,40		0,166
Men 18 - 59 years	82,5	1422	27,9	0,33	0,22	1,52	3,72	0,36	0,090
Women 18 - 59 years	67,7	1492	29,0	0,35	0,22	1,13	4,38		0,099
Men 60+ years	82,9	332	31,0	0,32	0,22	0,73	0,75		0,095
Women 60+ years	75,2	510	27,1	0,29	0,23	1,45	3,23		0,075

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	28,6	0,11	0,17	0,73	1,66	2,09	2,42
Children 7 - 10 years	32,3	622	28,9	0,08	0,12	0,56	1,00	1,15	1,66
Boys 11 - 14 years	46,9	108	29,6	0,12	0,12	0,52	0,99	1,06	1,08
Girls 11 - 14 years	45,3	110	24,5	0,12	0,14	0,58	0,85	0,93	0,99
Men 15 - 17 years	65,6	110	33,6	0,10	0,11	0,37	0,76	0,81	0,87
Women 15 - 17 years	55,6	110	37,3	0,07	0,14	0,45	0,65	0,84	0,96
Men 18 - 59 years	82,5	1422	27,9	0,05	0,08	0,31	0,59	0,70	0,95
Women 18 - 59 years	67,7	1492	29,0	0,05	0,08	0,34	0,63	0,74	0,82
Men 60+ years	82,9	332	31,0	0,03	0,04	0,32	0,56	0,69	0,79
Women 60+ years	75,2	510	27,1	0,02	0,04	0,26	0,58	0,64	0,86

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	116	2,3	2,9	6,5	13,3	20,8	26,8	34,4	39,4
Children 7 - 10 years	197	2,4	3,4	7,5	15,0	25,0	29,0	34,2	40,0
Boys 11 - 14 years	34	5,4	6,4	11,8	19,4	24,6	38,0	50,7	56,6
Girls 11 - 14 years	29	5,3	6,1	12,5	23,3	25,0	33,9	38,0	42,3
Men 15 - 17 years	39	4,7	6,7	16,7	23,3	33,3	50,4	52,8	61,2
Women 15 - 17 years	46	3,1	3,8	16,7	23,3	29,8	33,3	38,6	43,8
Men 18 - 59 years	439	4,0	6,0	12,5	23,3	33,3	44,9	50,0	56,0
Women 18 - 59 years	485	3,2	4,2	11,3	21,4	26,0	37,5	40,0	50,0
Men 60+ years	125	2,4	3,0	6,7	22,5	33,3	40,0	41,0	50,5
Women 60+ years	156	1,6	2,0	6,1	18,4	25,3	39,0	40,4	50,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**
 Subgroup: **2 - ROLLS AND FRENCH LOAF**
 Commodity: **French loaf**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	0,79	0,93	1,53	0,90	0,23	0,051
Children 7 - 10 years	32,3	622	7,1	0,69	0,79	1,71	2,58	0,15	0,047
Boys 11 - 14 years	46,9	108	6,5	0,45	0,82	2,63	6,94	0,15	0,028
Girls 11 - 14 years	45,3	110	7,3	0,83	0,81	0,87	-0,22		0,056
Men 15 - 17 years	65,6	110	4,5	0,32	0,48				0,015
Women 15 - 17 years	55,6	110	6,4	1,25	0,84	-0,46	-0,60		0,071
Men 18 - 59 years	82,5	1422	6,0	0,51	0,74	2,23	5,09		0,031
Women 18 - 59 years	67,7	1492	6,1	0,52	0,65	2,31	6,42		0,030
Men 60+ years	82,9	332	6,0	0,22	0,24	1,78	1,80		0,013
Women 60+ years	75,2	510	7,3	0,45	0,51	1,42	0,83		0,034

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,19	0,20	0,29	2,62	2,78	2,85
Children 7 - 10 years	32,3	622	7,1	0,12	0,14	0,27	1,60	2,27	2,76
Boys 11 - 14 years	46,9	108	6,5	0,10	0,10	0,15	1,06	1,69	2,01
Girls 11 - 14 years	45,3	110	7,3	0,14	0,14	0,58	1,74	2,03	2,17
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	6,4	0,11	0,14	1,45	1,96	2,18	2,30
Men 18 - 59 years	82,5	1422	6,0	0,06	0,08	0,12	1,53	2,26	2,41
Women 18 - 59 years	67,7	1492	6,1	0,06	0,07	0,16	1,09	1,50	2,58
Men 60+ years	82,9	332	6,0	0,06	0,07	0,11	0,68	0,74	0,77
Women 60+ years	75,2	510	7,3	0,05	0,06	0,23	1,44	1,50	1,61

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	23	4,5	4,5	4,5	6,1	18,8	54,7	59,8	64,3
Children 7 - 10 years	45	4,5	4,5	4,5	7,6	30,3	56,9	69,6	73,2
Boys 11 - 14 years	7	4,5	4,5	4,5	7,6	8,3	47,2	75,8	90,1
Girls 11 - 14 years	8	6,6	7,1	7,6	25,7	50,0	67,8	86,1	95,2
Men 15 - 17 years									
Women 15 - 17 years	15	6,7	8,2	15,0	15,0	38,8	75,8	80,0	80,0
Men 18 - 59 years	94	5,5	6,5	7,6	10,6	51,6	100,0	127,1	184,2
Women 18 - 59 years	97	4,5	5,5	7,6	10,6	50,0	69,6	89,6	137,2
Men 60+ years	22	4,5	4,5	7,6	7,6	14,4	39,0	59,0	66,1
Women 60+ years	39	4,5	4,5	7,6	9,1	45,0	90,4	105,9	118,9

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **doughnuts**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,0	3,06	1,10	1,75	3,02		0,231
Children 7 - 10 years	32,3	622	7,7	2,25	1,27	2,25	5,98	1,72	0,170
Boys 11 - 14 years	46,9	108	9,3	2,57	0,79	0,51	-0,43	1,72	0,211
Girls 11 - 14 years	45,3	110	6,4	2,56	1,29	1,91	4,50	2,44	0,158
Men 15 - 17 years	65,6	110	5,5	2,33	1,48	1,69	2,76		0,123
Women 15 - 17 years	55,6	110	3,6	1,38	0,68			1,06	0,045
Men 18 - 59 years	82,5	1422	5,3	1,49	0,87	1,29	2,01	0,69	0,075
Women 18 - 59 years	67,7	1492	3,8	1,45	0,69			0,79	0,053
Men 60+ years	82,9	332	3,0	1,11	0,63			0,73	0,033
Women 60+ years	75,2	510	3,5	1,27	0,50			1,55	0,044

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,0	1,91	2,17	2,75	4,72	5,41	5,79
Children 7 - 10 years	32,3	622	7,7	1,27	1,35	1,75	3,67	4,63	5,95
Boys 11 - 14 years	46,9	108	9,3	1,71	1,72	2,60	3,32	3,70	3,89
Girls 11 - 14 years	45,3	110	6,4	1,40	1,53	2,44	3,65	4,47	4,88
Men 15 - 17 years	65,6	110	5,5	1,20	1,26	1,77	3,97	4,53	4,81
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	5,3	0,59	0,63	1,33	2,67	3,07	3,60
Women 18 - 59 years	67,7	1492	3,8						
Men 60+ years	82,9	332	3,0						
Women 60+ years	75,2	510	3,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	29	52,0	55,0	55,0	55,0	55,0	102,0	110,0	110,0
Children 7 - 10 years	49	50,0	55,0	55,0	55,0	60,0	110,0	110,0	112,2
Boys 11 - 14 years	10	55,0	55,0	87,5	110,0	110,0	165,0	165,0	165,0
Girls 11 - 14 years	8	55,0	55,0	55,0	110,0	110,0	131,0	155,5	167,8
Men 15 - 17 years	6	87,5	95,0	110,0	110,0	177,5	237,5	256,3	265,6
Women 15 - 17 years									
Men 18 - 59 years	77	54,0	55,0	55,0	110,0	150,0	220,0	220,0	251,8
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **sweet buns***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,8	3,08	3,04	4,55	23,23		0,263
Children 7 - 10 years	32,3	622	9,2	3,51	3,18	3,55	17,52	1,60	0,299
Boys 11 - 14 years	46,9	108	4,6	2,72	2,17				0,101
Girls 11 - 14 years	45,3	110	10,9	2,39	1,77	1,24	1,09		0,206
Men 15 - 17 years	65,6	110	6,4	1,76	0,82	1,15	-0,92	2,94	0,116
Women 15 - 17 years	55,6	110	3,6	2,05	1,20				0,065
Men 18 - 59 years	82,5	1422	6,3	1,58	1,08	2,16	5,89		0,096
Women 18 - 59 years	67,7	1492	6,9	1,36	0,91	1,67	2,84		0,092
Men 60+ years	82,9	332	6,0	1,60	1,05	1,03	0,81		0,098
Women 60+ years	75,2	510	9,8	1,23	0,64	0,92	0,43		0,118

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,8	1,59	1,74	2,39	4,10	5,78	8,83
Children 7 - 10 years	32,3	622	9,2	1,14	1,19	2,38	6,31	8,16	9,36
Boys 11 - 14 years	46,9	108	4,6						
Girls 11 - 14 years	45,3	110	10,9	0,52	0,92	2,06	5,46	5,82	5,85
Men 15 - 17 years	65,6	110	6,4	1,16	1,18	1,33	2,94	2,94	2,94
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	6,3	0,51	0,57	1,33	2,86	3,48	4,91
Women 18 - 59 years	67,7	1492	6,9	0,53	0,56	1,08	2,84	3,43	3,59
Men 60+ years	82,9	332	6,0	0,38	0,48	1,46	2,63	3,60	3,91
Women 60+ years	75,2	510	9,8	0,48	0,56	1,14	2,03	2,52	2,62

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	35	37,0	40,0	40,0	50,0	70,0	100,0	122,0	149,6
Children 7 - 10 years	63	40,0	40,0	45,0	80,0	120,0	196,0	200,0	245,0
Boys 11 - 14 years									
Girls 11 - 14 years	12	24,3	41,0	50,0	85,0	100,0	145,0	172,5	186,3
Men 15 - 17 years	7	80,0	80,0	80,0	80,0	160,0	200,0	200,0	200,0
Women 15 - 17 years									
Men 18 - 59 years	95	40,0	40,0	80,0	100,0	150,0	200,0	215,0	282,5
Women 18 - 59 years	109	40,0	40,0	40,0	80,0	100,0	160,0	200,0	200,0
Men 60+ years	23	40,0	42,0	80,0	100,0	150,0	200,0	200,0	218,0
Women 60+ years	55	40,0	40,0	40,0	80,0	100,0	150,0	153,0	173,0

Notes:

*Food item sweet buns includes commodities: sweet buns, sweet buns with poppy seed, sweet buns with nuts, sweet buns with plum jam, sweet buns with curd.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **butter rolls**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	7,4	2,97	1,34	2,17	7,01	3,00	0,210
Children 7 - 10 years	32,3	622	7,6	2,36	1,13	1,23	1,12		0,174
Boys 11 - 14 years	46,9	108	8,3	2,13	0,84	1,42	2,78	2,50	0,198
Girls 11 - 14 years	45,3	110	8,2	1,55	0,45	1,13	2,09	1,50	0,112
Men 15 - 17 years	65,6	110	3,6	2,06	0,72			2,00	0,064
Women 15 - 17 years	55,6	110	2,7	1,55	0,37				0,043
Men 18 - 59 years	82,5	1422	2,0	1,27	0,79				0,027
Women 18 - 59 years	67,7	1492	2,7	1,14	0,54				0,028
Men 60+ years	82,9	332	1,8	1,27	0,53				0,023
Women 60+ years	75,2	510	4,1	0,98	0,37				0,039

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	7,4	1,42	1,74	2,78	4,35	4,80	6,05
Children 7 - 10 years	32,3	622	7,6	1,05	1,43	2,07	4,12	4,44	5,03
Boys 11 - 14 years	46,9	108	8,3	1,26	1,27	2,05	2,80	3,40	3,70
Girls 11 - 14 years	45,3	110	8,2	1,04	1,14	1,50	2,04	2,27	2,38
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	2,0						
Women 18 - 59 years	67,7	1492	2,7						
Men 60+ years	82,9	332	1,8						
Women 60+ years	75,2	510	4,1						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	29	40,0	40,0	50,0	50,0	60,0	60,0	84,0	106,0
Children 7 - 10 years	50	40,0	40,0	50,0	60,0	80,0	100,0	136,5	173,2
Boys 11 - 14 years	9	60,0	60,0	60,0	90,0	120,0	156,0	228,0	264,0
Girls 11 - 14 years	9	50,0	50,0	50,0	60,0	60,0	72,0	96,0	108,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **sponge biscuits**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,1	2,11	1,44	0,60	-0,67		0,174
Children 7 - 10 years	32,3	622	3,5	1,32	1,00				0,045
Boys 11 - 14 years	46,9	108	0,9	0,63				0,63	0,008
Girls 11 - 14 years	45,3	110	1,8	0,40	0,28				0,005
Men 15 - 17 years	65,6	110	0,9	3,08				3,08	0,028
Women 15 - 17 years	55,6	110	2,7	0,38	0,46				0,011
Men 18 - 59 years	82,5	1422	0,6	0,94	0,82				0,005
Women 18 - 59 years	67,7	1492	1,4	0,54	0,43				0,008
Men 60+ years	82,9	332	1,5	0,35	0,22				0,006
Women 60+ years	75,2	510	1,0	0,65	0,54				0,007

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,1	0,39	0,50	1,67	4,17	4,61	5,05
Children 7 - 10 years	32,3	622	3,5						
Boys 11 - 14 years	46,9	108	0,9						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	0,6						
Women 18 - 59 years	67,7	1492	1,4						
Men 60+ years	82,9	332	1,5						
Women 60+ years	75,2	510	1,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	37	10,0	10,0	20,0	30,0	50,0	74,0	84,0	99,2
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **biscuits**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,0	2,93	1,96	1,39	1,46		0,220
Children 7 - 10 years	32,3	622	10,3	2,08	1,45	1,99	6,04	1,67	0,202
Boys 11 - 14 years	46,9	108	11,1	2,73	2,34	2,13	5,51	2,00	0,271
Girls 11 - 14 years	45,3	110	12,7	1,69	1,40	1,68	2,35	1,25	0,191
Men 15 - 17 years	65,6	110	16,4	1,72	1,64	2,98	10,00	1,25	0,267
Women 15 - 17 years	55,6	110	8,2	0,92	0,52	0,60	0,28		0,073
Men 18 - 59 years	82,5	1422	4,4	0,90	0,63				0,039
Women 18 - 59 years	67,7	1492	9,5	0,93	0,64	1,64	3,23		0,084
Men 60+ years	82,9	332	5,4	1,16	0,75	0,69	-0,12		0,060
Women 60+ years	75,2	510	7,6	0,93	0,86	3,00	11,67	0,40	0,066

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,0	0,94	1,22	2,50	5,49	7,13	7,75
Children 7 - 10 years	32,3	622	10,3	0,58	0,70	1,74	3,66	4,03	5,86
Boys 11 - 14 years	46,9	108	11,1	0,72	0,95	2,11	4,23	6,50	7,86
Girls 11 - 14 years	45,3	110	12,7	0,52	0,57	1,25	3,60	4,40	4,83
Men 15 - 17 years	65,6	110	16,4	0,77	0,84	1,19	3,01	3,73	5,65
Women 15 - 17 years	55,6	110	8,2	0,30	0,38	0,94	1,49	1,70	1,80
Men 18 - 59 years	82,5	1422	4,4						
Women 18 - 59 years	67,7	1492	9,5	0,27	0,35	0,77	1,79	2,22	2,68
Men 60+ years	82,9	332	5,4	0,21	0,39	1,11	2,14	2,64	2,65
Women 60+ years	75,2	510	7,6	0,30	0,35	0,68	1,84	2,18	2,82

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	31	17,5	21,0	30,0	50,0	60,0	105,0	120,0	127,5
Children 7 - 10 years	67	20,0	20,6	30,0	50,0	85,0	100,0	121,0	153,5
Boys 11 - 14 years	13	36,0	42,0	50,0	100,0	100,0	150,0	230,0	290,0
Girls 11 - 14 years	15	20,0	20,4	40,0	50,0	80,0	130,0	150,0	150,0
Men 15 - 17 years	21	10,0	25,0	40,0	60,0	83,0	185,0	200,0	350,0
Women 15 - 17 years	9	17,5	22,5	30,0	50,0	60,0	88,0	89,0	89,5
Men 18 - 59 years									
Women 18 - 59 years	145	20,0	21,0	30,0	50,0	75,0	100,0	124,0	164,7
Men 60+ years	19	19,5	28,0	45,0	90,0	100,0	136,0	205,0	227,5
Women 60+ years	42	20,3	30,0	30,0	50,0	77,5	100,0	119,0	151,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **K - CEREAL PRODUCTS**

Subgroup: **3 - PASTRY**

Commodity: **Christmas cake**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,2	4,74	2,80				0,089
Children 7 - 10 years	32,3	622	5,3	2,22	1,18	2,31	6,17		0,124
Boys 11 - 14 years	46,9	108	2,8	2,71	0,57				0,085
Girls 11 - 14 years	45,3	110	3,6	3,01	1,84				0,084
Men 15 - 17 years	65,6	110	3,6	2,53	1,90				0,093
Women 15 - 17 years	55,6	110	7,3	1,61	0,91	0,68	-0,99		0,116
Men 18 - 59 years	82,5	1422	3,4	1,55	0,75				0,051
Women 18 - 59 years	67,7	1492	2,4	1,61	1,18				0,038
Men 60+ years	82,9	332	3,6	1,89	1,79				0,060
Women 60+ years	75,2	510	2,9	1,37	1,00				0,040

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,2						
Children 7 - 10 years	32,3	622	5,3	1,13	1,23	1,95	3,13	4,59	5,86
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	3,6						
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	7,3	0,66	0,69	1,43	2,92	2,93	2,94
Men 18 - 59 years	82,5	1422	3,4						
Women 18 - 59 years	67,7	1492	2,4						
Men 60+ years	82,9	332	3,6						
Women 60+ years	75,2	510	2,9						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	34	40,0	40,0	50,0	60,0	100,0	100,0	113,5	134,0
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	8	37,0	44,0	57,5	75,0	95,0	158,0	179,0	189,5
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**
 Subgroup: **1 - VEGETABLE PRODUCTS**
 Commodity: **canned peas**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,1	0,37	0,14				0,016
Children 7 - 10 years	32,3	622	6,8	0,29	0,12	0,53	0,23	0,33	0,020
Boys 11 - 14 years	46,9	108	5,6	0,22	0,04	-0,99	-0,35		0,012
Girls 11 - 14 years	45,3	110	3,6	0,27	0,18				0,009
Men 15 - 17 years	65,6	110	5,5	0,15	0,09	2,43	5,94		0,008
Women 15 - 17 years	55,6	110	2,7	0,14	0,06				0,003
Men 18 - 59 years	82,5	1422	3,9	0,17	0,18				0,007
Women 18 - 59 years	67,7	1492	4,7	0,14	0,08			0,11	0,006
Men 60+ years	82,9	332	3,6	0,13	0,08				0,005
Women 60+ years	75,2	510	5,7	0,13	0,07	0,58	-0,46		0,007

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,1						
Children 7 - 10 years	32,3	622	6,8	0,10	0,15	0,27	0,45	0,48	0,53
Boys 11 - 14 years	46,9	108	5,6	0,16	0,17	0,24	0,26	0,26	0,26
Girls 11 - 14 years	45,3	110	3,6						
Men 15 - 17 years	65,6	110	5,5	0,10	0,10	0,11	0,22	0,28	0,31
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	3,9						
Women 18 - 59 years	67,7	1492	4,7						
Men 60+ years	82,9	332	3,6						
Women 60+ years	75,2	510	5,7	0,04	0,04	0,13	0,24	0,26	0,27

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	44	3,0	3,0	6,0	10,0	11,4	13,3	14,1	15,0
Boys 11 - 14 years	6	7,0	8,0	10,0	10,0	11,1	12,0	12,3	12,4
Girls 11 - 14 years									
Men 15 - 17 years	7	6,0	6,0	6,0	7,5	9,5	12,0	13,5	14,3
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years	30	3,0	4,4	6,0	10,0	10,0	13,4	16,3	18,6

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **1 - VEGETABLE PRODUCTS**
 Commodity: **tomato ketchup**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,1	1,02	0,71	1,21	0,88	2,00	0,080
Children 7 - 10 years	32,3	622	9,6	0,73	0,53	1,65	3,24		0,068
Boys 11 - 14 years	46,9	108	11,1	0,71	0,59	2,37	6,53		0,072
Girls 11 - 14 years	45,3	110	10,0	0,50	0,32	0,01	-1,02	0,08	0,047
Men 15 - 17 years	65,6	110	14,5	0,36	0,20	0,09	-0,72		0,054
Women 15 - 17 years	55,6	110	11,8	0,42	0,28	1,80	3,47		0,050
Men 18 - 59 years	82,5	1422	7,0	0,32	0,21	1,39	2,05		0,021
Women 18 - 59 years	67,7	1492	7,8	0,32	0,22	2,15	6,68	0,14	0,023
Men 60+ years	82,9	332	5,4	0,27	0,16	1,98	5,39		0,014
Women 60+ years	75,2	510	2,9	0,31	0,39				0,008

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,1	0,25	0,31	0,75	2,00	2,14	2,50
Children 7 - 10 years	32,3	622	9,6	0,15	0,25	0,58	1,35	1,83	2,01
Boys 11 - 14 years	46,9	108	11,1	0,27	0,29	0,57	1,00	1,62	2,00
Girls 11 - 14 years	45,3	110	10,0	0,08	0,08	0,59	0,83	0,94	0,99
Men 15 - 17 years	65,6	110	14,5	0,07	0,08	0,36	0,58	0,67	0,69
Women 15 - 17 years	55,6	110	11,8	0,19	0,20	0,35	0,72	0,91	1,03
Men 18 - 59 years	82,5	1422	7,0	0,07	0,11	0,26	0,57	0,73	0,87
Women 18 - 59 years	67,7	1492	7,8	0,11	0,13	0,26	0,58	0,72	0,83
Men 60+ years	82,9	332	5,4	0,11	0,13	0,25	0,43	0,49	0,63
Women 60+ years	75,2	510	2,9						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	35	5,0	5,0	10,0	13,0	25,0	40,0	40,0	40,0
Children 7 - 10 years	63	5,0	9,4	10,0	20,0	25,4	45,0	49,6	61,3
Boys 11 - 14 years	13	10,0	10,0	10,0	20,0	30,0	47,4	70,0	85,0
Girls 11 - 14 years	11	5,0	5,0	8,3	20,0	30,0	40,0	45,0	47,5
Men 15 - 17 years	16	5,0	5,0	15,3	25,0	30,0	41,3	44,4	47,2
Women 15 - 17 years	13	10,0	10,0	10,0	20,0	30,0	38,2	49,3	56,3
Men 18 - 59 years	107	5,0	10,0	12,5	20,0	30,0	45,0	50,0	66,6
Women 18 - 59 years	120	7,4	9,9	10,0	15,4	20,0	38,6	45,3	53,1
Men 60+ years	19	6,3	7,3	12,5	20,0	27,0	40,0	40,5	42,8
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **1 - VEGETABLE PRODUCTS**
 Commodity: **pickled gherkins**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,0	1,26	0,85	1,23	1,90		0,102
Children 7 - 10 years	32,3	622	13,2	1,15	0,83	2,16	5,98		0,157
Boys 11 - 14 years	46,9	108	11,1	2,01	1,50	0,76	0,25		0,216
Girls 11 - 14 years	45,3	110	15,5	1,02	0,99	1,37	1,27		0,163
Men 15 - 17 years	65,6	110	16,4	0,91	0,60	1,44	1,96		0,150
Women 15 - 17 years	55,6	110	11,8	0,83	0,45	0,59	-1,23		0,097
Men 18 - 59 years	82,5	1422	16,0	0,85	0,69	2,36	8,48		0,137
Women 18 - 59 years	67,7	1492	13,8	0,76	0,65	2,56	9,17	0,43	0,101
Men 60+ years	82,9	332	19,0	1,01	0,76	1,22	0,50		0,183
Women 60+ years	75,2	510	14,7	0,58	0,45	2,12	6,42	0,50	0,083

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,0	0,22	0,33	1,00	2,13	2,69	3,25
Children 7 - 10 years	32,3	622	13,2	0,30	0,45	0,98	1,88	2,66	3,72
Boys 11 - 14 years	46,9	108	11,1	0,20	0,26	1,60	3,39	4,22	4,72
Girls 11 - 14 years	45,3	110	15,5	0,11	0,16	0,59	2,26	3,00	3,23
Men 15 - 17 years	65,6	110	16,4	0,22	0,42	0,69	1,61	2,20	2,33
Women 15 - 17 years	55,6	110	11,8	0,36	0,37	0,67	1,51	1,54	1,54
Men 18 - 59 years	82,5	1422	16,0	0,20	0,26	0,62	1,67	2,00	2,56
Women 18 - 59 years	67,7	1492	13,8	0,11	0,20	0,62	1,45	1,76	2,74
Men 60+ years	82,9	332	19,0	0,23	0,29	0,71	2,28	2,70	2,79
Women 60+ years	75,2	510	14,7	0,11	0,15	0,51	1,07	1,25	1,80

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	30	4,4	5,7	14,6	20,0	40,0	40,0	51,0	71,0
Children 7 - 10 years	88	10,0	14,5	20,0	30,0	40,0	60,0	80,0	120,0
Boys 11 - 14 years	13	11,2	15,6	30,0	80,0	120,0	152,0	192,0	216,0
Girls 11 - 14 years	19	5,0	8,2	12,1	23,0	45,0	110,0	150,0	150,0
Men 15 - 17 years	21	18,0	30,0	40,0	40,0	60,0	80,0	80,0	120,0
Women 15 - 17 years	22	5,0	5,0	5,0	20,0	37,5	60,0	79,0	80,0
Men 18 - 59 years	253	12,3	20,0	30,0	45,0	80,0	120,0	180,0	190,0
Women 18 - 59 years	224	7,5	10,6	20,0	40,0	60,0	80,0	120,0	164,7
Men 60+ years	77	10,0	16,8	30,0	50,0	80,0	136,0	182,0	198,6
Women 60+ years	81	6,0	15,0	20,0	40,0	50,0	60,0	80,0	100,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**
 Subgroup: **1 - VEGETABLE PRODUCTS**
 Commodity: **tomato paste**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	14,3	0,64	0,67	3,84	18,78		0,094
Children 7 - 10 years	32,3	622	13,5	0,44	0,34	3,12	15,50		0,061
Boys 11 - 14 years	46,9	108	13,9	0,38	0,16	0,27	0,39	0,40	0,047
Girls 11 - 14 years	45,3	110	13,6	0,47	0,30	0,57	-0,65		0,056
Men 15 - 17 years	65,6	110	16,4	0,25	0,13	0,32	-1,15		0,040
Women 15 - 17 years	55,6	110	10,9	0,45	0,48	1,56	1,75		0,049
Men 18 - 59 years	82,5	1422	13,9	0,18	0,16	1,96	4,48	0,25	0,025
Women 18 - 59 years	67,7	1492	8,4	0,24	0,20	2,98	13,54		0,019
Men 60+ years	82,9	332	12,0	0,15	0,12	1,63	2,23	0,10	0,019
Women 60+ years	75,2	510	7,6	0,22	0,15	0,80	0,08		0,017

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	14,3	0,17	0,19	0,45	1,14	1,52	2,14
Children 7 - 10 years	32,3	622	13,5	0,09	0,14	0,37	0,71	0,87	1,22
Boys 11 - 14 years	46,9	108	13,9	0,15	0,17	0,40	0,53	0,61	0,66
Girls 11 - 14 years	45,3	110	13,6	0,08	0,13	0,44	0,93	0,96	0,99
Men 15 - 17 years	65,6	110	16,4	0,09	0,09	0,24	0,43	0,45	0,47
Women 15 - 17 years	55,6	110	10,9	0,06	0,09	0,23	1,14	1,36	1,46
Men 18 - 59 years	82,5	1422	13,9	0,05	0,06	0,11	0,40	0,52	0,61
Women 18 - 59 years	67,7	1492	8,4	0,05	0,07	0,18	0,44	0,50	0,64
Men 60+ years	82,9	332	12,0	0,06	0,06	0,10	0,30	0,36	0,49
Women 60+ years	75,2	510	7,6	0,03	0,04	0,20	0,44	0,52	0,59

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	54	2,7	4,0	6,4	10,0	14,7	20,0	23,5	45,9
Children 7 - 10 years	85	3,2	4,3	8,0	13,6	20,0	22,7	34,6	40,0
Boys 11 - 14 years	15	6,5	6,9	9,8	20,0	20,0	21,6	23,9	25,4
Girls 11 - 14 years	15	5,1	6,5	10,0	15,0	25,0	35,4	37,5	37,5
Men 15 - 17 years	18	5,5	6,5	8,7	15,6	20,0	30,0	30,3	31,0
Women 15 - 17 years	14	3,5	4,8	7,3	14,3	29,2	34,5	53,6	69,7
Men 18 - 59 years	207	4,1	4,9	6,1	9,1	20,0	32,1	40,0	45,3
Women 18 - 59 years	129	2,9	4,6	6,9	13,6	20,0	26,9	31,3	40,1
Men 60+ years	43	4,2	5,5	6,9	8,2	15,2	24,0	30,0	35,8
Women 60+ years	40	1,6	3,0	7,2	16,0	21,0	30,2	34,6	40,4

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **1 - VEGETABLE PRODUCTS**
 Commodity: **sauerkraut**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	2,90	2,07			2,25	0,112
Children 7 - 10 years	32,3	622	5,6	2,21	1,17	1,58	2,95		0,133
Boys 11 - 14 years	46,9	108	3,7	2,50	1,38				0,070
Girls 11 - 14 years	45,3	110	6,4	1,43	0,42	1,45	2,43	1,13	0,093
Men 15 - 17 years	65,6	110	8,2	1,73	0,84	0,31	-1,32		0,141
Women 15 - 17 years	55,6	110	5,5	1,40	0,73	0,73	-0,88		0,077
Men 18 - 59 years	82,5	1422	9,8	1,46	0,73	1,11	2,49		0,141
Women 18 - 59 years	67,7	1492	6,7	1,32	0,66	1,23	1,60	1,50	0,091
Men 60+ years	82,9	332	9,0	1,47	0,70	0,87	0,53		0,130
Women 60+ years	75,2	510	7,1	1,22	0,81	2,56	9,18	1,80	0,088

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	5,6	1,06	1,11	1,80	3,21	4,40	5,64
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	6,4	1,06	1,09	1,38	1,82	2,04	2,14
Men 15 - 17 years	65,6	110	8,2	0,72	0,72	1,54	2,80	2,90	2,95
Women 15 - 17 years	55,6	110	5,5	0,77	0,78	1,21	2,20	2,38	2,46
Men 18 - 59 years	82,5	1422	9,8	0,56	0,65	1,37	2,29	2,63	3,23
Women 18 - 59 years	67,7	1492	6,7	0,56	0,63	1,26	2,19	2,61	3,01
Men 60+ years	82,9	332	9,0	0,54	0,77	1,32	2,44	2,60	2,89
Women 60+ years	75,2	510	7,1	0,48	0,57	1,10	1,80	2,20	3,23

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	36	34,1	40,0	45,0	57,6	90,0	135,0	136,1	153,4
Boys 11 - 14 years									
Girls 11 - 14 years	7	45,0	45,0	45,8	56,8	90,0	90,0	90,0	90,0
Men 15 - 17 years	9	49,7	54,5	93,0	100,0	135,0	180,0	180,0	180,0
Women 15 - 17 years	6	45,0	45,0	48,4	75,8	93,0	114,0	124,5	129,8
Men 18 - 59 years	144	45,0	50,0	90,0	100,0	136,1	180,0	180,0	234,4
Women 18 - 59 years	101	36,0	45,0	56,8	90,0	116,3	139,5	180,0	180,0
Men 60+ years	31	45,0	69,8	90,0	117,0	135,0	180,0	186,7	195,1
Women 60+ years	40	35,1	45,0	45,0	79,5	90,0	135,0	135,2	173,3

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**

Subgroup: **2 - BRASSICAS**

Commodity: **cauliflower**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	20,1	1,04	1,87	3,24	11,86		0,194
Children 7 - 10 years	32,3	622	15,1	0,88	1,46	2,20	4,24	0,12	0,129
Boys 11 - 14 years	46,9	108	16,7	1,02	1,33	1,43	1,20		0,157
Girls 11 - 14 years	45,3	110	16,4	0,38	0,74	3,24	10,65	0,19	0,048
Men 15 - 17 years	65,6	110	5,5	1,12	1,51	0,97	-1,86		0,066
Women 15 - 17 years	55,6	110	6,4	1,03	1,18	0,50	-2,38		0,061
Men 18 - 59 years	82,5	1422	7,5	0,74	0,86	1,17	0,70		0,054
Women 18 - 59 years	67,7	1492	10,2	0,84	1,03	1,16	0,17		0,082
Men 60+ years	82,9	332	14,5	0,67	0,98	2,03	3,96		0,097
Women 60+ years	75,2	510	14,5	0,65	0,90	1,68	2,05		0,086

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	20,1	0,16	0,18	0,28	3,17	4,26	6,32
Children 7 - 10 years	32,3	622	15,1	0,10	0,11	0,20	3,33	4,11	5,06
Boys 11 - 14 years	46,9	108	16,7	0,10	0,10	0,18	2,59	3,81	4,07
Girls 11 - 14 years	45,3	110	16,4	0,07	0,08	0,13	0,66	1,75	2,39
Men 15 - 17 years	65,6	110	5,5	0,11	0,11	0,18	3,06	3,09	3,11
Women 15 - 17 years	55,6	110	6,4	0,06	0,06	0,15	2,49	2,50	2,50
Men 18 - 59 years	82,5	1422	7,5	0,06	0,07	0,14	1,95	2,20	2,72
Women 18 - 59 years	67,7	1492	10,2	0,06	0,07	0,15	2,46	2,99	3,14
Men 60+ years	82,9	332	14,5	0,06	0,07	0,12	1,90	2,52	3,55
Women 60+ years	75,2	510	14,5	0,06	0,06	0,15	2,13	2,51	2,97

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	73	3,9	4,5	4,5	6,1	10,6	60,6	80,0	131,2
Children 7 - 10 years	97	3,0	4,5	4,5	6,1	9,1	90,9	127,1	160,0
Boys 11 - 14 years	18	4,5	4,5	6,4	7,6	78,9	132,0	160,0	160,0
Girls 11 - 14 years	19	4,4	4,5	4,5	6,1	7,6	19,5	58,0	71,3
Men 15 - 17 years	6	6,5	6,9	8,4	10,7	152,7	220,0	230,0	235,0
Women 15 - 17 years	8	3,6	4,1	6,8	32,0	83,8	98,7	111,6	118,1
Men 18 - 59 years	108	4,5	7,1	7,6	10,6	106,1	160,0	160,0	228,4
Women 18 - 59 years	159	4,5	4,5	6,1	9,1	82,5	160,0	160,0	165,9
Men 60+ years	51	4,5	6,1	7,6	9,1	75,8	160,0	160,0	231,4
Women 60+ years	76	4,5	4,5	7,2	8,3	80,0	142,5	160,0	170,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Subgroup: **2 - BRASSICAS**

Commodity: **cabbage**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,7	2,92	1,08				0,083
Children 7 - 10 years	32,3	622	4,0	2,39	1,98			1,72	0,087
Boys 11 - 14 years	46,9	108	7,4	3,06	1,74	0,68	-1,29		0,256
Girls 11 - 14 years	45,3	110	5,5	2,39	1,48	0,45	-0,95		0,124
Men 15 - 17 years	65,6	110	5,5	1,52	1,35	1,07	-0,87		0,083
Women 15 - 17 years	55,6	110	5,5	4,01	2,60	1,92	4,18		0,206
Men 18 - 59 years	82,5	1422	6,8	1,59	1,26	1,08	1,25	3,20	0,100
Women 18 - 59 years	67,7	1492	5,5	1,50	0,98	0,97	1,09	1,67	0,081
Men 60+ years	82,9	332	4,8	1,69	1,25			1,05	0,079
Women 60+ years	75,2	510	4,5	1,65	1,21				0,074

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,7						
Children 7 - 10 years	32,3	622	4,0						
Boys 11 - 14 years	46,9	108	7,4	1,34	1,45	2,47	5,45	5,58	5,65
Girls 11 - 14 years	45,3	110	5,5	0,78	1,00	2,06	4,12	4,32	4,43
Men 15 - 17 years	65,6	110	5,5	0,49	0,51	0,83	3,20	3,42	3,53
Women 15 - 17 years	55,6	110	5,5	1,94	2,06	3,51	6,45	7,75	8,41
Men 18 - 59 years	82,5	1422	6,8	0,19	0,24	1,35	3,20	3,56	4,34
Women 18 - 59 years	67,7	1492	5,5	0,31	0,38	1,47	2,77	3,49	3,61
Men 60+ years	82,9	332	4,8						
Women 60+ years	75,2	510	4,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	10	26,7	29,4	70,0	120,0	200,0	204,0	222,0	231,0
Girls 11 - 14 years	6	45,0	50,0	60,0	80,0	115,0	180,0	210,0	225,0
Men 15 - 17 years	6	33,3	33,3	37,5	55,0	150,0	210,0	225,0	232,5
Women 15 - 17 years	7	106,0	112,0	150,0	180,0	220,0	240,0	240,0	240,0
Men 18 - 59 years	100	15,0	17,4	47,0	100,0	180,0	240,0	240,0	246,3
Women 18 - 59 years	84	20,0	24,3	50,0	100,0	120,0	180,0	200,0	240,0
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Subgroup: **3 - PULSES**

Commodity: **lentils**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	1,26	1,05			0,51	0,044
Children 7 - 10 years	32,3	622	5,1	1,17	0,97	1,06	0,06		0,065
Boys 11 - 14 years	46,9	108	6,5	0,65	0,36	1,65	2,94		0,039
Girls 11 - 14 years	45,3	110	5,5	0,70	0,64	2,17	4,88		0,032
Men 15 - 17 years	65,6	110	3,6	0,49	0,36				0,019
Women 15 - 17 years	55,6	110	7,3	0,58	0,51	1,34	-0,16		0,040
Men 18 - 59 years	82,5	1422	3,3	0,61	0,43			0,25	0,020
Women 18 - 59 years	67,7	1492	4,5	0,72	0,60				0,030
Men 60+ years	82,9	332	5,7	0,59	0,44	1,17	0,09		0,032
Women 60+ years	75,2	510	4,5	0,66	0,52				0,028

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	5,1	0,30	0,33	0,67	2,63	3,31	3,32
Boys 11 - 14 years	46,9	108	6,5	0,35	0,37	0,51	1,02	1,19	1,28
Girls 11 - 14 years	45,3	110	5,5	0,29	0,30	0,47	1,34	1,66	1,81
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	7,3	0,25	0,25	0,30	1,40	1,41	1,41
Men 18 - 59 years	82,5	1422	3,3						
Women 18 - 59 years	67,7	1492	4,5						
Men 60+ years	82,9	332	5,7	0,21	0,24	0,32	1,42	1,46	1,48
Women 60+ years	75,2	510	4,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	32	11,6	13,6	13,6	30,1	56,3	91,9	102,2	112,5
Boys 11 - 14 years	7	15,0	16,4	20,5	27,3	29,5	41,6	48,9	52,6
Girls 11 - 14 years	6	10,2	11,4	14,8	20,5	22,7	48,9	61,9	68,5
Men 15 - 17 years									
Women 15 - 17 years	8	13,6	13,6	13,6	15,9	35,8	75,0	75,0	75,0
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	21	18,2	22,7	22,7	27,3	56,3	75,0	112,5	112,5
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **4 - FRUITING AND BULBOUS VEGETABLE**
 Commodity: **onions**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	76,4	0,61	0,48	1,30	1,47	0,40	0,453
Children 7 - 10 years	32,3	622	74,3	0,52	0,46	2,82	12,93	0,33	0,370
Boys 11 - 14 years	46,9	108	75,0	0,49	0,35	1,91	4,24	0,56	0,366
Girls 11 - 14 years	45,3	110	79,1	0,43	0,32	1,28	1,20		0,323
Men 15 - 17 years	65,6	110	69,1	0,51	0,41	1,21	0,91		0,354
Women 15 - 17 years	55,6	110	65,5	0,35	0,28	1,46	1,91		0,224
Men 18 - 59 years	82,5	1422	79,0	0,37	0,31	2,56	12,26		0,289
Women 18 - 59 years	67,7	1492	68,4	0,32	0,29	3,46	24,20	0,25	0,214
Men 60+ years	82,9	332	78,6	0,36	0,30	1,89	5,92	0,20	0,286
Women 60+ years	75,2	510	71,0	0,27	0,20	1,85	6,02	0,17	0,188

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	76,4	0,08	0,12	0,48	1,30	1,56	1,82
Children 7 - 10 years	32,3	622	74,3	0,11	0,14	0,38	1,05	1,33	1,71
Boys 11 - 14 years	46,9	108	75,0	0,13	0,18	0,38	0,96	1,14	1,52
Girls 11 - 14 years	45,3	110	79,1	0,10	0,13	0,32	0,92	1,05	1,21
Men 15 - 17 years	65,6	110	69,1	0,10	0,13	0,38	1,13	1,32	1,57
Women 15 - 17 years	55,6	110	65,5	0,06	0,08	0,28	0,78	0,94	1,06
Men 18 - 59 years	82,5	1422	79,0	0,06	0,09	0,28	0,74	0,91	1,13
Women 18 - 59 years	67,7	1492	68,4	0,06	0,08	0,24	0,65	0,85	1,00
Men 60+ years	82,9	332	78,6	0,05	0,08	0,28	0,76	0,95	1,06
Women 60+ years	75,2	510	71,0	0,06	0,08	0,22	0,53	0,64	0,75

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	360	1,2	2,0	4,0	7,5	13,0	21,5	27,4	32,5
Children 7 - 10 years	567	2,9	3,7	5,9	10,0	15,6	26,4	33,2	43,9
Boys 11 - 14 years	121	3,2	5,0	8,3	13,0	18,9	25,0	42,0	44,7
Girls 11 - 14 years	114	2,7	4,5	7,0	10,5	16,7	27,4	37,5	44,8
Men 15 - 17 years	106	4,9	7,1	10,0	17,6	32,6	49,8	64,8	74,3
Women 15 - 17 years	92	3,3	4,1	7,5	12,1	19,6	29,9	33,9	41,5
Men 18 - 59 years	1507	4,5	5,8	10,0	17,3	30,0	46,2	57,9	65,0
Women 18 - 59 years	1265	3,3	4,5	8,0	13,0	20,3	35,0	44,5	53,3
Men 60+ years	357	3,4	5,7	9,4	16,0	29,2	48,1	64,2	74,6
Women 60+ years	456	3,2	4,5	7,6	12,5	20,0	30,7	40,0	47,8

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **4 - FRUITING AND BULBOUS VEGETABLE**
 Commodity: **garlic**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	32,7	0,08	0,07	2,09	4,87	0,04	0,025
Children 7 - 10 years	32,3	622	35,4	0,07	0,10	4,71	27,54	0,02	0,022
Boys 11 - 14 years	46,9	108	40,7	0,06	0,05	1,80	2,79		0,023
Girls 11 - 14 years	45,3	110	39,1	0,06	0,07	3,25	12,50	0,01	0,021
Men 15 - 17 years	65,6	110	39,1	0,06	0,07	2,73	9,31		0,023
Women 15 - 17 years	55,6	110	32,7	0,05	0,05	2,89	10,11		0,015
Men 18 - 59 years	82,5	1422	44,3	0,05	0,06	3,28	16,03	0,01	0,020
Women 18 - 59 years	67,7	1492	33,3	0,04	0,05	2,59	7,65		0,014
Men 60+ years	82,9	332	47,0	0,03	0,04	2,76	8,83	0,01	0,016
Women 60+ years	75,2	510	34,3	0,03	0,04	2,25	6,12	0,05	0,012

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	32,7	0,02	0,02	0,04	0,19	0,22	0,24
Children 7 - 10 years	32,3	622	35,4	0,01	0,02	0,04	0,15	0,18	0,29
Boys 11 - 14 years	46,9	108	40,7	0,02	0,02	0,04	0,14	0,16	0,20
Girls 11 - 14 years	45,3	110	39,1	0,01	0,02	0,03	0,10	0,18	0,23
Men 15 - 17 years	65,6	110	39,1	0,01	0,02	0,03	0,13	0,19	0,23
Women 15 - 17 years	55,6	110	32,7	0,01	0,02	0,03	0,11	0,14	0,17
Men 18 - 59 years	82,5	1422	44,3	0,01	0,01	0,02	0,11	0,15	0,20
Women 18 - 59 years	67,7	1492	33,3	0,01	0,01	0,02	0,10	0,15	0,19
Men 60+ years	82,9	332	47,0	0,01	0,01	0,02	0,07	0,12	0,14
Women 60+ years	75,2	510	34,3	0,01	0,01	0,02	0,08	0,10	0,12

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	124	0,5	0,5	0,7	0,9	1,6	3,5	4,8	6,1
Children 7 - 10 years	232	0,5	0,5	0,7	1,1	2,2	3,6	6,0	9,5
Boys 11 - 14 years	48	0,7	0,8	1,1	1,8	3,1	5,0	6,6	7,1
Girls 11 - 14 years	44	0,6	0,7	0,8	1,4	2,7	4,5	9,3	10,6
Men 15 - 17 years	48	0,7	0,9	1,1	2,0	5,1	8,6	10,6	11,1
Women 15 - 17 years	39	0,7	0,8	0,9	1,2	2,3	5,3	7,5	9,1
Men 18 - 59 years	719	0,7	0,9	1,1	1,7	3,2	8,3	11,1	14,7
Women 18 - 59 years	546	0,6	0,7	1,0	1,5	2,5	6,0	9,2	12,6
Men 60+ years	187	0,7	0,8	1,1	1,5	2,6	5,0	6,4	9,7
Women 60+ years	197	0,6	0,7	0,9	1,3	2,7	5,6	7,2	9,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **4 - FRUITING AND BULBOUS VEGETABLE**
 Commodity: **cucumbers**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,2	4,32	3,52	1,71	2,35		0,339
Children 7 - 10 years	32,3	622	9,2	3,59	4,19	3,25	14,42	3,33	0,291
Boys 11 - 14 years	46,9	108	11,1	2,71	1,91	0,81	-0,06	2,00	0,272
Girls 11 - 14 years	45,3	110	6,4	1,25	0,85	0,97	-0,34		0,083
Men 15 - 17 years	65,6	110	11,8	1,09	0,85	0,83	-0,20	1,25	0,133
Women 15 - 17 years	55,6	110	13,6	1,60	1,48	1,85	3,70		0,208
Men 18 - 59 years	82,5	1422	12,8	1,21	1,01	1,66	4,24	0,57	0,152
Women 18 - 59 years	67,7	1492	13,7	1,48	1,18	1,80	4,84		0,199
Men 60+ years	82,9	332	9,0	1,41	1,03	0,63	-0,36	1,39	0,131
Women 60+ years	75,2	510	10,4	1,73	1,41	1,69	4,64	1,47	0,170

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,2	1,16	1,56	3,06	8,69	12,23	13,11
Children 7 - 10 years	32,3	622	9,2	0,35	0,62	2,38	6,87	10,16	12,83
Boys 11 - 14 years	46,9	108	11,1	0,66	0,77	2,43	5,24	5,91	6,24
Girls 11 - 14 years	45,3	110	6,4	0,42	0,48	1,00	2,36	2,51	2,58
Men 15 - 17 years	65,6	110	11,8	0,22	0,24	0,82	2,10	2,44	2,66
Women 15 - 17 years	55,6	110	13,6	0,37	0,42	1,02	3,17	4,06	4,92
Men 18 - 59 years	82,5	1422	12,8	0,18	0,24	0,84	2,67	3,09	3,56
Women 18 - 59 years	67,7	1492	13,7	0,27	0,36	1,15	2,80	3,44	4,42
Men 60+ years	82,9	332	9,0	0,18	0,20	1,35	2,80	3,23	3,62
Women 60+ years	75,2	510	10,4	0,19	0,28	1,47	3,46	3,99	4,42

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	32	19,4	25,5	50,0	55,0	125,0	125,0	250,0	250,0
Children 7 - 10 years	62	12,6	20,0	40,0	61,3	125,0	198,8	250,0	279,7
Boys 11 - 14 years	12	27,8	31,5	48,8	112,5	159,4	187,5	215,6	232,8
Girls 11 - 14 years	7	26,5	28,0	35,0	50,0	71,3	98,0	111,5	118,3
Men 15 - 17 years	13	16,0	16,7	25,0	65,0	100,0	145,0	165,0	176,3
Women 15 - 17 years	17	20,0	26,0	40,0	60,0	125,0	150,0	150,0	150,0
Men 18 - 59 years	200	10,0	20,0	40,0	60,0	125,0	187,5	250,0	275,0
Women 18 - 59 years	216	16,7	20,0	40,0	62,5	125,0	187,5	250,0	250,0
Men 60+ years	31	16,7	18,0	50,0	100,0	187,5	187,5	275,0	318,8
Women 60+ years	56	10,0	20,0	50,0	100,0	159,4	250,0	250,0	250,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **4 - FRUITING AND BULBOUS VEGETABLE**
 Commodity: **green pepper**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	10,4	2,45	2,06	1,18	0,61	2,38	0,236
Children 7 - 10 years	32,3	622	10,5	1,53	1,44	2,14	5,08	1,00	0,149
Boys 11 - 14 years	46,9	108	10,2	1,73	1,33	2,42	6,58	2,08	0,173
Girls 11 - 14 years	45,3	110	10,9	1,64	1,59	2,07	5,27		0,192
Men 15 - 17 years	65,6	110	13,6	1,13	0,71	0,17	-0,93	1,25	0,156
Women 15 - 17 years	55,6	110	18,2	0,60	0,37	1,81	5,22	0,58	0,109
Men 18 - 59 years	82,5	1422	14,3	0,91	0,83	2,25	7,30		0,127
Women 18 - 59 years	67,7	1492	15,2	0,98	0,73	1,25	1,24		0,143
Men 60+ years	82,9	332	12,3	0,97	0,76	1,29	1,65	1,25	0,120
Women 60+ years	75,2	510	11,8	0,84	0,71	1,66	3,37		0,099

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	10,4	0,26	0,36	1,92	5,88	6,79	7,46
Children 7 - 10 years	32,3	622	10,5	0,28	0,36	1,05	3,55	4,10	5,48
Boys 11 - 14 years	46,9	108	10,2	0,79	0,83	1,19	2,25	3,83	4,62
Girls 11 - 14 years	45,3	110	10,9	0,24	0,37	1,33	2,70	4,22	5,11
Men 15 - 17 years	65,6	110	13,6	0,18	0,21	1,25	1,94	2,11	2,26
Women 15 - 17 years	55,6	110	18,2	0,17	0,20	0,55	0,92	1,06	1,44
Men 18 - 59 years	82,5	1422	14,3	0,13	0,20	0,64	1,90	2,73	3,09
Women 18 - 59 years	67,7	1492	15,2	0,16	0,21	0,79	1,95	2,64	2,96
Men 60+ years	82,9	332	12,3	0,18	0,20	0,74	1,76	2,69	3,04
Women 60+ years	75,2	510	11,8	0,13	0,17	0,64	1,56	2,11	2,68

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	41	6,0	6,0	25,0	40,0	50,0	100,0	100,0	129,0
Children 7 - 10 years	68	8,4	11,8	20,0	30,0	50,0	100,0	100,0	100,0
Boys 11 - 14 years	13	28,0	33,0	45,4	50,0	100,0	100,0	100,0	100,0
Girls 11 - 14 years	12	12,7	18,9	36,3	50,0	100,0	154,0	223,0	261,5
Men 15 - 17 years	16	13,3	15,8	26,7	97,3	100,0	103,0	117,0	133,5
Women 15 - 17 years	24	3,0	3,0	9,5	30,0	38,6	50,0	58,5	77,0
Men 18 - 59 years	219	10,0	16,2	30,0	50,0	100,0	150,0	200,0	225,0
Women 18 - 59 years	251	10,0	12,5	30,0	50,0	77,8	100,0	150,0	175,0
Men 60+ years	45	11,3	17,2	25,0	53,0	100,0	150,0	150,0	175,7
Women 60+ years	64	8,0	8,8	23,8	50,0	100,0	100,0	150,0	153,9

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **4 - FRUITING AND BULBOUS VEGETABLE**
 Commodity: **tomatoes**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,9	2,58	2,31	2,00	4,47	1,50	0,414
Children 7 - 10 years	32,3	622	16,7	1,73	1,29	1,32	1,66		0,285
Boys 11 - 14 years	46,9	108	20,4	2,10	1,46	1,08	0,48		0,406
Girls 11 - 14 years	45,3	110	24,5	1,84	1,30	1,30	2,80		0,474
Men 15 - 17 years	65,6	110	24,5	1,49	1,14	1,24	1,52		0,376
Women 15 - 17 years	55,6	110	26,4	1,07	0,79	1,50	2,36	0,58	0,276
Men 18 - 59 years	82,5	1422	19,4	1,07	1,00	2,36	8,47	0,75	0,204
Women 18 - 59 years	67,7	1492	24,3	1,31	1,13	2,42	8,89	1,03	0,306
Men 60+ years	82,9	332	17,2	1,02	0,89	2,16	5,83		0,167
Women 60+ years	75,2	510	23,5	1,05	0,81	1,61	2,74	0,75	0,240

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,9	0,32	0,53	1,83	5,62	7,39	9,23
Children 7 - 10 years	32,3	622	16,7	0,32	0,39	1,41	3,78	3,99	4,68
Boys 11 - 14 years	46,9	108	20,4	0,57	0,68	1,84	4,20	5,10	5,34
Girls 11 - 14 years	45,3	110	24,5	0,36	0,52	1,52	3,30	3,38	4,33
Men 15 - 17 years	65,6	110	24,5	0,18	0,26	1,14	2,90	3,43	4,06
Women 15 - 17 years	55,6	110	26,4	0,33	0,34	0,83	1,80	2,63	3,21
Men 18 - 59 years	82,5	1422	19,4	0,14	0,24	0,75	2,26	3,26	3,73
Women 18 - 59 years	67,7	1492	24,3	0,18	0,32	0,97	2,81	3,49	4,26
Men 60+ years	82,9	332	17,2	0,12	0,19	0,81	1,88	2,53	3,65
Women 60+ years	75,2	510	23,5	0,13	0,24	0,81	2,08	2,74	3,37

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	63	6,0	10,0	30,0	30,0	60,0	100,0	118,0	208,8
Children 7 - 10 years	114	10,5	20,0	30,0	40,7	60,0	100,0	120,0	126,5
Boys 11 - 14 years	23	26,4	30,0	31,7	60,0	100,0	183,3	183,3	213,3
Girls 11 - 14 years	27	18,0	28,0	36,7	60,0	118,8	186,0	197,0	200,0
Men 15 - 17 years	30	13,0	16,7	55,5	62,8	115,0	200,0	200,0	227,5
Women 15 - 17 years	29	20,0	20,0	30,0	45,0	80,0	93,3	150,0	188,3
Men 18 - 59 years	315	10,0	16,7	30,0	60,0	100,0	166,7	200,0	264,2
Women 18 - 59 years	425	10,0	20,0	33,3	60,0	100,0	150,0	200,0	214,6
Men 60+ years	65	10,0	13,9	33,3	60,0	100,0	132,0	174,0	200,0
Women 60+ years	128	8,3	13,5	33,3	60,0	93,8	137,5	200,0	200,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**
 Subgroup: **5 - LEAFY VEGETABLE**
 Commodity: **chive**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	11,5	0,04	0,05	3,37	12,97	0,04	0,005
Children 7 - 10 years	32,3	622	5,5	0,12	0,21	3,00	9,18		0,005
Boys 11 - 14 years	46,9	108	5,6	0,03	0,01	2,28	5,37		0,002
Girls 11 - 14 years	45,3	110	5,5	0,04	0,03	-0,25	-2,28		0,002
Men 15 - 17 years	65,6	110	3,6	0,09	0,08				0,003
Women 15 - 17 years	55,6	110	8,2	0,04	0,04	2,23	5,57		0,003
Men 18 - 59 years	82,5	1422	4,4	0,03	0,04			0,01	0,001
Women 18 - 59 years	67,7	1492	5,0	0,03	0,04	2,69	6,59	0,03	0,002
Men 60+ years	82,9	332	6,0	0,03	0,04	2,26	4,88		0,002
Women 60+ years	75,2	510	6,7	0,03	0,03	1,87	2,96	0,01	0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	11,5	0,01	0,01	0,03	0,07	0,11	0,20
Children 7 - 10 years	32,3	622	5,5	0,01	0,01	0,03	0,28	0,49	0,82
Boys 11 - 14 years	46,9	108	5,6	0,02	0,02	0,02	0,04	0,05	0,05
Girls 11 - 14 years	45,3	110	5,5	0,01	0,01	0,04	0,06	0,07	0,07
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	8,2	0,01	0,01	0,03	0,07	0,11	0,13
Men 18 - 59 years	82,5	1422	4,4						
Women 18 - 59 years	67,7	1492	5,0	0,01	0,01	0,02	0,07	0,14	0,17
Men 60+ years	82,9	332	6,0	0,01	0,01	0,01	0,09	0,09	0,13
Women 60+ years	75,2	510	6,7	0,01	0,01	0,02	0,08	0,11	0,13

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	46	0,1	0,1	0,2	0,5	1,0	1,5	1,5	4,4
Children 7 - 10 years	36	0,2	0,4	0,5	1,0	2,6	10,0	12,9	19,8
Boys 11 - 14 years	8	0,5	0,5	0,9	1,0	1,1	1,3	1,4	1,4
Girls 11 - 14 years	6	0,3	0,4	0,6	1,3	1,9	2,6	2,9	3,1
Men 15 - 17 years									
Women 15 - 17 years	16	0,5	0,5	1,0	1,0	1,5	1,9	2,1	2,3
Men 18 - 59 years									
Women 18 - 59 years	79	0,3	0,5	0,8	1,0	1,5	4,2	10,0	10,0
Men 60+ years	20	0,8	0,8	0,9	1,0	1,5	6,4	10,0	10,0
Women 60+ years	37	0,4	0,7	1,0	1,5	2,0	5,0	7,4	8,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **5 - LEAFY VEGETABLE**
 Commodity: **parsley leaves**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	55,2	0,04	0,03	2,50	6,90		0,021
Children 7 - 10 years	32,3	622	48,4	0,03	0,04	7,08	72,67	0,02	0,013
Boys 11 - 14 years	46,9	108	39,8	0,02	0,02	2,38	5,46		0,009
Girls 11 - 14 years	45,3	110	49,1	0,02	0,02	1,94	3,82	0,02	0,010
Men 15 - 17 years	65,6	110	35,5	0,02	0,02	2,59	6,72	0,02	0,008
Women 15 - 17 years	55,6	110	30,0	0,02	0,02	2,69	8,78		0,007
Men 18 - 59 years	82,5	1422	34,5	0,02	0,02	2,38	5,98	0,01	0,006
Women 18 - 59 years	67,7	1492	32,0	0,02	0,02	3,78	21,84	0,01	0,006
Men 60+ years	82,9	332	43,4	0,01	0,01	3,07	11,49	0,01	0,006
Women 60+ years	75,2	510	38,4	0,02	0,02	3,34	13,96	0,01	0,007

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	55,2	0,01	0,02	0,03	0,08	0,11	0,14
Children 7 - 10 years	32,3	622	48,4	0,01	0,01	0,02	0,06	0,07	0,10
Boys 11 - 14 years	46,9	108	39,8	0,01	0,01	0,02	0,05	0,07	0,09
Girls 11 - 14 years	45,3	110	49,1	0,01	0,01	0,02	0,05	0,06	0,06
Men 15 - 17 years	65,6	110	35,5	0,01	0,01	0,02	0,04	0,06	0,08
Women 15 - 17 years	55,6	110	30,0	0,01	0,01	0,02	0,05	0,06	0,07
Men 18 - 59 years	82,5	1422	34,5	0,01	0,01	0,01	0,04	0,05	0,06
Women 18 - 59 years	67,7	1492	32,0	0,01	0,01	0,01	0,04	0,06	0,07
Men 60+ years	82,9	332	43,4	0,01	0,01	0,01	0,03	0,04	0,05
Women 60+ years	75,2	510	38,4	0,01	0,01	0,01	0,05	0,06	0,08

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	218	0,3	0,4	0,5	0,6	0,9	1,5	2,1	2,3
Children 7 - 10 years	314	0,3	0,4	0,5	0,6	0,9	1,8	2,2	2,5
Boys 11 - 14 years	45	0,5	0,5	0,6	0,8	0,9	2,2	2,6	3,4
Girls 11 - 14 years	58	0,4	0,5	0,5	0,7	0,9	1,9	2,3	2,4
Men 15 - 17 years	41	0,5	0,6	0,7	0,9	1,5	3,1	4,0	4,6
Women 15 - 17 years	35	0,5	0,5	0,6	0,8	1,5	2,4	2,5	2,6
Men 18 - 59 years	518	0,5	0,6	0,8	0,8	1,5	3,1	3,6	4,7
Women 18 - 59 years	518	0,5	0,5	0,6	0,8	1,2	2,4	3,3	4,4
Men 60+ years	152	0,5	0,5	0,7	0,8	1,0	2,5	3,3	3,6
Women 60+ years	216	0,4	0,5	0,6	0,8	1,1	2,4	3,6	5,4

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Subgroup: **6 - ROOT VEGETABLE**

Commodity: **celeriac**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	48,4	0,32	0,19	1,29	2,17	0,23	0,147
Children 7 - 10 years	32,3	622	42,9	0,23	0,14	1,66	3,83	0,18	0,091
Boys 11 - 14 years	46,9	108	38,0	0,24	0,13	1,02	0,49		0,083
Girls 11 - 14 years	45,3	110	46,4	0,20	0,22	4,53	25,57		0,080
Men 15 - 17 years	65,6	110	30,0	0,16	0,11	1,66	2,55	0,36	0,047
Women 15 - 17 years	55,6	110	30,9	0,15	0,07	1,06	1,52	0,08	0,046
Men 18 - 59 years	82,5	1422	32,8	0,13	0,09	2,06	6,57		0,042
Women 18 - 59 years	67,7	1492	28,6	0,13	0,10	3,07	14,73	0,11	0,035
Men 60+ years	82,9	332	43,1	0,12	0,08	2,70	11,25		0,049
Women 60+ years	75,2	510	36,3	0,11	0,08	2,00	5,48		0,040

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	48,4	0,09	0,11	0,28	0,57	0,68	0,76
Children 7 - 10 years	32,3	622	42,9	0,06	0,08	0,18	0,39	0,48	0,63
Boys 11 - 14 years	46,9	108	38,0	0,08	0,08	0,21	0,43	0,54	0,55
Girls 11 - 14 years	45,3	110	46,4	0,05	0,06	0,13	0,28	0,48	0,56
Men 15 - 17 years	65,6	110	30,0	0,05	0,06	0,13	0,34	0,38	0,43
Women 15 - 17 years	55,6	110	30,9	0,07	0,08	0,13	0,24	0,25	0,28
Men 18 - 59 years	82,5	1422	32,8	0,03	0,05	0,11	0,25	0,31	0,36
Women 18 - 59 years	67,7	1492	28,6	0,04	0,05	0,11	0,23	0,28	0,37
Men 60+ years	82,9	332	43,1	0,03	0,04	0,10	0,19	0,25	0,31
Women 60+ years	75,2	510	36,3	0,03	0,04	0,10	0,20	0,26	0,32

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	183	1,8	2,4	4,2	6,1	7,6	10,9	12,8	14,6
Children 7 - 10 years	276	2,3	2,9	4,5	6,1	7,6	11,4	13,6	16,6
Boys 11 - 14 years	43	2,9	4,0	6,8	9,1	11,8	16,7	17,0	21,2
Girls 11 - 14 years	53	2,1	2,9	4,5	6,8	9,1	12,9	17,9	22,1
Men 15 - 17 years	34	3,3	4,2	6,9	9,0	10,6	16,4	25,0	25,7
Women 15 - 17 years	35	2,9	4,5	4,5	6,8	10,0	13,3	15,0	16,6
Men 18 - 59 years	493	2,9	3,5	6,1	7,6	11,4	16,9	25,0	27,1
Women 18 - 59 years	443	2,9	2,9	4,5	7,6	9,2	13,9	16,7	20,6
Men 60+ years	152	2,4	2,9	6,1	7,6	10,6	14,1	20,0	23,8
Women 60+ years	192	2,3	2,9	4,5	7,6	10,0	12,5	15,9	21,8

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **L - VEGETABLE**

Subgroup: **6 - ROOT VEGETABLE**

Commodity: **carrots**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	57,7	0,71	1,19	3,78	16,51	0,21	0,388
Children 7 - 10 years	32,3	622	51,3	0,55	1,24	5,50	35,96	0,18	0,262
Boys 11 - 14 years	46,9	108	40,7	0,33	0,32	3,73	18,53	0,15	0,128
Girls 11 - 14 years	45,3	110	54,5	0,42	1,01	5,94	39,56		0,193
Men 15 - 17 years	65,6	110	36,4	0,47	0,77	2,86	7,42	0,36	0,173
Women 15 - 17 years	55,6	110	34,5	0,17	0,08	1,02	0,90		0,057
Men 18 - 59 years	82,5	1422	36,8	0,22	0,34	5,29	36,44	0,09	0,079
Women 18 - 59 years	67,7	1492	34,9	0,26	0,44	4,47	22,60	0,11	0,087
Men 60+ years	82,9	332	46,1	0,26	0,54	4,71	23,01		0,118
Women 60+ years	75,2	510	42,7	0,25	0,45	4,83	28,72	0,09	0,105

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	57,7	0,12	0,15	0,33	1,43	3,18	4,78
Children 7 - 10 years	32,3	622	51,3	0,08	0,11	0,23	0,88	2,54	4,01
Boys 11 - 14 years	46,9	108	40,7	0,10	0,12	0,23	0,64	0,70	0,80
Girls 11 - 14 years	45,3	110	54,5	0,07	0,08	0,16	0,67	1,53	2,20
Men 15 - 17 years	65,6	110	36,4	0,06	0,08	0,17	0,89	2,68	3,06
Women 15 - 17 years	55,6	110	34,5	0,08	0,08	0,14	0,26	0,33	0,35
Men 18 - 59 years	82,5	1422	36,8	0,04	0,06	0,12	0,38	0,67	1,26
Women 18 - 59 years	67,7	1492	34,9	0,05	0,06	0,13	0,43	0,95	1,84
Men 60+ years	82,9	332	46,1	0,04	0,05	0,12	0,37	0,74	2,20
Women 60+ years	75,2	510	42,7	0,04	0,05	0,11	0,44	1,28	1,59

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	225	2,9	3,0	4,5	6,8	9,1	26,7	60,0	82,3
Children 7 - 10 years	337	3,0	3,7	4,5	6,8	11,4	20,0	65,1	112,6
Boys 11 - 14 years	48	4,0	4,8	7,4	11,0	16,7	21,3	23,1	26,5
Girls 11 - 14 years	65	3,0	3,3	4,5	6,8	11,4	21,9	54,0	97,6
Men 15 - 17 years	43	4,4	6,1	7,6	10,6	24,5	39,3	178,6	186,8
Women 15 - 17 years	39	3,7	4,5	6,4	8,0	11,0	13,9	15,2	16,9
Men 18 - 59 years	563	3,7	4,5	6,8	9,1	16,0	26,8	45,8	90,0
Women 18 - 59 years	554	3,7	4,4	6,1	7,6	13,1	24,2	60,0	110,0
Men 60+ years	165	3,2	4,4	6,8	9,7	15,2	22,7	49,3	187,8
Women 60+ years	235	3,0	4,0	6,0	8,0	13,6	30,0	58,0	121,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **L - VEGETABLE**

Subgroup: **6 - ROOT VEGETABLE**

Commodity: **parsley**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	53,3	0,28	0,15	1,38	3,34	0,21	0,142
Children 7 - 10 years	32,3	622	46,5	0,20	0,13	2,04	6,23	0,18	0,089
Boys 11 - 14 years	46,9	108	39,8	0,20	0,10	0,95	0,30		0,076
Girls 11 - 14 years	45,3	110	50,0	0,17	0,21	5,11	31,53	0,13	0,076
Men 15 - 17 years	65,6	110	32,7	0,14	0,11	1,91	3,63	0,36	0,046
Women 15 - 17 years	55,6	110	30,9	0,13	0,07	1,45	3,45	0,08	0,040
Men 18 - 59 years	82,5	1422	33,1	0,11	0,07	1,91	4,55	0,09	0,036
Women 18 - 59 years	67,7	1492	29,6	0,11	0,07	2,52	11,46	0,11	0,032
Men 60+ years	82,9	332	42,8	0,10	0,07	3,35	16,96		0,042
Women 60+ years	75,2	510	37,5	0,10	0,06	2,36	9,73		0,035

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	53,3	0,09	0,11	0,25	0,48	0,54	0,64
Children 7 - 10 years	32,3	622	46,5	0,06	0,08	0,18	0,34	0,42	0,57
Boys 11 - 14 years	46,9	108	39,8	0,08	0,08	0,17	0,36	0,39	0,40
Girls 11 - 14 years	45,3	110	50,0	0,04	0,06	0,11	0,28	0,38	0,49
Men 15 - 17 years	65,6	110	32,7	0,04	0,05	0,12	0,30	0,37	0,42
Women 15 - 17 years	55,6	110	30,9	0,05	0,07	0,12	0,20	0,25	0,28
Men 18 - 59 years	82,5	1422	33,1	0,03	0,04	0,09	0,19	0,28	0,31
Women 18 - 59 years	67,7	1492	29,6	0,03	0,04	0,10	0,18	0,24	0,29
Men 60+ years	82,9	332	42,8	0,03	0,04	0,09	0,16	0,22	0,26
Women 60+ years	75,2	510	37,5	0,02	0,03	0,09	0,16	0,19	0,24

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	202	1,8	2,4	4,0	5,5	7,2	9,1	9,1	12,6
Children 7 - 10 years	294	1,8	2,9	4,5	5,5	7,6	9,1	12,0	15,5
Boys 11 - 14 years	44	2,9	4,1	5,9	7,6	9,1	15,4	17,0	19,7
Girls 11 - 14 years	58	1,8	2,8	3,8	5,5	7,6	10,3	14,0	20,7
Men 15 - 17 years	38	2,9	2,9	6,1	7,6	9,2	13,9	25,0	25,5
Women 15 - 17 years	34	2,9	3,1	4,5	6,1	8,9	10,8	13,6	16,7
Men 18 - 59 years	490	2,9	3,5	5,4	7,6	10,0	15,1	21,0	25,0
Women 18 - 59 years	457	2,3	2,9	4,5	6,1	8,3	10,9	14,7	17,3
Men 60+ years	149	2,4	2,9	5,3	7,6	9,1	10,9	18,2	20,0
Women 60+ years	197	1,8	2,4	4,5	6,1	9,1	9,2	12,3	14,2

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Subgroup: **7 - POTATOES**

Commodity: **potatoes**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	51,6	5,81	3,23	1,41	3,83	6,04	2,871
Children 7 - 10 years	32,3	622	54,3	4,91	2,97	1,63	4,28		2,506
Boys 11 - 14 years	46,9	108	51,9	4,99	3,03	1,24	1,60		2,529
Girls 11 - 14 years	45,3	110	55,5	4,00	2,50	1,50	3,46	2,88	2,051
Men 15 - 17 years	65,6	110	51,8	3,77	2,40	1,29	2,42	3,72	1,967
Women 15 - 17 years	55,6	110	46,4	3,73	1,93	0,77	0,59		1,671
Men 18 - 59 years	82,5	1422	49,6	2,92	1,64	1,52	5,19	3,02	1,424
Women 18 - 59 years	67,7	1492	48,1	2,73	1,50	1,19	4,27	4,03	1,284
Men 60+ years	82,9	332	54,2	2,61	1,43	1,38	4,04	3,02	1,405
Women 60+ years	75,2	510	54,9	2,48	1,35	1,29	3,79	1,73	1,304

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	51,6	1,69	2,12	5,42	10,11	11,44	13,17
Children 7 - 10 years	32,3	622	54,3	1,08	1,73	4,41	8,73	10,15	12,68
Boys 11 - 14 years	46,9	108	51,9	1,67	2,14	4,27	8,28	11,69	12,21
Girls 11 - 14 years	45,3	110	55,5	0,90	1,30	3,73	6,74	8,32	10,19
Men 15 - 17 years	65,6	110	51,8	0,74	0,96	3,50	6,82	8,17	9,12
Women 15 - 17 years	55,6	110	46,4	1,05	1,22	3,35	6,41	7,20	8,09
Men 18 - 59 years	82,5	1422	49,6	0,63	0,83	2,81	4,69	5,66	7,04
Women 18 - 59 years	67,7	1492	48,1	0,61	0,87	2,66	4,51	5,12	5,98
Men 60+ years	82,9	332	54,2	0,64	0,78	2,56	4,17	4,61	6,35
Women 60+ years	75,2	510	54,9	0,63	0,92	2,32	4,10	4,83	5,58

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	207	30,4	40,6	72,5	120,8	120,8	181,1	184,0	236,8
Children 7 - 10 years	369	34,6	50,3	92,0	120,8	181,1	241,5	241,5	263,9
Boys 11 - 14 years	68	56,4	92,0	120,8	184,0	241,5	307,0	362,3	362,3
Girls 11 - 14 years	68	32,5	57,9	113,6	131,5	181,8	241,5	305,9	335,3
Men 15 - 17 years	70	50,7	52,3	115,0	235,8	241,5	362,3	362,3	388,0
Women 15 - 17 years	58	50,7	61,0	119,3	181,1	241,5	241,5	328,0	362,3
Men 18 - 59 years	803	50,7	52,8	132,0	230,0	241,5	357,0	362,3	382,0
Women 18 - 59 years	774	39,2	52,3	120,8	181,1	241,5	241,5	296,6	312,1
Men 60+ years	207	50,7	59,6	120,8	184,0	241,5	276,0	350,2	375,9
Women 60+ years	305	36,6	49,6	120,8	172,5	241,5	241,5	301,9	337,3

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **L - VEGETABLE**

Subgroup: **7 - POTATOES**

Commodity: **French fries**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,3	5,09	2,26			6,58	0,149
Children 7 - 10 years	32,3	622	5,0	4,01	1,68	0,31	-0,92		0,201
Boys 11 - 14 years	46,9	108	5,6	3,04	0,67	0,72	1,59	2,78	0,148
Girls 11 - 14 years	45,3	110	5,5	3,57	1,10	1,29	1,46	2,66	0,181
Men 15 - 17 years	65,6	110	10,0	3,10	2,24	2,89	8,91		0,294
Women 15 - 17 years	55,6	110	9,1	2,84	1,01	0,59	-0,29		0,260
Men 18 - 59 years	82,5	1422	5,9	2,30	0,74	0,91	1,53	2,21	0,132
Women 18 - 59 years	67,7	1492	5,4	2,29	0,91	0,96	1,65		0,118
Men 60+ years	82,9	332	2,4	2,11	0,97				0,052
Women 60+ years	75,2	510	2,0	1,47	0,61				0,030

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,3						
Children 7 - 10 years	32,3	622	5,0	1,66	2,05	3,68	6,25	6,76	6,99
Boys 11 - 14 years	46,9	108	5,6	2,31	2,47	2,95	3,70	3,93	4,05
Girls 11 - 14 years	45,3	110	5,5	2,66	2,66	3,33	4,71	5,11	5,31
Men 15 - 17 years	65,6	110	10,0	1,75	1,84	2,40	3,47	6,54	8,08
Women 15 - 17 years	55,6	110	9,1	1,68	2,01	2,55	4,21	4,42	4,53
Men 18 - 59 years	82,5	1422	5,9	1,36	1,48	2,21	3,27	3,54	3,99
Women 18 - 59 years	67,7	1492	5,4	0,93	1,37	2,07	3,47	3,62	4,18
Men 60+ years	82,9	332	2,4						
Women 60+ years	75,2	510	2,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	31	62,5	62,5	90,6	125,0	168,8	187,5	218,8	250,0
Boys 11 - 14 years	6	78,1	93,8	125,0	125,0	125,0	156,3	171,9	179,7
Girls 11 - 14 years	6	96,9	106,3	125,0	156,3	187,5	187,5	187,5	187,5
Men 15 - 17 years	12	125,0	125,0	125,0	156,3	250,0	250,0	250,0	250,0
Women 15 - 17 years	10	104,4	121,3	125,0	125,0	187,5	250,0	250,0	250,0
Men 18 - 59 years	87	125,0	125,0	125,0	187,5	187,5	250,0	250,0	258,8
Women 18 - 59 years	82	62,5	125,0	125,0	125,0	187,5	187,5	246,9	250,0
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**

Subgroup: **7 - POTATOES**

Commodity: **potato crisps**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,5	3,31	1,80			5,56	0,071
Children 7 - 10 years	32,3	622	5,1	2,48	1,49	1,08	2,15		0,115
Boys 11 - 14 years	46,9	108	3,7	1,69	0,66				0,057
Girls 11 - 14 years	45,3	110	4,5	1,27	1,17				0,047
Men 15 - 17 years	65,6	110	6,4	1,20	0,59	-0,26	-0,33		0,071
Women 15 - 17 years	55,6	110	6,4	1,27	0,56	-0,02	-1,64	1,00	0,079
Men 18 - 59 years	82,5	1422	5,9	1,19	0,81	1,76	4,28		0,070
Women 18 - 59 years	67,7	1492	4,8	1,30	0,65			1,67	0,059
Men 60+ years	82,9	332	2,1	1,21	0,77				0,026
Women 60+ years	75,2	510	1,6	1,68	2,10			1,22	0,027

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,5						
Children 7 - 10 years	32,3	622	5,1	0,69	0,81	2,34	3,83	4,45	5,53
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	6,4	0,40	0,49	1,25	1,82	1,93	1,98
Women 15 - 17 years	55,6	110	6,4	0,61	0,75	1,00	1,87	1,92	1,94
Men 18 - 59 years	82,5	1422	5,9	0,29	0,45	1,05	2,36	2,68	2,98
Women 18 - 59 years	67,7	1492	4,8						
Men 60+ years	82,9	332	2,1						
Women 60+ years	75,2	510	1,6						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	35	20,0	24,0	30,0	50,0	100,0	100,0	100,0	124,0
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	7	23,0	26,0	52,5	85,0	100,0	100,0	100,0	100,0
Women 15 - 17 years	7	32,5	40,0	55,0	60,0	95,0	100,0	100,0	100,0
Men 18 - 59 years	85	20,0	36,0	50,0	100,0	100,0	200,0	200,0	258,0
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **L - VEGETABLE**
 Subgroup: **8 - MUSHROOMS**
 Commodity: **dried mushrooms**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,4	0,03	0,01			0,02	0,001
Children 7 - 10 years	32,3	622	4,2	0,02	0,01				0,001
Boys 11 - 14 years	46,9	108	3,7	0,02	0,00				0,001
Girls 11 - 14 years	45,3	110	4,5	0,02	0,01				0,001
Men 15 - 17 years	65,6	110	4,5	0,01	0,00				0,001
Women 15 - 17 years	55,6	110	3,6	0,01	0,00				0,000
Men 18 - 59 years	82,5	1422	4,1	0,01	0,03				0,000
Women 18 - 59 years	67,7	1492	4,5	0,01	0,00			0,01	0,000
Men 60+ years	82,9	332	6,9	0,01	0,00	1,13	1,41	0,01	0,001
Women 60+ years	75,2	510	4,9	0,01	0,02				0,001

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,4						
Children 7 - 10 years	32,3	622	4,2						
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	4,1						
Women 18 - 59 years	67,7	1492	4,5						
Men 60+ years	82,9	332	6,9	0,01	0,01	0,01	0,01	0,02	0,02
Women 60+ years	75,2	510	4,9						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	23	0,5	0,6	0,7	0,7	1,0	1,4	1,5	1,5
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **L - VEGETABLE**
 Subgroup: **9 - LEGUMINOUS VEGETABLE**
 Commodity: **green peas**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	16,8	0,46	0,31	3,90	19,08		0,074
Children 7 - 10 years	32,3	622	12,1	0,28	0,11	0,95	1,18	0,18	0,031
Boys 11 - 14 years	46,9	108	11,1	0,23	0,09	1,40	2,62		0,025
Girls 11 - 14 years	45,3	110	18,2	0,53	1,13	3,89	15,77	0,28	0,092
Men 15 - 17 years	65,6	110	1,8	0,22	0,07				0,003
Women 15 - 17 years	55,6	110	6,4	0,16	0,06	0,09	-2,07		0,010
Men 18 - 59 years	82,5	1422	5,0	0,17	0,11	3,51	15,39	0,15	0,008
Women 18 - 59 years	67,7	1492	7,2	0,26	0,54	7,13	58,49		0,018
Men 60+ years	82,9	332	9,3	0,15	0,06	1,40	3,14		0,014
Women 60+ years	75,2	510	9,8	0,24	0,38	5,04	27,58		0,023

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	16,8	0,23	0,27	0,36	0,67	0,76	1,22
Children 7 - 10 years	32,3	622	12,1	0,15	0,16	0,26	0,41	0,45	0,53
Boys 11 - 14 years	46,9	108	11,1	0,14	0,15	0,23	0,30	0,37	0,41
Girls 11 - 14 years	45,3	110	18,2	0,10	0,11	0,20	0,57	1,90	3,50
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	6,4	0,09	0,09	0,14	0,23	0,24	0,24
Men 18 - 59 years	82,5	1422	5,0	0,08	0,09	0,15	0,25	0,36	0,47
Women 18 - 59 years	67,7	1492	7,2	0,08	0,09	0,15	0,28	0,55	1,48
Men 60+ years	82,9	332	9,3	0,08	0,09	0,14	0,19	0,24	0,28
Women 60+ years	75,2	510	9,8	0,08	0,09	0,14	0,29	0,56	1,20

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	61	4,5	6,0	6,8	6,8	9,1	11,4	15,9	31,4
Children 7 - 10 years	75	4,5	6,3	6,8	6,8	9,5	11,4	11,4	13,4
Boys 11 - 14 years	12	6,8	6,8	6,8	11,4	11,4	13,4	16,5	18,2
Girls 11 - 14 years	21	6,0	6,8	6,8	6,8	11,4	15,9	45,0	147,5
Men 15 - 17 years									
Women 15 - 17 years	7	5,2	5,9	6,8	8,0	11,4	12,3	13,0	13,3
Men 18 - 59 years	73	6,8	7,1	11,4	11,4	13,6	15,9	25,6	32,8
Women 18 - 59 years	114	6,8	6,8	6,8	10,7	11,4	15,9	22,7	79,4
Men 60+ years	32	6,8	6,9	10,8	11,4	13,6	15,9	19,0	22,7
Women 60+ years	51	6,8	6,8	6,8	11,4	11,4	22,7	40,9	87,5

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **1 - FRUIT PRODUCTS, PRESERVED FRUIT**
 Commodity: **fruit in syrup***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	12,6	5,72	4,30	2,12	6,37		0,669
Children 7 - 10 years	32,3	622	10,9	4,29	2,27	1,14	1,74	5,00	0,460
Boys 11 - 14 years	46,9	108	10,2	2,79	1,34	0,31	-1,67		0,259
Girls 11 - 14 years	45,3	110	11,8	3,68	1,36	0,36	-1,30		0,402
Men 15 - 17 years	65,6	110	1,8	1,13	0,88				0,019
Women 15 - 17 years	55,6	110	6,4	2,91	1,47	-0,87	-0,39		0,183
Men 18 - 59 years	82,5	1422	5,5	1,93	1,22	0,83	2,28	2,22	0,105
Women 18 - 59 years	67,7	1492	7,0	2,40	1,70	2,43	9,53		0,159
Men 60+ years	82,9	332	6,9	2,31	1,34	1,65	3,88	2,50	0,153
Women 60+ years	75,2	510	8,8	2,33	1,12	0,28	-0,13	2,50	0,192

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	12,6	1,55	1,74	4,65	11,11	12,50	15,31
Children 7 - 10 years	32,3	622	10,9	1,47	1,78	3,77	7,14	7,96	10,10
Boys 11 - 14 years	46,9	108	10,2	1,23	1,44	2,50	4,35	4,55	4,66
Girls 11 - 14 years	45,3	110	11,8	2,05	2,14	3,33	5,57	5,78	5,83
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	6,4	0,79	1,19	3,64	4,18	4,31	4,38
Men 18 - 59 years	82,5	1422	5,5	0,22	0,34	2,11	3,20	3,82	4,04
Women 18 - 59 years	67,7	1492	7,0	0,60	0,74	1,95	4,05	4,76	5,67
Men 60+ years	82,9	332	6,9	1,12	1,20	2,04	3,63	4,13	5,29
Women 60+ years	75,2	510	8,8	0,64	0,81	2,47	3,72	3,97	4,84

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	51	30,2	34,0	50,0	100,0	100,0	200,0	200,0	200,0
Children 7 - 10 years	72	48,0	60,3	100,0	100,0	162,5	200,0	245,0	300,0
Boys 11 - 14 years	11	50,0	50,0	68,2	100,0	187,9	200,0	200,0	200,0
Girls 11 - 14 years	13	100,0	100,0	100,0	150,0	200,0	200,0	240,0	270,0
Men 15 - 17 years									
Women 15 - 17 years	7	44,0	68,0	150,0	200,0	200,0	200,0	200,0	200,0
Men 18 - 59 years	79	15,0	29,6	100,0	200,0	200,0	300,0	300,0	308,8
Women 18 - 59 years	105	34,0	50,0	100,0	150,0	200,0	230,0	300,0	300,0
Men 60+ years	25	52,1	68,4	100,0	150,0	200,0	300,0	300,0	330,0
Women 60+ years	45	52,1	60,6	100,0	200,0	200,0	236,4	300,0	300,0

Notes:

*Food item fruit in syrup includes commodities: fruit in syrup, pineapple in syrup, peaches in syrup, mandarin oranges in syrup, fruit products, cherries in syrup, apricots in syrup and plums in syrup.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **M - FRUIT**

Subgroup: **1 - FRUIT PRODUCTS, PRESERVED FRUIT**

Commodity: **raisins**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	0,36	1,32	4,68	21,91		0,017
Children 7 - 10 years	32,3	622	7,1	0,05	0,05	1,44	1,30	0,02	0,004
Boys 11 - 14 years	46,9	108	8,3	0,05	0,05	1,29	0,78		0,004
Girls 11 - 14 years	45,3	110	4,5	0,06	0,04				0,002
Men 15 - 17 years	65,6	110	1,8	0,02	0,01				0,000
Women 15 - 17 years	55,6	110	10,9	0,04	0,02	0,42	-1,57		0,004
Men 18 - 59 years	82,5	1422	5,1	0,06	0,15	5,62	35,07	0,01	0,003
Women 18 - 59 years	67,7	1492	5,4	0,07	0,16	4,29	17,69		0,003
Men 60+ years	82,9	332	8,4	0,04	0,04	3,75	16,86	0,01	0,003
Women 60+ years	75,2	510	10,4	0,04	0,04	1,75	2,73	0,01	0,004

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,03	0,03	0,07	0,16	0,27	3,11
Children 7 - 10 years	32,3	622	7,1	0,01	0,01	0,04	0,14	0,15	0,17
Boys 11 - 14 years	46,9	108	8,3	0,01	0,02	0,04	0,12	0,14	0,14
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	10,9	0,01	0,01	0,03	0,07	0,07	0,07
Men 18 - 59 years	82,5	1422	5,1	0,01	0,01	0,03	0,08	0,12	0,49
Women 18 - 59 years	67,7	1492	5,4	0,01	0,01	0,03	0,07	0,11	0,76
Men 60+ years	82,9	332	8,4	0,01	0,01	0,03	0,06	0,07	0,12
Women 60+ years	75,2	510	10,4	0,01	0,01	0,02	0,09	0,11	0,13

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	23	0,4	0,6	0,9	1,4	1,8	3,4	6,0	48,4
Children 7 - 10 years	48	0,3	0,3	0,6	1,2	2,0	3,5	4,1	4,4
Boys 11 - 14 years	11	0,5	0,7	1,6	2,2	2,3	2,5	3,9	4,5
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	13	0,3	0,3	0,6	1,8	3,3	3,5	3,7	3,8
Men 18 - 59 years	81	0,6	0,7	1,2	2,3	4,0	5,7	10,0	25,2
Women 18 - 59 years	87	0,4	0,6	0,8	1,6	3,3	4,3	6,0	45,7
Men 60+ years	36	0,6	0,9	1,1	2,0	3,0	4,4	6,0	6,1
Women 60+ years	63	0,4	0,5	0,8	1,6	2,9	4,3	5,2	6,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **M - FRUIT**
 Subgroup: **10 - GRAPES**
 Commodity: **grapes**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	8,32	5,63				0,296
Children 7 - 10 years	32,3	622	2,9	5,66	3,98				0,131
Boys 11 - 14 years	46,9	108	1,9	8,42	7,20				0,148
Girls 11 - 14 years	45,3	110	5,5	4,29	1,81	1,03	1,10		0,181
Men 15 - 17 years	65,6	110	1,8	4,52	1,68				0,083
Women 15 - 17 years	55,6	110	0,9	1,92				1,92	0,016
Men 18 - 59 years	82,5	1422	0,6	2,89	1,25			4,23	0,015
Women 18 - 59 years	67,7	1492	2,1	2,45	1,75				0,050
Men 60+ years	82,9	332	2,1	2,56	1,93				0,050
Women 60+ years	75,2	510	3,1	2,46	1,24				0,077

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	2,9						
Boys 11 - 14 years	46,9	108	1,9						
Girls 11 - 14 years	45,3	110	5,5	2,53	2,57	4,10	6,20	6,81	7,11
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	0,9						
Men 18 - 59 years	82,5	1422	0,6						
Women 18 - 59 years	67,7	1492	2,1						
Men 60+ years	82,9	332	2,1						
Women 60+ years	75,2	510	3,1						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years	6	100,0	100,0	100,0	150,0	200,0	200,0	200,0	200,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **2 - POME FRUIT**
 Commodity: **apples**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	44,5	6,03	3,87	1,82	5,64		2,581
Children 7 - 10 years	32,3	622	44,2	4,52	2,42	1,29	2,19	5,00	1,899
Boys 11 - 14 years	46,9	108	39,8	4,17	2,44	1,40	1,99	3,00	1,521
Girls 11 - 14 years	45,3	110	41,8	3,57	2,28	2,33	8,00	3,13	1,411
Men 15 - 17 years	65,6	110	21,8	3,29	1,95	1,49	1,73	2,86	0,718
Women 15 - 17 years	55,6	110	41,8	3,65	2,47	2,33	7,27	2,88	1,486
Men 18 - 59 years	82,5	1422	23,4	2,28	1,31	3,70	29,17	1,76	0,530
Women 18 - 59 years	67,7	1492	37,1	2,78	1,83	2,60	10,26		1,010
Men 60+ years	82,9	332	36,4	2,28	1,23	0,88	0,60	2,00	0,821
Women 60+ years	75,2	510	50,2	2,45	1,47	1,50	3,26	1,88	1,201

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	44,5	1,48	2,05	5,00	10,65	13,48	15,17
Children 7 - 10 years	32,3	622	44,2	1,56	1,97	4,00	7,50	8,98	11,13
Boys 11 - 14 years	46,9	108	39,8	1,68	1,96	3,57	7,36	8,82	10,84
Girls 11 - 14 years	45,3	110	41,8	0,94	1,59	3,13	5,40	7,94	9,03
Men 15 - 17 years	65,6	110	21,8	1,35	1,53	2,86	6,30	7,38	7,96
Women 15 - 17 years	55,6	110	41,8	1,21	1,51	2,88	5,77	8,47	9,51
Men 18 - 59 years	82,5	1422	23,4	0,89	1,13	2,00	3,85	4,81	5,22
Women 18 - 59 years	67,7	1492	37,1	0,91	1,23	2,35	4,98	5,97	7,60
Men 60+ years	82,9	332	36,4	0,70	0,94	2,00	4,13	4,59	4,88
Women 60+ years	75,2	510	50,2	0,73	0,96	2,11	4,35	4,90	6,15

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	201	22,7	40,0	80,0	90,0	150,0	150,0	150,0	190,0
Children 7 - 10 years	312	40,0	50,0	90,0	150,0	150,0	180,0	200,0	211,1
Boys 11 - 14 years	53	37,9	82,0	90,0	150,0	150,0	200,0	300,0	300,0
Girls 11 - 14 years	52	50,0	54,6	90,0	150,0	150,0	200,0	245,0	300,0
Men 15 - 17 years	27	55,0	90,0	150,0	150,0	200,0	300,0	510,0	600,0
Women 15 - 17 years	55	77,0	90,0	150,0	150,0	200,0	288,0	300,0	300,0
Men 18 - 59 years	374	64,0	90,0	150,0	150,0	200,0	236,6	300,0	390,5
Women 18 - 59 years	668	40,0	80,0	100,0	150,0	150,0	200,0	300,0	300,0
Men 60+ years	151	44,5	60,0	90,0	150,0	187,9	256,0	300,0	350,0
Women 60+ years	320	32,0	60,0	95,4	150,0	150,0	204,0	300,0	300,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **M - FRUIT**
 Subgroup: **3 - STONE FRUIT**
 Commodity: **peaches**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,0	6,91	4,39				0,202
Children 7 - 10 years	32,3	622	4,8	4,27	2,80			4,29	0,200
Boys 11 - 14 years	46,9	108	2,8	5,44	2,40				0,148
Girls 11 - 14 years	45,3	110	6,4	6,58	4,86	0,37	-0,82		0,315
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	3,6	5,51	1,94				0,180
Men 18 - 59 years	82,5	1422	1,3	2,74	1,94				0,037
Women 18 - 59 years	67,7	1492	3,0	3,07	2,68				0,085
Men 60+ years	82,9	332	0,9	3,59	3,15				0,030
Women 60+ years	75,2	510	2,5	2,57	1,45				0,066

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,0						
Children 7 - 10 years	32,3	622	4,8						
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	6,4	1,15	1,87	6,38	11,71	13,00	13,64
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	1,3						
Women 18 - 59 years	67,7	1492	3,0						
Men 60+ years	82,9	332	0,9						
Women 60+ years	75,2	510	2,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years	7	44,0	68,0	125,0	300,0	300,0	340,0	370,0	385,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **3 - STONE FRUIT**
 Commodity: **apricots**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,5	1,32	0,91				0,031
Children 7 - 10 years	32,3	622	3,5	1,15	1,19				0,044
Boys 11 - 14 years	46,9	108	6,5	0,61	0,31	0,55	0,06		0,037
Girls 11 - 14 years	45,3	110	0,9	0,28				0,28	0,003
Men 15 - 17 years	65,6	110	2,7	0,65	0,45				0,018
Women 15 - 17 years	55,6	110	3,6	0,46	0,22				0,016
Men 18 - 59 years	82,5	1422	2,3	0,44	0,48				0,010
Women 18 - 59 years	67,7	1492	2,0	0,53	0,77				0,011
Men 60+ years	82,9	332	4,2	0,51	0,67				0,020
Women 60+ years	75,2	510	2,4	0,53	0,62				0,013

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,5						
Children 7 - 10 years	32,3	622	3,5						
Boys 11 - 14 years	46,9	108	6,5	0,26	0,27	0,56	0,93	1,04	1,09
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	2,3						
Women 18 - 59 years	67,7	1492	2,0						
Men 60+ years	82,9	332	4,2						
Women 60+ years	75,2	510	2,4						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	9	13,2	13,9	16,7	17,9	25,0	28,6	32,1	33,9
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **4 - CITRUS FRUIT**
 Commodity: **lemons**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	24,2	0,77	1,00	2,33	5,80	0,80	0,167
Children 7 - 10 years	32,3	622	27,3	0,50	0,65	2,55	8,56	1,00	0,127
Boys 11 - 14 years	46,9	108	25,9	0,35	0,43	1,35	0,42		0,085
Girls 11 - 14 years	45,3	110	25,5	0,57	0,75	2,56	7,77	0,64	0,134
Men 15 - 17 years	65,6	110	23,6	0,21	0,20	1,51	1,79	0,23	0,052
Women 15 - 17 years	55,6	110	19,1	0,34	0,37	1,93	4,35		0,062
Men 18 - 59 years	82,5	1422	22,5	0,26	0,32	4,25	26,07		0,057
Women 18 - 59 years	67,7	1492	19,4	0,28	0,29	1,82	4,28	0,17	0,052
Men 60+ years	82,9	332	22,9	0,22	0,25	2,37	8,34		0,050
Women 60+ years	75,2	510	24,1	0,33	0,36	1,77	3,17	0,19	0,075

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	24,2	0,04	0,05	0,40	1,80	2,95	3,97
Children 7 - 10 years	32,3	622	27,3	0,01	0,02	0,25	1,20	1,61	2,43
Boys 11 - 14 years	46,9	108	25,9	0,02	0,02	0,15	1,01	1,22	1,35
Girls 11 - 14 years	45,3	110	25,5	0,02	0,04	0,31	1,25	1,89	2,58
Men 15 - 17 years	65,6	110	23,6	0,01	0,03	0,16	0,52	0,62	0,68
Women 15 - 17 years	55,6	110	19,1	0,01	0,02	0,27	0,63	1,03	1,28
Men 18 - 59 years	82,5	1422	22,5	0,02	0,03	0,16	0,51	0,80	1,04
Women 18 - 59 years	67,7	1492	19,4	0,01	0,02	0,19	0,67	0,81	1,07
Men 60+ years	82,9	332	22,9	0,01	0,02	0,14	0,49	0,67	0,77
Women 60+ years	75,2	510	24,1	0,01	0,02	0,24	0,73	1,19	1,45

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	125	0,8	1,0	2,3	10,0	15,0	20,0	25,0	32,6
Children 7 - 10 years	202	0,4	0,7	2,1	8,3	20,0	29,5	30,2	40,0
Boys 11 - 14 years	38	0,8	1,5	2,3	6,7	13,8	33,0	40,0	41,3
Girls 11 - 14 years	40	0,8	0,9	2,8	15,0	30,0	31,0	40,0	44,4
Men 15 - 17 years	28	0,8	1,2	4,3	10,0	15,0	26,0	46,5	53,3
Women 15 - 17 years	26	0,4	0,9	5,3	17,5	20,0	27,1	30,0	33,8
Men 18 - 59 years	385	1,0	1,9	5,9	12,0	20,0	30,0	50,0	80,0
Women 18 - 59 years	361	0,8	1,4	4,2	10,0	20,0	30,0	35,3	50,0
Men 60+ years	99	0,9	1,4	3,3	12,5	20,0	25,0	30,0	40,0
Women 60+ years	165	0,6	0,9	4,2	15,0	25,0	40,0	40,0	51,9

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **4 - CITRUS FRUIT**
 Commodity: **mandarin oranges**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,9	6,99	3,59	1,08	1,45	6,82	0,472
Children 7 - 10 years	32,3	622	7,2	4,69	2,95	1,96	5,92	5,00	0,332
Boys 11 - 14 years	46,9	108	2,8	4,40	0,63				0,109
Girls 11 - 14 years	45,3	110	2,7	4,70	2,43				0,127
Men 15 - 17 years	65,6	110	9,1	4,67	3,34	1,29	0,59		0,402
Women 15 - 17 years	55,6	110	5,5	2,87	1,46	1,02	2,40		0,165
Men 18 - 59 years	82,5	1422	3,0	2,51	1,69				0,073
Women 18 - 59 years	67,7	1492	6,1	2,34	1,35	1,06	1,67		0,139
Men 60+ years	82,9	332	3,0	1,43	0,72			1,67	0,040
Women 60+ years	75,2	510	6,1	2,05	1,09	0,70	0,72	2,27	0,125

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,9	2,50	2,68	6,82	10,67	14,22	15,67
Children 7 - 10 years	32,3	622	7,2	1,09	1,63	4,55	7,01	7,94	13,39
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	9,1	1,79	2,08	3,00	9,34	10,44	10,99
Women 15 - 17 years	55,6	110	5,5	1,31	1,61	2,71	4,29	4,87	5,16
Men 18 - 59 years	82,5	1422	3,0						
Women 18 - 59 years	67,7	1492	6,1	0,63	0,75	2,24	4,23	4,69	5,44
Men 60+ years	82,9	332	3,0						
Women 60+ years	75,2	510	6,1	0,53	0,61	1,92	3,75	4,18	4,64

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	28	50,0	50,0	97,5	150,0	150,0	200,0	200,0	232,5
Children 7 - 10 years	48	30,3	50,0	100,0	150,0	150,0	200,0	300,0	303,0
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	10	122,5	145,0	162,5	200,0	375,0	600,0	600,0	600,0
Women 15 - 17 years	6	82,5	105,0	150,0	150,0	187,5	250,0	275,0	287,5
Men 18 - 59 years									
Women 18 - 59 years	95	47,0	50,0	95,0	150,0	200,0	300,0	300,0	359,0
Men 60+ years									
Women 60+ years	33	46,0	50,0	80,0	150,0	150,0	280,0	300,0	320,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **4 - CITRUS FRUIT**
 Commodity: **oranges**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,5	7,50	2,87	0,45	-0,13	8,00	0,633
Children 7 - 10 years	32,3	622	9,0	5,75	2,51	0,91	1,95	7,14	0,488
Boys 11 - 14 years	46,9	108	5,6	5,64	1,97	0,22	-1,61		0,310
Girls 11 - 14 years	45,3	110	10,9	3,57	2,11	1,86	5,12	2,31	0,422
Men 15 - 17 years	65,6	110	10,9	3,03	0,45	0,20	-0,49		0,320
Women 15 - 17 years	55,6	110	9,1	2,87	1,39	0,30	1,08		0,263
Men 18 - 59 years	82,5	1422	5,8	2,40	2,06	6,78	55,10	2,11	0,140
Women 18 - 59 years	67,7	1492	11,4	2,87	1,44	1,37	2,76	2,67	0,324
Men 60+ years	82,9	332	5,4	2,05	0,64	-0,21	0,38	2,20	0,113
Women 60+ years	75,2	510	10,2	2,58	1,26	0,98	1,75		0,251

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,5	3,39	4,00	7,50	11,11	12,40	12,95
Children 7 - 10 years	32,3	622	9,0	2,32	2,57	5,71	8,29	9,30	11,90
Boys 11 - 14 years	46,9	108	5,6	3,40	3,60	5,38	7,95	8,02	8,05
Girls 11 - 14 years	45,3	110	10,9	1,33	1,76	3,39	4,65	6,77	8,04
Men 15 - 17 years	65,6	110	10,9	2,47	2,64	2,97	3,50	3,66	3,75
Women 15 - 17 years	55,6	110	9,1	0,99	1,59	2,78	4,69	5,07	5,26
Men 18 - 59 years	82,5	1422	5,8	0,98	1,13	2,11	3,33	3,80	4,43
Women 18 - 59 years	67,7	1492	11,4	1,07	1,48	2,63	4,45	6,15	6,69
Men 60+ years	82,9	332	5,4	1,00	1,06	2,20	2,56	2,70	3,07
Women 60+ years	75,2	510	10,2	0,62	1,32	2,36	3,83	5,09	5,60

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	33	60,0	100,0	100,0	150,0	200,0	224,0	250,0	256,0
Children 7 - 10 years	61	80,0	100,0	120,0	150,0	200,0	200,0	300,0	330,0
Boys 11 - 14 years	8	153,5	157,0	160,0	200,0	212,5	250,0	250,0	250,0
Girls 11 - 14 years	13	20,0	36,0	100,0	160,0	200,0	200,0	280,0	340,0
Men 15 - 17 years	13	150,0	150,0	150,0	200,0	200,0	200,0	200,0	200,0
Women 15 - 17 years	10	56,0	92,0	150,0	150,0	190,0	237,0	268,5	284,3
Men 18 - 59 years	86	80,0	100,0	150,0	185,0	200,0	300,0	375,0	472,5
Women 18 - 59 years	178	94,0	100,0	150,0	200,0	200,0	250,0	300,0	400,0
Men 60+ years	18	95,5	100,0	115,0	200,0	200,0	200,0	215,0	257,5
Women 60+ years	52	95,5	100,0	150,0	200,0	200,0	250,0	345,0	400,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **5 - BANANAS**
 Commodity: **bananas**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	32,1	7,78	2,98	0,95	1,79	7,78	2,267
Children 7 - 10 years	32,3	622	28,6	5,26	2,22	2,12	9,15	5,71	1,459
Boys 11 - 14 years	46,9	108	24,1	3,43	1,24	1,71	3,63		0,796
Girls 11 - 14 years	45,3	110	23,6	4,12	1,94	0,80	0,39		0,964
Men 15 - 17 years	65,6	110	17,3	2,86	0,91	0,78	-0,61		0,502
Women 15 - 17 years	55,6	110	27,3	3,26	1,51	1,80	5,50	3,08	0,876
Men 18 - 59 years	82,5	1422	10,7	2,46	1,38	3,61	19,77		0,256
Women 18 - 59 years	67,7	1492	22,3	2,66	1,22	3,07	17,19		0,562
Men 60+ years	82,9	332	8,4	2,03	0,60	1,54	5,42	2,00	0,161
Women 60+ years	75,2	510	16,3	2,41	1,08	4,68	33,01	2,00	0,369

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	32,1	3,15	4,31	7,37	10,77	13,28	15,21
Children 7 - 10 years	32,3	622	28,6	2,79	3,13	5,00	7,64	9,35	10,01
Boys 11 - 14 years	46,9	108	24,1	2,10	2,13	3,20	5,20	5,52	6,28
Girls 11 - 14 years	45,3	110	23,6	1,88	2,27	3,56	6,71	7,22	7,99
Men 15 - 17 years	65,6	110	17,3	2,00	2,05	2,50	4,22	4,51	4,54
Women 15 - 17 years	55,6	110	27,3	1,50	2,45	2,91	4,94	5,73	6,88
Men 18 - 59 years	82,5	1422	10,7	1,39	1,50	2,06	3,68	4,35	5,26
Women 18 - 59 years	67,7	1492	22,3	1,54	1,73	2,46	4,07	5,00	5,49
Men 60+ years	82,9	332	8,4	1,26	1,50	1,96	2,61	2,86	3,34
Women 60+ years	75,2	510	16,3	1,44	1,68	2,22	3,34	3,66	3,77

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	121	80,0	100,0	140,0	140,0	160,0	160,0	200,0	261,0
Children 7 - 10 years	191	100,0	120,0	140,0	150,0	160,0	160,0	225,0	270,0
Boys 11 - 14 years	26	100,0	110,0	140,0	155,0	160,0	160,0	242,5	270,0
Girls 11 - 14 years	28	80,5	114,0	140,0	160,0	170,0	270,0	289,5	306,5
Men 15 - 17 years	20	157,0	160,0	160,0	160,0	170,0	270,0	270,0	270,0
Women 15 - 17 years	33	46,0	140,0	140,0	160,0	160,0	270,0	270,0	270,0
Men 18 - 59 years	161	120,0	140,0	150,0	160,0	200,0	280,0	320,0	320,0
Women 18 - 59 years	355	100,0	120,0	140,0	160,0	160,0	200,0	270,0	290,0
Men 60+ years	29	82,0	132,0	140,0	160,0	160,0	176,0	200,0	221,0
Women 60+ years	88	107,0	140,0	140,0	160,0	160,0	200,0	270,0	277,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **M - FRUIT**
 Subgroup: **7 - BERRIES**
 Commodity: **bilberries**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,5	2,93	5,02				0,085
Children 7 - 10 years	32,3	622	3,2	0,61	0,32				0,020
Boys 11 - 14 years	46,9	108	6,5	0,61	0,31	0,55	0,06		0,037
Girls 11 - 14 years	45,3	110	0,9	0,28				0,28	0,003
Men 15 - 17 years	65,6	110	1,8	0,41	0,21				0,007
Women 15 - 17 years	55,6	110	3,6	0,46	0,22				0,016
Men 18 - 59 years	82,5	1422	2,0	0,38	0,55				0,007
Women 18 - 59 years	67,7	1492	1,9	0,35	0,43				0,007
Men 60+ years	82,9	332	4,2	0,40	0,28				0,016
Women 60+ years	75,2	510	2,5	0,50	0,59				0,013

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,5						
Children 7 - 10 years	32,3	622	3,2						
Boys 11 - 14 years	46,9	108	6,5	0,26	0,27	0,56	0,93	1,04	1,09
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	2,0						
Women 18 - 59 years	67,7	1492	1,9						
Men 60+ years	82,9	332	4,2						
Women 60+ years	75,2	510	2,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	9	13,2	13,9	16,7	17,9	25,0	28,6	32,1	33,9
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **M - FRUIT**
 Subgroup: **7 - BERRIES**
 Commodity: **strawberries**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	2,89	2,62	0,73	-0,85	4,35	0,173
Children 7 - 10 years	32,3	622	5,9	2,94	3,96	2,16	5,23	2,08	0,177
Boys 11 - 14 years	46,9	108	5,6	2,39	4,56	2,43	5,92		0,132
Girls 11 - 14 years	45,3	110	5,5	1,62	1,67	0,89	-0,73		0,083
Men 15 - 17 years	65,6	110	3,6	1,98	2,08				0,073
Women 15 - 17 years	55,6	110	9,1	2,44	2,00	0,89	-0,72		0,198
Men 18 - 59 years	82,5	1422	2,3	0,92	1,62			0,25	0,020
Women 18 - 59 years	67,7	1492	4,1	1,02	1,19			0,26	0,039
Men 60+ years	82,9	332	3,9	0,72	1,08			0,19	0,028
Women 60+ years	75,2	510	2,2	0,84	1,43				0,018

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,24	0,26	1,94	6,82	7,36	7,70
Children 7 - 10 years	32,3	622	5,9	0,09	0,12	1,12	6,27	11,53	13,20
Boys 11 - 14 years	46,9	108	5,6	0,31	0,32	0,48	6,37	9,02	10,34
Girls 11 - 14 years	45,3	110	5,5	0,12	0,16	1,07	3,63	3,94	4,09
Men 15 - 17 years	65,6	110	3,6						
Women 15 - 17 years	55,6	110	9,1	0,41	0,59	1,74	5,58	5,67	5,72
Men 18 - 59 years	82,5	1422	2,3						
Women 18 - 59 years	67,7	1492	4,1						
Men 60+ years	82,9	332	3,9						
Women 60+ years	75,2	510	2,2						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	24	4,2	6,2	14,4	45,0	100,0	100,0	142,5	158,5
Children 7 - 10 years	45	2,5	2,5	12,5	40,0	100,0	200,0	250,0	265,0
Boys 11 - 14 years	8	6,8	8,5	11,9	18,3	38,8	206,0	353,0	426,5
Girls 11 - 14 years	7	5,8	7,6	20,0	50,0	85,0	120,0	135,0	142,5
Men 15 - 17 years									
Women 15 - 17 years	13	9,5	13,3	40,0	50,0	100,0	240,0	250,0	250,0
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **1 - SUGAR**

Commodity: **sugar***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	81,0	0,81	0,65	2,19	9,35	1,00	0,658
Children 7 - 10 years	32,3	622	79,1	0,59	0,55	2,29	7,72		0,440
Boys 11 - 14 years	46,9	108	74,1	0,47	0,38	1,42	2,36		0,331
Girls 11 - 14 years	45,3	110	79,1	0,54	0,49	2,26	6,93	0,25	0,379
Men 15 - 17 years	65,6	110	76,4	0,37	0,37	2,86	10,56	0,15	0,274
Women 15 - 17 years	55,6	110	68,2	0,32	0,27	1,43	1,76	0,10	0,210
Men 18 - 59 years	82,5	1422	79,0	0,26	0,22	1,88	4,96	0,12	0,204
Women 18 - 59 years	67,7	1492	69,5	0,29	0,30	4,85	51,25	0,20	0,197
Men 60+ years	82,9	332	78,9	0,30	0,27	2,42	10,18	0,06	0,226
Women 60+ years	75,2	510	74,1	0,29	0,24	2,06	7,10		0,204

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	81,0	0,11	0,20	0,69	1,57	2,02	2,44
Children 7 - 10 years	32,3	622	79,1	0,07	0,12	0,42	1,25	1,54	2,08
Boys 11 - 14 years	46,9	108	74,1	0,08	0,10	0,37	0,93	1,23	1,33
Girls 11 - 14 years	45,3	110	79,1	0,10	0,13	0,38	1,08	1,49	1,82
Men 15 - 17 years	65,6	110	76,4	0,07	0,11	0,25	0,69	0,98	1,42
Women 15 - 17 years	55,6	110	68,2	0,04	0,06	0,23	0,68	0,95	1,05
Men 18 - 59 years	82,5	1422	79,0	0,04	0,06	0,20	0,55	0,72	0,88
Women 18 - 59 years	67,7	1492	69,5	0,04	0,06	0,21	0,61	0,78	0,98
Men 60+ years	82,9	332	78,9	0,05	0,06	0,22	0,62	0,80	0,92
Women 60+ years	75,2	510	74,1	0,04	0,06	0,21	0,58	0,74	0,88

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	584	2,1	2,9	5,0	7,9	10,0	15,0	20,0	25,6
Children 7 - 10 years	888	2,0	2,5	5,0	9,0	11,7	19,0	25,0	34,7
Boys 11 - 14 years	155	2,3	3,7	5,0	8,3	12,0	24,6	29,4	34,1
Girls 11 - 14 years	184	2,5	4,2	5,0	10,0	10,0	20,0	25,0	31,5
Men 15 - 17 years	139	2,4	3,9	6,2	10,0	15,0	30,5	43,6	55,1
Women 15 - 17 years	123	2,5	3,0	5,0	10,0	12,0	20,7	26,6	30,2
Men 18 - 59 years	2245	2,5	4,0	5,0	10,0	12,0	20,0	26,8	37,8
Women 18 - 59 years	2126	2,3	3,6	5,0	6,1	10,0	18,0	25,0	33,1
Men 60+ years	526	2,8	4,2	5,0	10,0	14,8	23,4	31,7	42,0
Women 60+ years	768	2,5	3,8	5,0	8,0	12,0	18,6	29,3	37,5

Notes:

*Food item sugar includes commodities: sugar, cinnamon sugar and vanilla sugar.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **2 - CHOCOLATE CONFECTIONERY**

Commodity: **chocolate sweets***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,9	1,76	1,30				0,083
Children 7 - 10 years	32,3	622	1,6	1,39	0,65				0,023
Boys 11 - 14 years	46,9	108	0,9	1,78				1,78	0,016
Girls 11 - 14 years	45,3	110	5,5	1,62	0,99	1,64	3,56	1,52	0,071
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	0,9	0,34				0,34	0,003
Men 18 - 59 years	82,5	1422	0,9	0,93	0,81				0,008
Women 18 - 59 years	67,7	1492	0,6	0,62	0,50			0,49	0,004
Men 60+ years	82,9	332	0,3	0,26				0,26	0,001
Women 60+ years	75,2	510	0,6	0,43	0,18				0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,9						
Children 7 - 10 years	32,3	622	1,6						
Boys 11 - 14 years	46,9	108	0,9						
Girls 11 - 14 years	45,3	110	5,5	0,70	0,82	1,52	2,51	3,00	3,24
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	0,9						
Men 18 - 59 years	82,5	1422	0,9						
Women 18 - 59 years	67,7	1492	0,6						
Men 60+ years	82,9	332	0,3						
Women 60+ years	75,2	510	0,6						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years	7	18,7	21,4	25,0	40,0	50,0	90,0	120,0	135,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item chocolate sweets includes commodities: chocolate sweets and chocolate drops.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **2 - CHOCOLATE CONFECTIONERY**

Commodity: **chocolate***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	10,2	2,56	2,48	3,29	13,74	1,88	0,240
Children 7 - 10 years	32,3	622	11,6	1,77	1,38	4,06	24,18		0,196
Boys 11 - 14 years	46,9	108	6,5	1,78	1,01	1,55	1,41		0,087
Girls 11 - 14 years	45,3	110	10,0	1,37	0,85	0,81	0,50		0,109
Men 15 - 17 years	65,6	110	5,5	1,60	0,83	1,14	1,81		0,083
Women 15 - 17 years	55,6	110	8,2	0,60	0,53	2,32	5,76		0,047
Men 18 - 59 years	82,5	1422	2,3	1,16	1,07				0,026
Women 18 - 59 years	67,7	1492	3,8	0,90	0,59			1,05	0,032
Men 60+ years	82,9	332	1,5	0,64	0,50				0,009
Women 60+ years	75,2	510	1,8	0,60	0,67			0,25	0,012

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	10,2	0,78	0,95	1,88	4,95	6,09	7,91
Children 7 - 10 years	32,3	622	11,6	0,53	0,69	1,43	3,11	3,61	3,89
Boys 11 - 14 years	46,9	108	6,5	1,06	1,09	1,32	3,06	3,38	3,54
Girls 11 - 14 years	45,3	110	10,0	0,29	0,37	1,32	2,70	2,85	2,93
Men 15 - 17 years	65,6	110	5,5	0,79	0,81	1,60	2,40	2,74	2,91
Women 15 - 17 years	55,6	110	8,2	0,22	0,26	0,36	1,05	1,49	1,71
Men 18 - 59 years	82,5	1422	2,3						
Women 18 - 59 years	67,7	1492	3,8						
Men 60+ years	82,9	332	1,5						
Women 60+ years	75,2	510	1,8						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	38	13,7	20,0	21,8	37,0	50,0	100,0	129,0	179,3
Children 7 - 10 years	75	18,5	20,0	30,0	50,0	50,0	100,0	100,0	105,2
Boys 11 - 14 years	7	43,0	46,0	50,0	50,0	75,0	100,0	100,0	100,0
Girls 11 - 14 years	12	18,3	26,5	40,0	45,0	50,0	50,0	72,5	86,3
Men 15 - 17 years	7	50,0	50,0	50,0	50,0	100,0	140,0	170,0	185,0
Women 15 - 17 years	9	14,0	18,0	20,0	25,0	30,0	52,0	76,0	88,0
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item chocolate includes commodities: chocolate, cooking chocolate and nut chocolate.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **2 - CHOCOLATE CONFECTIONERY**

Commodity: **chocolate bars***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,4	2,75	1,22			2,50	0,112
Children 7 - 10 years	32,3	622	5,6	1,79	1,19	1,65	2,17		0,098
Boys 11 - 14 years	46,9	108	6,5	1,26	0,66	2,19	5,31		0,076
Girls 11 - 14 years	45,3	110	4,5	0,87	0,25				0,035
Men 15 - 17 years	65,6	110	9,1	0,81	0,46	2,05	4,55	0,50	0,077
Women 15 - 17 years	55,6	110	1,8	3,49	3,23				0,059
Men 18 - 59 years	82,5	1422	2,0	0,84	0,51				0,017
Women 18 - 59 years	67,7	1492	1,9	0,79	0,56				0,014
Men 60+ years	82,9	332	0,9	0,33	0,09				0,003
Women 60+ years	75,2	510	1,0	0,48	0,20				0,005

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,4						
Children 7 - 10 years	32,3	622	5,6	0,72	0,81	1,47	3,43	4,79	5,00
Boys 11 - 14 years	46,9	108	6,5	0,77	0,82	1,11	1,83	2,27	2,48
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	9,1	0,48	0,50	0,67	1,23	1,59	1,78
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	2,0						
Women 18 - 59 years	67,7	1492	1,9						
Men 60+ years	82,9	332	0,9						
Women 60+ years	75,2	510	1,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	37	24,0	30,0	32,0	45,0	60,0	94,0	100,0	114,0
Boys 11 - 14 years	7	34,4	36,8	42,5	50,0	58,0	76,0	88,0	94,0
Girls 11 - 14 years									
Men 15 - 17 years	12	33,7	35,0	35,0	42,5	47,0	50,0	72,5	86,3
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item chocolate bars includes commodities chocolate filled with coconut and chocolate bars.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **2 - CHOCOLATE CONFECTIONERY**

Commodity: **chocolate nut spread**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,3	1,17	0,62				0,039
Children 7 - 10 years	32,3	622	5,1	1,01	0,97	2,61	7,62	0,71	0,045
Boys 11 - 14 years	46,9	108	0,9	1,95				1,95	0,012
Girls 11 - 14 years	45,3	110	1,8	0,51	0,53				0,009
Men 15 - 17 years	65,6	110	1,8	0,94	0,85				0,017
Women 15 - 17 years	55,6	110	0,9	0,82				0,82	0,007
Men 18 - 59 years	82,5	1422	0,6	0,36	0,21				0,002
Women 18 - 59 years	67,7	1492	0,7	0,50	0,34			0,38	0,003
Men 60+ years	82,9	332	0,3	1,59				1,59	0,004
Women 60+ years	75,2	510	0,0						

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,3						
Children 7 - 10 years	32,3	622	5,1	0,22	0,30	0,73	1,59	2,99	3,75
Boys 11 - 14 years	46,9	108	0,9						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	0,9						
Men 18 - 59 years	82,5	1422	0,6						
Women 18 - 59 years	67,7	1492	0,7						
Men 60+ years	82,9	332	0,3						
Women 60+ years	75,2	510	0,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	34	8,3	10,0	20,0	20,0	30,0	47,0	60,0	67,0
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **2 - CHOCOLATE CONFECTIONERY**

Commodity: **wafer with chocolate coating**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,9	2,44	1,07	1,43	2,56	2,00	0,235
Children 7 - 10 years	32,3	622	12,5	1,60	0,63	2,20	7,36	1,67	0,196
Boys 11 - 14 years	46,9	108	13,0	1,16	0,52	1,22	2,03		0,144
Girls 11 - 14 years	45,3	110	12,7	1,06	0,57	1,81	3,67		0,131
Men 15 - 17 years	65,6	110	10,0	0,82	0,31	2,30	6,41	0,77	0,081
Women 15 - 17 years	55,6	110	6,4	0,82	0,20	-0,63	2,86	0,86	0,054
Men 18 - 59 years	82,5	1422	5,8	0,70	0,31	1,52	3,00	0,71	0,038
Women 18 - 59 years	67,7	1492	4,5	0,86	0,45			0,67	0,036
Men 60+ years	82,9	332	2,7	0,73	0,63				0,019
Women 60+ years	75,2	510	4,1	0,72	0,48				0,030

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,9	1,23	1,40	2,14	3,97	4,42	4,68
Children 7 - 10 years	32,3	622	12,5	0,97	1,04	1,45	2,28	2,62	3,24
Boys 11 - 14 years	46,9	108	13,0	0,59	0,63	1,14	1,64	1,98	2,24
Girls 11 - 14 years	45,3	110	12,7	0,51	0,56	0,85	1,66	2,04	2,34
Men 15 - 17 years	65,6	110	10,0	0,53	0,59	0,77	1,02	1,34	1,50
Women 15 - 17 years	55,6	110	6,4	0,54	0,64	0,83	0,97	1,05	1,09
Men 18 - 59 years	82,5	1422	5,8	0,28	0,40	0,65	1,07	1,43	1,54
Women 18 - 59 years	67,7	1492	4,5						
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	4,1						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	36	27,5	30,0	40,0	50,0	50,0	77,5	85,0	107,0
Children 7 - 10 years	82	30,0	36,0	40,0	50,0	50,0	60,0	79,8	80,0
Boys 11 - 14 years	16	26,3	33,0	40,0	40,0	50,0	70,0	80,0	80,0
Girls 11 - 14 years	14	30,0	31,5	37,0	45,0	50,0	50,0	67,5	83,8
Men 15 - 17 years	11	38,0	40,0	49,0	50,0	50,0	60,0	80,0	90,0
Women 15 - 17 years	7	33,0	36,0	45,0	50,0	50,0	54,0	57,0	58,5
Men 18 - 59 years	84	20,0	30,0	40,0	50,0	50,0	97,0	100,0	104,3
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **3 - NON-CHOCOLATE CONFECTIONERY**
 Commodity: **sweets drops***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	14,0	1,21	1,17	3,40	16,37		0,160
Children 7 - 10 years	32,3	622	12,2	0,86	0,83	2,47	6,51		0,104
Boys 11 - 14 years	46,9	108	9,3	1,02	0,80	1,23	0,84		0,080
Girls 11 - 14 years	45,3	110	7,3	0,76	0,40	1,03	0,56	0,50	0,045
Men 15 - 17 years	65,6	110	2,7	0,78	0,56				0,017
Women 15 - 17 years	55,6	110	4,5	0,62	0,76				0,025
Men 18 - 59 years	82,5	1422	1,1	0,76	0,64			1,05	0,008
Women 18 - 59 years	67,7	1492	0,9	0,34	0,48			0,06	0,003
Men 60+ years	82,9	332	1,5	0,20	0,16				0,003
Women 60+ years	75,2	510	1,8	0,23	0,10				0,004

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	14,0	0,26	0,31	0,83	2,50	2,66	3,05
Children 7 - 10 years	32,3	622	12,2	0,15	0,25	0,60	1,63	2,68	3,42
Boys 11 - 14 years	46,9	108	9,3	0,31	0,33	0,81	2,07	2,39	2,54
Girls 11 - 14 years	45,3	110	7,3	0,36	0,43	0,68	1,29	1,40	1,46
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	4,5						
Men 18 - 59 years	82,5	1422	1,1						
Women 18 - 59 years	67,7	1492	0,9						
Men 60+ years	82,9	332	1,5						
Women 60+ years	75,2	510	1,8						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	56	5,0	5,0	10,0	15,0	30,0	50,0	50,0	50,0
Children 7 - 10 years	79	5,0	10,0	15,0	20,0	30,0	50,0	81,0	98,3
Boys 11 - 14 years	10	12,3	14,5	16,3	37,5	57,5	64,0	82,0	91,0
Girls 11 - 14 years	8	11,8	13,5	18,8	25,0	35,0	50,0	50,0	50,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

*Food item sweets drops includes commodities: sweets and sweets drops.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **4 - OTHER CONFECTIONERY, COCOA**
 Commodity: **cocoa powder**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,7	0,19	0,16				0,008
Children 7 - 10 years	32,3	622	7,9	0,14	0,22	4,95	27,97		0,010
Boys 11 - 14 years	46,9	108	7,4	0,08	0,03	0,80	-0,45		0,006
Girls 11 - 14 years	45,3	110	7,3	0,19	0,22	1,80	2,61		0,010
Men 15 - 17 years	65,6	110	7,3	0,10	0,09	1,77	2,78		0,007
Women 15 - 17 years	55,6	110	2,7	0,04	0,03				0,001
Men 18 - 59 years	82,5	1422	5,0	0,05	0,03	1,01	0,47		0,002
Women 18 - 59 years	67,7	1492	5,4	0,05	0,03	1,00	0,72	0,04	0,003
Men 60+ years	82,9	332	4,5	0,05	0,04			0,05	0,002
Women 60+ years	75,2	510	4,7	0,04	0,02			0,04	0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,7						
Children 7 - 10 years	32,3	622	7,9	0,02	0,03	0,09	0,22	0,30	0,60
Boys 11 - 14 years	46,9	108	7,4	0,05	0,05	0,07	0,12	0,13	0,13
Girls 11 - 14 years	45,3	110	7,3	0,04	0,05	0,08	0,47	0,57	0,62
Men 15 - 17 years	65,6	110	7,3	0,04	0,04	0,07	0,21	0,25	0,27
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	5,0	0,01	0,02	0,04	0,09	0,10	0,11
Women 18 - 59 years	67,7	1492	5,4	0,01	0,01	0,04	0,08	0,09	0,12
Men 60+ years	82,9	332	4,5						
Women 60+ years	75,2	510	4,7						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	58	0,5	1,0	1,7	2,6	3,0	6,1	10,1	20,0
Boys 11 - 14 years	9	2,1	2,1	2,9	3,0	3,3	4,0	5,3	6,0
Girls 11 - 14 years	11	1,8	2,0	2,1	2,5	7,5	10,0	10,0	10,0
Men 15 - 17 years	9	2,7	2,9	3,8	5,0	6,7	9,2	10,8	11,7
Women 15 - 17 years									
Men 18 - 59 years	79	1,0	1,1	2,1	3,0	5,0	6,7	8,3	8,7
Women 18 - 59 years	88	1,0	1,0	1,7	2,6	3,3	5,0	6,3	8,2
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **4 - OTHER CONFECTIONERY, COCOA**
 Commodity: **cocoa instant drink**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	45,1	0,50	0,83	10,73	127,87	0,33	0,219
Children 7 - 10 years	32,3	622	32,2	0,30	0,28	5,85	42,79	0,21	0,090
Boys 11 - 14 years	46,9	108	23,1	0,23	0,10	0,86	0,67		0,049
Girls 11 - 14 years	45,3	110	26,4	0,29	0,23	1,83	2,63	0,23	0,068
Men 15 - 17 years	65,6	110	19,1	0,17	0,09	1,67	2,13	0,09	0,031
Women 15 - 17 years	55,6	110	16,4	0,15	0,05	0,35	0,46	0,16	0,023
Men 18 - 59 years	82,5	1422	5,1	0,12	0,06	1,74	4,11		0,006
Women 18 - 59 years	67,7	1492	4,0	0,12	0,05			0,14	0,005
Men 60+ years	82,9	332	3,3	0,13	0,10				0,004
Women 60+ years	75,2	510	4,7	0,10	0,05				0,005

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	45,1	0,18	0,21	0,37	0,66	1,11	1,37
Children 7 - 10 years	32,3	622	32,2	0,13	0,15	0,23	0,46	0,65	0,90
Boys 11 - 14 years	46,9	108	23,1	0,12	0,13	0,23	0,33	0,41	0,45
Girls 11 - 14 years	45,3	110	26,4	0,09	0,13	0,23	0,65	0,82	0,91
Men 15 - 17 years	65,6	110	19,1	0,09	0,09	0,15	0,31	0,38	0,40
Women 15 - 17 years	55,6	110	16,4	0,06	0,08	0,15	0,21	0,24	0,25
Men 18 - 59 years	82,5	1422	5,1	0,04	0,06	0,11	0,17	0,27	0,29
Women 18 - 59 years	67,7	1492	4,0						
Men 60+ years	82,9	332	3,3						
Women 60+ years	75,2	510	4,7						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	189	3,0	6,0	6,0	6,0	9,0	10,0	12,0	20,0
Children 7 - 10 years	221	4,0	6,0	6,0	6,0	9,0	10,0	13,0	27,0
Boys 11 - 14 years	28	6,0	6,0	8,3	9,0	10,0	12,0	12,0	12,0
Girls 11 - 14 years	35	3,0	6,0	6,0	9,0	9,0	18,0	23,0	29,9
Men 15 - 17 years	23	6,0	6,0	6,0	9,0	9,0	12,0	19,2	24,5
Women 15 - 17 years	18	3,0	5,1	6,0	9,0	9,0	10,6	12,0	12,0
Men 18 - 59 years	76	3,0	6,0	6,0	9,0	9,0	12,0	16,3	20,0
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **4 - OTHER CONFECTIONERY, COCOA**
 Commodity: **honey**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	14,0	0,93	0,89	3,80	18,81		0,120
Children 7 - 10 years	32,3	622	9,3	0,63	0,51	2,48	8,11		0,053
Boys 11 - 14 years	46,9	108	9,3	0,45	0,21	-0,37	-1,21		0,039
Girls 11 - 14 years	45,3	110	8,2	0,69	0,45	0,66	-1,20		0,052
Men 15 - 17 years	65,6	110	9,1	0,40	0,47	2,02	4,29		0,038
Women 15 - 17 years	55,6	110	6,4	0,31	0,14	0,85	0,06		0,020
Men 18 - 59 years	82,5	1422	6,3	0,30	0,23	2,06	6,12		0,019
Women 18 - 59 years	67,7	1492	7,4	0,34	0,25	1,63	2,26		0,024
Men 60+ years	82,9	332	9,9	0,32	0,21	1,00	0,51		0,032
Women 60+ years	75,2	510	11,4	0,33	0,29	3,01	11,97	0,14	0,035

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	14,0	0,31	0,38	0,63	1,76	2,13	2,56
Children 7 - 10 years	32,3	622	9,3	0,17	0,21	0,45	1,09	1,29	2,08
Boys 11 - 14 years	46,9	108	9,3	0,15	0,20	0,49	0,69	0,69	0,70
Girls 11 - 14 years	45,3	110	8,2	0,21	0,23	0,53	1,23	1,33	1,38
Men 15 - 17 years	65,6	110	9,1	0,08	0,08	0,19	0,84	1,20	1,38
Women 15 - 17 years	55,6	110	6,4	0,17	0,18	0,27	0,45	0,50	0,53
Men 18 - 59 years	82,5	1422	6,3	0,10	0,11	0,23	0,64	0,76	0,82
Women 18 - 59 years	67,7	1492	7,4	0,11	0,13	0,28	0,68	0,98	1,07
Men 60+ years	82,9	332	9,9	0,08	0,11	0,27	0,65	0,72	0,78
Women 60+ years	75,2	510	11,4	0,13	0,14	0,25	0,59	0,88	1,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	65	5,2	10,0	10,0	10,0	20,0	28,0	30,0	34,0
Children 7 - 10 years	65	5,0	7,6	10,0	10,0	20,0	30,0	30,0	42,0
Boys 11 - 14 years	11	5,0	5,0	10,0	20,0	20,0	30,0	35,0	37,5
Girls 11 - 14 years	14	10,0	10,0	10,0	10,0	20,0	30,0	40,5	50,3
Men 15 - 17 years	11	5,0	6,0	8,0	15,0	30,0	40,0	70,0	85,0
Women 15 - 17 years	7	10,0	10,0	10,0	20,0	20,0	24,0	27,0	28,5
Men 18 - 59 years	103	8,2	10,0	10,0	20,0	30,0	30,0	50,0	59,7
Women 18 - 59 years	146	5,8	10,0	10,0	10,0	20,0	30,0	30,0	43,3
Men 60+ years	38	5,7	10,0	10,0	20,0	30,0	40,0	47,3	59,2
Women 60+ years	72	10,0	10,0	10,0	10,0	25,0	30,0	49,0	60,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **4 - OTHER CONFECTIONERY, COCOA**
 Commodity: **custard powder**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	0,31	0,37				0,010
Children 7 - 10 years	32,3	622	6,9	0,25	0,24	1,62	2,62		0,016
Boys 11 - 14 years	46,9	108	1,9	0,19	0,09				0,004
Girls 11 - 14 years	45,3	110	5,5	0,23	0,16	0,47	-1,62		0,013
Men 15 - 17 years	65,6	110	1,8	0,07	0,04				0,001
Women 15 - 17 years	55,6	110	2,7	0,12	0,08				0,004
Men 18 - 59 years	82,5	1422	1,7	0,11	0,11				0,002
Women 18 - 59 years	67,7	1492	2,1	0,14	0,15				0,003
Men 60+ years	82,9	332	2,7	0,13	0,15				0,003
Women 60+ years	75,2	510	2,0	0,08	0,12				0,001

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	6,9	0,02	0,04	0,17	0,59	0,62	0,95
Boys 11 - 14 years	46,9	108	1,9						
Girls 11 - 14 years	45,3	110	5,5	0,06	0,08	0,18	0,43	0,43	0,44
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	1,7						
Women 18 - 59 years	67,7	1492	2,1						
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	2,0						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years	47	0,8	1,0	1,9	4,8	10,3	16,3	18,5	22,1
Boys 11 - 14 years									
Girls 11 - 14 years	7	2,9	4,2	6,3	7,1	11,6	16,3	17,4	17,9
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**
 Subgroup: **4 - OTHER CONFECTIONERY, COCOA**
 Commodity: **cream cakes**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	2,2	3,22	1,36				0,075
Children 7 - 10 years	32,3	622	2,1	2,82	1,14				0,060
Boys 11 - 14 years	46,9	108	5,6	3,35	4,91	2,40	5,82		0,134
Girls 11 - 14 years	45,3	110	4,5	2,00	0,97				0,096
Men 15 - 17 years	65,6	110	2,7	2,92	1,05				0,089
Women 15 - 17 years	55,6	110	2,7	1,34	0,59				0,033
Men 18 - 59 years	82,5	1422	3,2	1,25	0,73				0,040
Women 18 - 59 years	67,7	1492	5,5	1,29	0,64	0,98	1,16		0,070
Men 60+ years	82,9	332	4,5	1,05	0,57				0,048
Women 60+ years	75,2	510	3,3	0,98	0,50				0,034

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	2,2						
Children 7 - 10 years	32,3	622	2,1						
Boys 11 - 14 years	46,9	108	5,6	0,78	0,92	1,44	7,69	10,51	11,92
Girls 11 - 14 years	45,3	110	4,5						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	3,2						
Women 18 - 59 years	67,7	1492	5,5	0,52	0,61	1,26	1,94	2,57	3,06
Men 60+ years	82,9	332	4,5						
Women 60+ years	75,2	510	3,3						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	6	42,5	45,0	50,0	55,0	75,0	240,0	320,0	360,0
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years	85	40,0	40,0	50,0	80,0	100,0	150,0	158,0	172,2
Men 60+ years									
Women 60+ years									

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **N - SUGAR AND CONFECTIONARY**

Subgroup: **5 - WAFFLE**

Commodity: **wafers***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	19,2	2,38	1,19	2,38	8,02		0,456
Children 7 - 10 years	32,3	622	19,3	1,79	1,07	3,78	22,93	1,25	0,334
Boys 11 - 14 years	46,9	108	18,5	1,58	0,91	1,82	3,45	1,35	0,273
Girls 11 - 14 years	45,3	110	18,2	1,49	0,57	1,39	3,64	1,25	0,271
Men 15 - 17 years	65,6	110	15,5	1,12	0,59	1,43	1,63	1,43	0,184
Women 15 - 17 years	55,6	110	14,5	1,17	0,62	2,37	5,88		0,159
Men 18 - 59 years	82,5	1422	10,1	0,76	0,38	2,00	4,49	0,63	0,074
Women 18 - 59 years	67,7	1492	9,9	0,91	0,66	3,86	18,79	0,94	0,087
Men 60+ years	82,9	332	6,3	0,72	0,27	1,11	0,91		0,042
Women 60+ years	75,2	510	9,0	0,87	0,66	2,57	7,07		0,076

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	19,2	1,14	1,35	2,22	3,26	4,89	5,30
Children 7 - 10 years	32,3	622	19,3	0,80	1,02	1,52	2,86	3,35	4,04
Boys 11 - 14 years	46,9	108	18,5	0,69	0,73	1,35	2,58	3,38	3,83
Girls 11 - 14 years	45,3	110	18,2	0,77	0,83	1,46	1,96	2,03	2,64
Men 15 - 17 years	65,6	110	15,5	0,58	0,65	0,89	1,92	2,21	2,42
Women 15 - 17 years	55,6	110	14,5	0,72	0,75	0,96	1,89	2,19	2,64
Men 18 - 59 years	82,5	1422	10,1	0,38	0,46	0,64	1,18	1,48	1,99
Women 18 - 59 years	67,7	1492	9,9	0,37	0,43	0,81	1,38	2,07	2,57
Men 60+ years	82,9	332	6,3	0,40	0,44	0,68	1,11	1,18	1,31
Women 60+ years	75,2	510	9,0	0,27	0,42	0,70	1,37	2,34	3,16

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	73	28,0	30,0	40,0	50,0	50,0	50,0	88,0	107,0
Children 7 - 10 years	128	22,8	30,0	48,8	50,0	50,0	80,0	100,0	100,0
Boys 11 - 14 years	21	40,0	40,0	50,0	50,0	60,0	100,0	150,0	150,0
Girls 11 - 14 years	23	41,0	50,0	50,0	50,0	65,0	88,0	99,0	100,0
Men 15 - 17 years	18	38,5	47,0	50,0	60,0	100,0	112,0	140,8	142,9
Women 15 - 17 years	17	40,0	40,0	50,0	50,0	50,0	76,0	109,0	127,0
Men 18 - 59 years	148	30,0	30,0	50,0	50,0	60,0	100,0	113,0	123,1
Women 18 - 59 years	155	30,0	30,0	43,5	50,0	50,0	86,0	100,0	150,0
Men 60+ years	22	30,0	30,0	50,0	50,0	50,0	78,0	89,5	94,8
Women 60+ years	50	24,5	30,0	40,0	50,0	60,0	102,5	140,0	140,0

Notes:

*Food item wafers includes commodities: wafers, filled wafers "Tatranka" and Horice cocoa wafer rolls.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **wheat semolina***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	16,5	1,11	0,79	1,03	1,32		0,177
Children 7 - 10 years	32,3	622	11,4	0,78	0,56	0,84	-0,33		0,084
Boys 11 - 14 years	46,9	108	10,2	0,53	0,45	0,87	-0,92		0,050
Girls 11 - 14 years	45,3	110	16,4	0,67	0,51	0,64	-0,27		0,095
Men 15 - 17 years	65,6	110	7,3	0,38	0,32	0,76	-1,71		0,027
Women 15 - 17 years	55,6	110	5,5	0,42	0,23	-0,59	-1,99		0,022
Men 18 - 59 years	82,5	1422	6,3	0,28	0,16	1,13	2,17	0,27	0,017
Women 18 - 59 years	67,7	1492	5,5	0,27	0,18	1,36	2,42	0,11	0,014
Men 60+ years	82,9	332	8,7	0,26	0,23	2,80	10,00	0,11	0,023
Women 60+ years	75,2	510	7,5	0,25	0,20	1,42	1,69		0,017

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	16,5	0,19	0,25	1,00	1,94	2,41	2,91
Children 7 - 10 years	32,3	622	11,4	0,15	0,21	0,64	1,70	1,91	2,00
Boys 11 - 14 years	46,9	108	10,2	0,15	0,16	0,37	1,12	1,23	1,28
Girls 11 - 14 years	45,3	110	16,4	0,10	0,12	0,60	1,23	1,41	1,63
Men 15 - 17 years	65,6	110	7,3	0,14	0,14	0,16	0,76	0,82	0,85
Women 15 - 17 years	55,6	110	5,5	0,12	0,14	0,49	0,63	0,63	0,63
Men 18 - 59 years	82,5	1422	6,3	0,08	0,10	0,27	0,48	0,54	0,62
Women 18 - 59 years	67,7	1492	5,5	0,07	0,09	0,21	0,54	0,57	0,62
Men 60+ years	82,9	332	8,7	0,06	0,09	0,23	0,46	0,60	0,82
Women 60+ years	75,2	510	7,5	0,05	0,07	0,20	0,51	0,66	0,78

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	63	4,5	4,8	9,0	24,0	32,0	40,0	48,0	48,0
Children 7 - 10 years	74	4,5	6,2	9,0	21,3	32,0	40,0	48,0	57,4
Boys 11 - 14 years	13	6,8	7,0	8,0	20,0	30,0	32,0	35,2	37,6
Girls 11 - 14 years	18	5,8	6,5	10,3	31,6	40,0	42,4	49,2	52,6
Men 15 - 17 years	8	8,0	8,5	9,7	13,6	48,0	48,0	48,0	48,0
Women 15 - 17 years	6	7,0	8,0	12,5	25,6	31,8	33,5	34,3	34,6
Men 18 - 59 years	92	6,8	7,5	11,3	20,0	30,0	37,5	40,0	48,2
Women 18 - 59 years	86	4,7	6,0	9,0	15,0	22,4	31,0	32,0	43,4
Men 60+ years	32	6,8	7,5	9,0	18,8	25,0	30,0	43,6	48,5
Women 60+ years	40	4,4	4,5	7,5	15,0	20,0	25,7	40,4	48,2

Notes:

*Food item wheat semolina includes commodities: fine semolina and coarse semolina.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **wheat flour***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	83,8	1,16	1,41	2,32	6,72		0,982
Children 7 - 10 years	32,3	622	84,6	1,10	1,26	2,07	5,56	0,20	0,892
Boys 11 - 14 years	46,9	108	84,3	1,20	1,33	1,74	3,90		0,967
Girls 11 - 14 years	45,3	110	85,5	1,04	1,37	2,87	10,94		0,818
Men 15 - 17 years	65,6	110	83,6	0,82	0,94	1,74	3,01		0,674
Women 15 - 17 years	55,6	110	78,2	0,59	0,61	1,37	0,87		0,452
Men 18 - 59 years	82,5	1422	81,2	0,60	0,73	1,93	3,88		0,478
Women 18 - 59 years	67,7	1492	73,3	0,48	0,63	3,68	22,54	0,17	0,346
Men 60+ years	82,9	332	85,8	0,57	0,67	1,89	3,58	0,04	0,483
Women 60+ years	75,2	510	78,6	0,43	0,57	3,24	16,28	0,13	0,332

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	83,8	0,09	0,16	0,57	3,06	4,10	5,22
Children 7 - 10 years	32,3	622	84,6	0,09	0,14	0,53	2,84	3,54	4,22
Boys 11 - 14 years	46,9	108	84,3	0,07	0,13	0,54	3,04	3,73	4,11
Girls 11 - 14 years	45,3	110	85,5	0,08	0,14	0,47	2,68	3,97	4,51
Men 15 - 17 years	65,6	110	83,6	0,06	0,10	0,40	2,01	2,67	3,20
Women 15 - 17 years	55,6	110	78,2	0,06	0,10	0,31	1,63	1,76	1,96
Men 18 - 59 years	82,5	1422	81,2	0,04	0,06	0,25	1,68	2,14	2,73
Women 18 - 59 years	67,7	1492	73,3	0,04	0,05	0,23	1,24	1,69	2,08
Men 60+ years	82,9	332	85,8	0,04	0,06	0,28	1,52	1,88	2,44
Women 60+ years	75,2	510	78,6	0,03	0,05	0,20	1,15	1,46	1,77

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	408	1,6	2,8	5,8	10,0	20,1	49,4	66,6	88,5
Children 7 - 10 years	730	2,0	3,5	6,8	12,0	29,6	66,7	90,9	107,8
Boys 11 - 14 years	145	2,9	5,3	10,0	18,8	38,5	91,4	118,7	134,3
Girls 11 - 14 years	134	2,2	3,4	7,6	15,0	44,3	79,0	115,6	129,3
Men 15 - 17 years	128	2,8	4,5	9,9	16,6	50,8	113,0	142,0	157,9
Women 15 - 17 years	120	2,0	3,2	7,1	12,7	25,9	62,5	83,4	94,2
Men 18 - 59 years	1617	2,6	4,0	8,0	15,6	40,0	107,7	133,2	159,8
Women 18 - 59 years	1485	2,2	3,2	6,8	12,5	25,0	62,8	88,9	112,6
Men 60+ years	446	2,4	4,0	8,3	14,8	30,0	84,6	114,3	139,4
Women 60+ years	561	2,0	2,8	6,5	12,0	24,0	56,3	86,5	113,0

Notes:

*Food item wheat flour includes commodities: fine wheat flour, coarse wheat flour and medium-coarse wheat flour.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **rice**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	19,0	2,04	0,92	0,43	1,20	2,05	0,369
Children 7 - 10 years	32,3	622	20,4	1,41	0,70	0,83	1,54	1,50	0,282
Boys 11 - 14 years	46,9	108	17,6	1,10	0,76	2,69	10,09		0,225
Girls 11 - 14 years	45,3	110	20,0	1,24	0,51	0,55	2,31	1,44	0,240
Men 15 - 17 years	65,6	110	20,0	1,34	0,71	1,90	4,83		0,267
Women 15 - 17 years	55,6	110	12,7	1,05	0,45	0,81	2,21		0,133
Men 18 - 59 years	82,5	1422	13,2	0,88	0,43	2,60	19,44		0,114
Women 18 - 59 years	67,7	1492	14,7	0,94	0,38	0,46	1,04		0,132
Men 60+ years	82,9	332	9,6	0,91	0,26	0,03	-0,04		0,085
Women 60+ years	75,2	510	15,7	0,77	0,47	1,75	5,40	0,84	0,117

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	19,0	0,56	0,86	2,05	3,00	3,48	3,69
Children 7 - 10 years	32,3	622	20,4	0,28	0,59	1,33	2,39	2,70	2,97
Boys 11 - 14 years	46,9	108	17,6	0,27	0,37	1,01	1,38	1,71	2,78
Girls 11 - 14 years	45,3	110	20,0	0,44	0,81	1,25	1,71	1,90	2,26
Men 15 - 17 years	65,6	110	20,0	0,59	0,67	1,26	1,71	2,92	3,25
Women 15 - 17 years	55,6	110	12,7	0,44	0,61	1,08	1,44	1,73	1,95
Men 18 - 59 years	82,5	1422	13,2	0,21	0,35	0,87	1,22	1,41	1,67
Women 18 - 59 years	67,7	1492	14,7	0,25	0,53	0,92	1,38	1,55	1,74
Men 60+ years	82,9	332	9,6	0,54	0,63	0,90	1,29	1,35	1,39
Women 60+ years	75,2	510	15,7	0,13	0,23	0,71	1,35	1,44	1,90

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	72	10,4	18,4	27,3	45,0	45,0	53,3	67,5	67,5
Children 7 - 10 years	131	9,1	18,2	36,0	45,0	51,8	67,5	67,5	67,5
Boys 11 - 14 years	20	11,1	21,4	42,8	53,3	67,5	94,5	135,0	135,0
Girls 11 - 14 years	23	24,3	40,0	45,0	45,0	67,5	67,5	87,8	90,0
Men 15 - 17 years	24	40,8	47,5	67,5	67,5	90,0	117,3	132,6	149,9
Women 15 - 17 years	14	23,9	32,4	46,7	60,1	67,5	67,5	83,3	97,9
Men 18 - 59 years	192	13,6	30,2	53,8	67,5	90,0	90,0	90,0	104,9
Women 18 - 59 years	225	18,5	40,0	45,0	67,5	67,5	90,0	90,0	90,9
Men 60+ years	34	25,4	30,0	60,9	67,5	90,0	90,0	97,9	116,4
Women 60+ years	83	11,4	20,4	40,0	45,0	67,5	67,5	90,0	132,8

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **pasta**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	36,5	1,30	1,20	1,26	0,84		0,449
Children 7 - 10 years	32,3	622	32,8	1,01	1,00	1,57	2,84	0,31	0,318
Boys 11 - 14 years	46,9	108	26,9	1,05	0,79	0,44	-1,06	2,00	0,275
Girls 11 - 14 years	45,3	110	33,6	0,85	0,68	0,49	-1,16	1,67	0,274
Men 15 - 17 years	65,6	110	33,6	0,98	0,74	0,51	-0,72		0,337
Women 15 - 17 years	55,6	110	23,6	0,88	0,77	1,80	5,01		0,204
Men 18 - 59 years	82,5	1422	24,8	0,53	0,58	1,52	1,51	0,17	0,131
Women 18 - 59 years	67,7	1492	24,1	0,60	0,57	2,04	6,73	0,18	0,137
Men 60+ years	82,9	332	27,1	0,48	0,44	1,63	3,46		0,130
Women 60+ years	75,2	510	21,6	0,45	0,51	1,94	4,05	0,16	0,095

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	36,5	0,26	0,31	0,69	2,84	3,88	4,60
Children 7 - 10 years	32,3	622	32,8	0,19	0,20	0,46	2,35	2,80	3,44
Boys 11 - 14 years	46,9	108	26,9	0,15	0,24	1,06	2,04	2,30	2,47
Girls 11 - 14 years	45,3	110	33,6	0,15	0,16	0,48	1,67	1,87	2,11
Men 15 - 17 years	65,6	110	33,6	0,15	0,19	1,14	1,85	2,32	2,49
Women 15 - 17 years	55,6	110	23,6	0,14	0,17	0,87	1,55	1,83	2,55
Men 18 - 59 years	82,5	1422	24,8	0,10	0,12	0,20	1,44	1,82	2,05
Women 18 - 59 years	67,7	1492	24,1	0,11	0,13	0,35	1,20	1,62	1,99
Men 60+ years	82,9	332	27,1	0,10	0,11	0,23	1,06	1,24	1,43
Women 60+ years	75,2	510	21,6	0,10	0,11	0,19	1,16	1,45	1,63

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	144	5,2	7,7	7,7	12,9	40,0	60,0	60,7	74,1
Children 7 - 10 years	218	7,7	7,7	7,7	12,9	52,0	60,0	75,8	100,0
Boys 11 - 14 years	32	9,1	12,9	12,9	40,0	60,0	100,0	100,0	106,6
Girls 11 - 14 years	37	7,2	7,7	7,7	17,0	60,0	80,0	100,0	100,0
Men 15 - 17 years	39	10,3	12,9	14,2	50,0	100,0	128,0	160,0	160,0
Women 15 - 17 years	28	7,7	9,5	12,9	50,0	62,5	86,0	100,0	100,0
Men 18 - 59 years	373	7,7	10,3	12,9	15,5	62,5	100,0	136,3	159,8
Women 18 - 59 years	375	7,7	7,7	12,9	20,0	60,0	80,0	100,0	112,0
Men 60+ years	95	7,7	10,3	12,9	16,7	60,0	80,0	100,0	118,3
Women 60+ years	117	7,7	7,7	10,3	12,9	50,0	82,7	100,0	113,1

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **ready-to-eat cereals**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,0	4,89	4,54	1,74	3,22	5,56	0,238
Children 7 - 10 years	32,3	622	5,0	2,12	2,18	3,19	13,54		0,094
Boys 11 - 14 years	46,9	108	1,9	1,50	0,24				0,026
Girls 11 - 14 years	45,3	110	2,7	2,61	1,28				0,080
Men 15 - 17 years	65,6	110	0,9	0,96				0,96	0,007
Women 15 - 17 years	55,6	110	1,8	1,15	1,09				0,020
Men 18 - 59 years	82,5	1422	0,3	1,29	0,52				0,004
Women 18 - 59 years	67,7	1492	0,5	2,17	1,11				0,010
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	0,2	0,22				0,22	0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,0	0,90	1,13	3,32	9,46	13,43	16,07
Children 7 - 10 years	32,3	622	5,0	0,30	0,40	1,60	4,00	4,03	6,02
Boys 11 - 14 years	46,9	108	1,9						
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	0,3						
Women 18 - 59 years	67,7	1492	0,5						
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	0,2						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	22	20,3	25,5	31,3	75,0	100,0	150,0	178,5	237,0
Children 7 - 10 years	32	11,1	14,6	27,3	50,0	57,5	100,0	150,0	172,5
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **1 - CEREAL PRODUCTS**
 Commodity: **cereal bar**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,3	1,50	0,42				0,042
Children 7 - 10 years	32,3	622	1,9	0,87	0,28			1,36	0,017
Boys 11 - 14 years	46,9	108	1,9	0,61	0,08				0,011
Girls 11 - 14 years	45,3	110	2,7	0,58	0,18				0,022
Men 15 - 17 years	65,6	110	0,9	0,46				0,46	0,004
Women 15 - 17 years	55,6	110	6,4	0,56	0,21	0,32	-0,82		0,036
Men 18 - 59 years	82,5	1422	1,0	0,64	0,49			0,36	0,006
Women 18 - 59 years	67,7	1492	2,6	0,53	0,25			0,50	0,013
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	0,4	0,43	0,00				0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,3						
Children 7 - 10 years	32,3	622	1,9						
Boys 11 - 14 years	46,9	108	1,9						
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	6,4	0,32	0,38	0,52	0,83	0,84	0,84
Men 18 - 59 years	82,5	1422	1,0						
Women 18 - 59 years	67,7	1492	2,6						
Men 60+ years	82,9	332	0,0						
Women 60+ years	75,2	510	0,4						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	8	21,2	22,5	24,6	25,0	27,5	36,5	38,3	39,1
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **spice mixture***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	24,2	0,00	0,00	3,64	22,64		0,001
Children 7 - 10 years	32,3	622	20,1	0,00	0,00	3,49	16,01	0,00	0,000
Boys 11 - 14 years	46,9	108	20,4	0,00	0,00	2,07	7,73		0,000
Girls 11 - 14 years	45,3	110	30,9	0,00	0,00	1,72	2,47	0,00	0,001
Men 15 - 17 years	65,6	110	14,5	0,00	0,01	3,20	10,96	0,00	0,000
Women 15 - 17 years	55,6	110	15,5	0,00	0,00	1,62	2,86		0,000
Men 18 - 59 years	82,5	1422	15,0	0,00	0,00	9,52	112,11		0,000
Women 18 - 59 years	67,7	1492	14,7	0,00	0,00	9,54	116,69		0,000
Men 60+ years	82,9	332	17,5	0,00	0,00	6,05	41,16	0,00	0,000
Women 60+ years	75,2	510	16,9	0,00	0,00	2,00	3,95		0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	24,2	0,00	0,00	0,00	0,00	0,01	0,01
Children 7 - 10 years	32,3	622	20,1	0,00	0,00	0,00	0,00	0,01	0,01
Boys 11 - 14 years	46,9	108	20,4	0,00	0,00	0,00	0,00	0,00	0,00
Girls 11 - 14 years	45,3	110	30,9	0,00	0,00	0,00	0,00	0,01	0,01
Men 15 - 17 years	65,6	110	14,5	0,00	0,00	0,00	0,01	0,01	0,02
Women 15 - 17 years	55,6	110	15,5	0,00	0,00	0,00	0,01	0,01	0,01
Men 18 - 59 years	82,5	1422	15,0	0,00	0,00	0,00	0,00	0,01	0,01
Women 18 - 59 years	67,7	1492	14,7	0,00	0,00	0,00	0,00	0,01	0,01
Men 60+ years	82,9	332	17,5	0,00	0,00	0,00	0,00	0,00	0,00
Women 60+ years	75,2	510	16,9	0,00	0,00	0,00	0,00	0,00	0,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	92	0,0	0,0	0,0	0,0	0,1	0,1	0,1	0,1
Children 7 - 10 years	134	0,0	0,0	0,0	0,1	0,1	0,1	0,2	0,3
Boys 11 - 14 years	23	0,0	0,0	0,0	0,1	0,1	0,1	0,1	0,1
Girls 11 - 14 years	37	0,0	0,0	0,0	0,1	0,1	0,1	0,2	0,2
Men 15 - 17 years	16	0,0	0,0	0,0	0,1	0,1	0,5	0,7	0,9
Women 15 - 17 years	18	0,0	0,0	0,1	0,1	0,2	0,3	0,3	0,3
Men 18 - 59 years	232	0,0	0,0	0,1	0,1	0,2	0,3	0,4	0,6
Women 18 - 59 years	234	0,0	0,0	0,0	0,1	0,1	0,2	0,3	0,4
Men 60+ years	64	0,0	0,0	0,1	0,1	0,1	0,2	0,3	0,5
Women 60+ years	89	0,0	0,0	0,0	0,1	0,1	0,2	0,3	0,3

Notes:

*Food item spice mixture includes commodities: spices, barbecue spice mixture, goulash spice mixture and spice mixture.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **laurel**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,7	0,00	0,00	1,32	1,69	0,00	0,000
Children 7 - 10 years	32,3	622	15,4	0,00	0,00	0,82	2,01	0,00	0,000
Boys 11 - 14 years	46,9	108	19,4	0,00	0,00	-0,39	-0,26		0,000
Girls 11 - 14 years	45,3	110	13,6	0,00	0,00	1,54	2,64		0,000
Men 15 - 17 years	65,6	110	15,5	0,00	0,00	2,21	6,98	0,00	0,000
Women 15 - 17 years	55,6	110	9,1	0,00	0,00	2,55	7,23		0,000
Men 18 - 59 years	82,5	1422	12,0	0,00	0,00	0,35	0,81	0,00	0,000
Women 18 - 59 years	67,7	1492	8,1	0,00	0,00	5,84	49,74		0,000
Men 60+ years	82,9	332	8,1	0,00	0,00	0,50	0,04	0,00	0,000
Women 60+ years	75,2	510	7,5	0,00	0,00	1,44	2,71	0,00	0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,7	0,00	0,00	0,00	0,01	0,01	0,01
Children 7 - 10 years	32,3	622	15,4	0,00	0,00	0,00	0,00	0,00	0,00
Boys 11 - 14 years	46,9	108	19,4	0,00	0,00	0,00	0,00	0,00	0,00
Girls 11 - 14 years	45,3	110	13,6	0,00	0,00	0,00	0,00	0,01	0,01
Men 15 - 17 years	65,6	110	15,5	0,00	0,00	0,00	0,00	0,00	0,00
Women 15 - 17 years	55,6	110	9,1	0,00	0,00	0,00	0,00	0,00	0,01
Men 18 - 59 years	82,5	1422	12,0	0,00	0,00	0,00	0,00	0,00	0,00
Women 18 - 59 years	67,7	1492	8,1	0,00	0,00	0,00	0,00	0,00	0,00
Men 60+ years	82,9	332	8,1	0,00	0,00	0,00	0,00	0,00	0,00
Women 60+ years	75,2	510	7,5	0,00	0,00	0,00	0,00	0,00	0,00

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	60	0,0	0,0	0,0	0,1	0,1	0,1	0,1	0,1
Children 7 - 10 years	98	0,0	0,0	0,0	0,1	0,1	0,1	0,1	0,1
Boys 11 - 14 years	21	0,0	0,0	0,1	0,1	0,1	0,1	0,1	0,1
Girls 11 - 14 years	16	0,0	0,0	0,1	0,1	0,1	0,1	0,1	0,1
Men 15 - 17 years	17	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Women 15 - 17 years	11	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Men 18 - 59 years	177	0,0	0,0	0,1	0,1	0,1	0,1	0,2	0,2
Women 18 - 59 years	124	0,0	0,0	0,0	0,1	0,1	0,1	0,1	0,2
Men 60+ years	27	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Women 60+ years	40	0,0	0,0	0,0	0,0	0,1	0,1	0,1	0,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **clove**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	14,0	0,00	0,00	1,41	5,07	0,00	0,000
Children 7 - 10 years	32,3	622	13,7	0,00	0,00	1,32	2,08	0,00	0,000
Boys 11 - 14 years	46,9	108	8,3	0,00	0,00	2,26	6,06		0,000
Girls 11 - 14 years	45,3	110	16,4	0,00	0,00	1,23	4,24	0,00	0,000
Men 15 - 17 years	65,6	110	19,1	0,00	0,00	2,58	9,99	0,00	0,000
Women 15 - 17 years	55,6	110	10,0	0,00	0,00	1,30	2,18		0,000
Men 18 - 59 years	82,5	1422	10,1	0,00	0,00	1,45	8,04		0,000
Women 18 - 59 years	67,7	1492	10,7	0,00	0,00	0,47	0,64		0,000
Men 60+ years	82,9	332	8,4	0,00	0,00	-0,35	-0,07		0,000
Women 60+ years	75,2	510	9,6	0,00	0,00	2,10	5,26	0,00	0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	14,0	0,00	0,00	0,00	0,00	0,00	0,01
Children 7 - 10 years	32,3	622	13,7	0,00	0,00	0,00	0,00	0,00	0,00
Boys 11 - 14 years	46,9	108	8,3	0,00	0,00	0,00	0,00	0,00	0,00
Girls 11 - 14 years	45,3	110	16,4	0,00	0,00	0,00	0,00	0,00	0,00
Men 15 - 17 years	65,6	110	19,1	0,00	0,00	0,00	0,00	0,00	0,00
Women 15 - 17 years	55,6	110	10,0	0,00	0,00	0,00	0,00	0,00	0,00
Men 18 - 59 years	82,5	1422	10,1	0,00	0,00	0,00	0,00	0,00	0,00
Women 18 - 59 years	67,7	1492	10,7	0,00	0,00	0,00	0,00	0,00	0,00
Men 60+ years	82,9	332	8,4	0,00	0,00	0,00	0,00	0,00	0,00
Women 60+ years	75,2	510	9,6	0,00	0,00	0,00	0,00	0,00	0,00

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	52	0,0	0,0	0,1	0,1	0,1	0,1	0,1	0,1
Children 7 - 10 years	87	0,0	0,0	0,1	0,1	0,1	0,1	0,1	0,1
Boys 11 - 14 years	10	0,0	0,0	0,1	0,1	0,1	0,2	0,2	0,2
Girls 11 - 14 years	18	0,0	0,1	0,1	0,1	0,1	0,1	0,1	0,1
Men 15 - 17 years	23	0,0	0,1	0,1	0,1	0,1	0,1	0,1	0,1
Women 15 - 17 years	11	0,0	0,1	0,1	0,1	0,1	0,1	0,1	0,1
Men 18 - 59 years	147	0,0	0,1	0,1	0,1	0,1	0,1	0,1	0,1
Women 18 - 59 years	162	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,1
Men 60+ years	29	0,0	0,0	0,1	0,1	0,1	0,1	0,1	0,1
Women 60+ years	52	0,0	0,1	0,1	0,1	0,1	0,1	0,2	0,2

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **caraway seeds**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	44,2	0,01	0,01	1,74	5,74	0,01	0,004
Children 7 - 10 years	32,3	622	47,1	0,01	0,01	2,17	6,58	0,01	0,003
Boys 11 - 14 years	46,9	108	50,0	0,01	0,00	1,53	2,52		0,003
Girls 11 - 14 years	45,3	110	54,5	0,00	0,00	0,81	0,34	0,00	0,002
Men 15 - 17 years	65,6	110	52,7	0,01	0,00	0,80	0,30	0,00	0,003
Women 15 - 17 years	55,6	110	40,9	0,01	0,00	1,42	2,22	0,01	0,002
Men 18 - 59 years	82,5	1422	55,6	0,00	0,00	1,86	5,35	0,00	0,002
Women 18 - 59 years	67,7	1492	45,2	0,00	0,00	5,38	62,79	0,00	0,002
Men 60+ years	82,9	332	60,2	0,00	0,00	4,24	33,46	0,00	0,002
Women 60+ years	75,2	510	53,5	0,00	0,00	2,31	10,57	0,00	0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	44,2	0,00	0,00	0,01	0,01	0,02	0,02
Children 7 - 10 years	32,3	622	47,1	0,00	0,00	0,01	0,01	0,02	0,02
Boys 11 - 14 years	46,9	108	50,0	0,00	0,00	0,01	0,01	0,02	0,02
Girls 11 - 14 years	45,3	110	54,5	0,00	0,00	0,00	0,01	0,01	0,01
Men 15 - 17 years	65,6	110	52,7	0,00	0,00	0,00	0,01	0,01	0,01
Women 15 - 17 years	55,6	110	40,9	0,00	0,00	0,00	0,01	0,01	0,02
Men 18 - 59 years	82,5	1422	55,6	0,00	0,00	0,00	0,01	0,01	0,01
Women 18 - 59 years	67,7	1492	45,2	0,00	0,00	0,00	0,01	0,01	0,01
Men 60+ years	82,9	332	60,2	0,00	0,00	0,00	0,01	0,01	0,01
Women 60+ years	75,2	510	53,5	0,00	0,00	0,00	0,01	0,01	0,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	175	0,0	0,0	0,1	0,2	0,2	0,3	0,3	0,4
Children 7 - 10 years	321	0,0	0,1	0,1	0,2	0,2	0,3	0,4	0,5
Boys 11 - 14 years	57	0,1	0,1	0,1	0,2	0,3	0,5	0,6	0,7
Girls 11 - 14 years	60	0,0	0,0	0,2	0,2	0,3	0,4	0,4	0,5
Men 15 - 17 years	67	0,1	0,1	0,2	0,3	0,4	0,5	0,6	0,7
Women 15 - 17 years	52	0,1	0,1	0,2	0,3	0,3	0,4	0,5	0,6
Men 18 - 59 years	898	0,1	0,1	0,2	0,3	0,4	0,6	0,7	0,8
Women 18 - 59 years	724	0,1	0,1	0,2	0,2	0,3	0,4	0,5	0,6
Men 60+ years	234	0,1	0,1	0,1	0,3	0,3	0,5	0,6	0,7
Women 60+ years	300	0,1	0,1	0,2	0,2	0,3	0,4	0,6	0,7

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **marjoram**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	23,6	0,00	0,00	2,19	7,79	0,00	0,001
Children 7 - 10 years	32,3	622	24,1	0,00	0,00	1,70	3,40	0,00	0,000
Boys 11 - 14 years	46,9	108	26,9	0,00	0,00	0,93	0,15	0,00	0,001
Girls 11 - 14 years	45,3	110	27,3	0,00	0,00	0,84	-0,07		0,000
Men 15 - 17 years	65,6	110	27,3	0,00	0,00	1,62	2,79		0,001
Women 15 - 17 years	55,6	110	20,9	0,00	0,00	0,94	0,02	0,00	0,000
Men 18 - 59 years	82,5	1422	30,8	0,00	0,00	1,69	4,55	0,00	0,000
Women 18 - 59 years	67,7	1492	19,8	0,00	0,00	1,74	4,05	0,00	0,000
Men 60+ years	82,9	332	39,8	0,00	0,00	1,94	6,35	0,00	0,000
Women 60+ years	75,2	510	22,4	0,00	0,00	2,68	10,11		0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	23,6	0,00	0,00	0,00	0,01	0,01	0,01
Children 7 - 10 years	32,3	622	24,1	0,00	0,00	0,00	0,00	0,00	0,01
Boys 11 - 14 years	46,9	108	26,9	0,00	0,00	0,00	0,00	0,00	0,01
Girls 11 - 14 years	45,3	110	27,3	0,00	0,00	0,00	0,00	0,00	0,00
Men 15 - 17 years	65,6	110	27,3	0,00	0,00	0,00	0,00	0,00	0,01
Women 15 - 17 years	55,6	110	20,9	0,00	0,00	0,00	0,00	0,00	0,00
Men 18 - 59 years	82,5	1422	30,8	0,00	0,00	0,00	0,00	0,00	0,00
Women 18 - 59 years	67,7	1492	19,8	0,00	0,00	0,00	0,00	0,00	0,00
Men 60+ years	82,9	332	39,8	0,00	0,00	0,00	0,00	0,00	0,00
Women 60+ years	75,2	510	22,4	0,00	0,00	0,00	0,00	0,00	0,00

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	89	0,0	0,0	0,0	0,0	0,1	0,1	0,1	0,1
Children 7 - 10 years	155	0,0	0,0	0,0	0,0	0,1	0,1	0,2	0,2
Boys 11 - 14 years	31	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Girls 11 - 14 years	30	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Men 15 - 17 years	32	0,0	0,0	0,1	0,1	0,1	0,2	0,3	0,4
Women 15 - 17 years	25	0,0	0,0	0,0	0,1	0,1	0,1	0,1	0,2
Men 18 - 59 years	471	0,0	0,0	0,1	0,1	0,1	0,2	0,2	0,2
Women 18 - 59 years	310	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Men 60+ years	146	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Women 60+ years	121	0,0	0,0	0,0	0,1	0,1	0,1	0,2	0,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **allspice**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	24,5	0,00	0,00	1,11	0,45		0,001
Children 7 - 10 years	32,3	622	22,3	0,00	0,00	4,97	40,31	0,00	0,000
Boys 11 - 14 years	46,9	108	19,4	0,00	0,00	-1,82	2,18		0,001
Girls 11 - 14 years	45,3	110	20,9	0,00	0,00	2,40	6,80		0,000
Men 15 - 17 years	65,6	110	16,4	0,00	0,00	0,93	1,02	0,00	0,000
Women 15 - 17 years	55,6	110	13,6	0,00	0,00	2,72	8,59	0,00	0,000
Men 18 - 59 years	82,5	1422	18,4	0,00	0,00	11,41	150,96	0,00	0,000
Women 18 - 59 years	67,7	1492	13,5	0,00	0,00	4,42	29,45	0,00	0,000
Men 60+ years	82,9	332	14,5	0,00	0,00	5,61	35,51	0,00	0,000
Women 60+ years	75,2	510	15,1	0,00	0,00	2,31	5,45		0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	24,5	0,00	0,00	0,00	0,01	0,01	0,01
Children 7 - 10 years	32,3	622	22,3	0,00	0,00	0,00	0,01	0,01	0,01
Boys 11 - 14 years	46,9	108	19,4	0,00	0,00	0,00	0,00	0,00	0,00
Girls 11 - 14 years	45,3	110	20,9	0,00	0,00	0,00	0,00	0,01	0,01
Men 15 - 17 years	65,6	110	16,4	0,00	0,00	0,00	0,00	0,00	0,01
Women 15 - 17 years	55,6	110	13,6	0,00	0,00	0,00	0,00	0,00	0,01
Men 18 - 59 years	82,5	1422	18,4	0,00	0,00	0,00	0,00	0,00	0,00
Women 18 - 59 years	67,7	1492	13,5	0,00	0,00	0,00	0,00	0,00	0,00
Men 60+ years	82,9	332	14,5	0,00	0,00	0,00	0,00	0,00	0,00
Women 60+ years	75,2	510	15,1	0,00	0,00	0,00	0,00	0,00	0,00

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	93	0,0	0,0	0,0	0,0	0,1	0,2	0,2	0,2
Children 7 - 10 years	143	0,0	0,0	0,0	0,0	0,1	0,2	0,2	0,2
Boys 11 - 14 years	24	0,0	0,0	0,1	0,1	0,2	0,2	0,2	0,2
Girls 11 - 14 years	24	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Men 15 - 17 years	18	0,0	0,0	0,0	0,2	0,2	0,3	0,3	0,3
Women 15 - 17 years	16	0,0	0,0	0,0	0,0	0,1	0,2	0,2	0,2
Men 18 - 59 years	272	0,0	0,0	0,0	0,1	0,2	0,2	0,3	0,3
Women 18 - 59 years	213	0,0	0,0	0,0	0,0	0,1	0,2	0,2	0,2
Men 60+ years	48	0,0	0,0	0,0	0,1	0,2	0,2	0,3	0,3
Women 60+ years	78	0,0	0,0	0,0	0,0	0,1	0,2	0,2	0,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **paprika**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	16,5	0,04	0,04	1,46	1,53	0,01	0,006
Children 7 - 10 years	32,3	622	22,8	0,03	0,03	2,22	7,60		0,007
Boys 11 - 14 years	46,9	108	22,2	0,04	0,04	2,14	5,83		0,008
Girls 11 - 14 years	45,3	110	27,3	0,02	0,02	1,64	2,31		0,005
Men 15 - 17 years	65,6	110	32,7	0,03	0,02	1,18	0,55		0,008
Women 15 - 17 years	55,6	110	16,4	0,03	0,02	0,80	-0,73		0,004
Men 18 - 59 years	82,5	1422	32,1	0,03	0,02	1,44	4,49		0,008
Women 18 - 59 years	67,7	1492	20,7	0,02	0,02	1,21	0,95		0,004
Men 60+ years	82,9	332	28,0	0,03	0,02	1,06	1,86	0,01	0,009
Women 60+ years	75,2	510	22,7	0,02	0,01	1,43	1,52	0,01	0,004

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	16,5	0,01	0,01	0,02	0,10	0,11	0,12
Children 7 - 10 years	32,3	622	22,8	0,00	0,01	0,02	0,08	0,10	0,11
Boys 11 - 14 years	46,9	108	22,2	0,01	0,01	0,02	0,08	0,09	0,13
Girls 11 - 14 years	45,3	110	27,3	0,01	0,01	0,01	0,05	0,05	0,06
Men 15 - 17 years	65,6	110	32,7	0,00	0,01	0,01	0,06	0,07	0,08
Women 15 - 17 years	55,6	110	16,4	0,01	0,01	0,02	0,05	0,05	0,06
Men 18 - 59 years	82,5	1422	32,1	0,00	0,01	0,02	0,05	0,06	0,06
Women 18 - 59 years	67,7	1492	20,7	0,00	0,01	0,01	0,04	0,05	0,06
Men 60+ years	82,9	332	28,0	0,00	0,01	0,03	0,06	0,07	0,07
Women 60+ years	75,2	510	22,7	0,00	0,00	0,01	0,03	0,04	0,05

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	63	0,1	0,2	0,2	0,4	1,2	1,8	2,2	2,5
Children 7 - 10 years	148	0,2	0,2	0,3	0,6	1,4	2,3	2,7	3,7
Boys 11 - 14 years	27	0,2	0,3	0,5	1,1	2,1	3,0	3,9	5,1
Girls 11 - 14 years	35	0,3	0,3	0,4	0,6	0,8	1,4	2,3	2,6
Men 15 - 17 years	37	0,2	0,3	0,6	0,8	2,4	3,6	4,3	5,1
Women 15 - 17 years	27	0,1	0,1	0,1	0,6	1,4	2,2	2,6	2,9
Men 18 - 59 years	505	0,4	0,6	0,6	1,7	2,8	3,9	4,5	5,1
Women 18 - 59 years	319	0,2	0,3	0,6	0,8	1,9	3,0	3,3	3,8
Men 60+ years	105	0,3	0,5	0,7	2,2	3,0	4,9	4,9	5,9
Women 60+ years	126	0,2	0,3	0,6	0,7	1,5	2,3	3,1	3,3

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **pepper**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	72,0	0,00	0,00	3,33	19,56	0,00	0,003
Children 7 - 10 years	32,3	622	71,2	0,00	0,00	2,03	5,71		0,002
Boys 11 - 14 years	46,9	108	62,0	0,00	0,00	1,09	1,85		0,002
Girls 11 - 14 years	45,3	110	70,0	0,00	0,00	1,86	5,10		0,002
Men 15 - 17 years	65,6	110	64,5	0,00	0,00	1,13	0,85	0,00	0,002
Women 15 - 17 years	55,6	110	55,5	0,00	0,00	2,07	5,93	0,00	0,001
Men 18 - 59 years	82,5	1422	68,2	0,00	0,00	3,54	28,72	0,00	0,001
Women 18 - 59 years	67,7	1492	62,3	0,00	0,00	4,78	44,89	0,00	0,001
Men 60+ years	82,9	332	71,1	0,00	0,00	12,63	180,21		0,001
Women 60+ years	75,2	510	63,9	0,00	0,00	1,68	3,57		0,001

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	72,0	0,00	0,00	0,00	0,01	0,01	0,01
Children 7 - 10 years	32,3	622	71,2	0,00	0,00	0,00	0,01	0,01	0,01
Boys 11 - 14 years	46,9	108	62,0	0,00	0,00	0,00	0,01	0,01	0,01
Girls 11 - 14 years	45,3	110	70,0	0,00	0,00	0,00	0,01	0,01	0,01
Men 15 - 17 years	65,6	110	64,5	0,00	0,00	0,00	0,01	0,01	0,01
Women 15 - 17 years	55,6	110	55,5	0,00	0,00	0,00	0,00	0,01	0,01
Men 18 - 59 years	82,5	1422	68,2	0,00	0,00	0,00	0,00	0,00	0,01
Women 18 - 59 years	67,7	1492	62,3	0,00	0,00	0,00	0,00	0,01	0,01
Men 60+ years	82,9	332	71,1	0,00	0,00	0,00	0,00	0,00	0,01
Women 60+ years	75,2	510	63,9	0,00	0,00	0,00	0,00	0,00	0,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	299	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,2
Children 7 - 10 years	499	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,3
Boys 11 - 14 years	90	0,0	0,0	0,1	0,1	0,2	0,2	0,3	0,3
Girls 11 - 14 years	91	0,0	0,0	0,0	0,1	0,1	0,2	0,2	0,3
Men 15 - 17 years	93	0,0	0,0	0,1	0,1	0,2	0,3	0,4	0,5
Women 15 - 17 years	77	0,0	0,0	0,0	0,1	0,1	0,2	0,3	0,3
Men 18 - 59 years	1200	0,0	0,0	0,1	0,1	0,2	0,2	0,3	0,4
Women 18 - 59 years	1100	0,0	0,0	0,0	0,1	0,2	0,2	0,3	0,3
Men 60+ years	285	0,0	0,0	0,0	0,1	0,2	0,2	0,3	0,3
Women 60+ years	384	0,0	0,0	0,0	0,1	0,1	0,2	0,3	0,3

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **2 - SPICES**

Commodity: **cinnamon**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,7	0,01	0,01	1,43	1,57		0,001
Children 7 - 10 years	32,3	622	11,7	0,01	0,02	6,43	45,77		0,001
Boys 11 - 14 years	46,9	108	13,0	0,00	0,00	0,54	-0,75	0,00	0,001
Girls 11 - 14 years	45,3	110	12,7	0,01	0,00	1,76	3,16		0,001
Men 15 - 17 years	65,6	110	10,9	0,00	0,00	2,73	8,65	0,00	0,000
Women 15 - 17 years	55,6	110	8,2	0,01	0,01	1,42	0,74		0,000
Men 18 - 59 years	82,5	1422	6,2	0,00	0,00	1,57	2,65	0,00	0,000
Women 18 - 59 years	67,7	1492	7,0	0,00	0,00	3,40	17,74	0,00	0,000
Men 60+ years	82,9	332	10,2	0,00	0,00	3,35	14,87	0,00	0,000
Women 60+ years	75,2	510	12,0	0,00	0,01	7,24	54,78		0,001

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,7	0,00	0,00	0,00	0,01	0,02	0,02
Children 7 - 10 years	32,3	622	11,7	0,00	0,00	0,00	0,01	0,02	0,04
Boys 11 - 14 years	46,9	108	13,0	0,00	0,00	0,00	0,01	0,01	0,01
Girls 11 - 14 years	45,3	110	12,7	0,00	0,00	0,00	0,01	0,01	0,02
Men 15 - 17 years	65,6	110	10,9	0,00	0,00	0,00	0,00	0,01	0,01
Women 15 - 17 years	55,6	110	8,2	0,00	0,00	0,00	0,01	0,02	0,02
Men 18 - 59 years	82,5	1422	6,2	0,00	0,00	0,00	0,01	0,01	0,01
Women 18 - 59 years	67,7	1492	7,0	0,00	0,00	0,00	0,01	0,01	0,01
Men 60+ years	82,9	332	10,2	0,00	0,00	0,00	0,00	0,01	0,01
Women 60+ years	75,2	510	12,0	0,00	0,00	0,00	0,01	0,01	0,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	64	0,0	0,1	0,1	0,1	0,1	0,2	0,4	0,5
Children 7 - 10 years	80	0,1	0,1	0,1	0,1	0,2	0,3	0,6	1,1
Boys 11 - 14 years	17	0,1	0,1	0,1	0,1	0,2	0,2	0,3	0,4
Girls 11 - 14 years	15	0,1	0,1	0,1	0,1	0,3	0,4	0,5	0,5
Men 15 - 17 years	12	0,1	0,1	0,1	0,2	0,2	0,2	0,3	0,4
Women 15 - 17 years	11	0,1	0,1	0,1	0,2	0,3	0,4	0,7	0,9
Men 18 - 59 years	95	0,1	0,1	0,1	0,2	0,3	0,4	0,6	0,6
Women 18 - 59 years	111	0,1	0,1	0,1	0,2	0,2	0,4	0,5	0,6
Men 60+ years	43	0,1	0,1	0,1	0,2	0,2	0,3	0,3	0,4
Women 60+ years	69	0,1	0,1	0,1	0,2	0,2	0,4	0,5	0,7

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**
 Subgroup: **3 - MUSTARD, OTHER SEASONINGS**
 Commodity: **mustard**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	8,5	0,28	0,32	2,04	5,70	0,35	0,026
Children 7 - 10 years	32,3	622	8,2	0,37	0,31	2,02	6,21	0,17	0,030
Boys 11 - 14 years	46,9	108	15,7	0,23	0,18	1,69	3,53	0,14	0,037
Girls 11 - 14 years	45,3	110	20,0	0,21	0,15	0,91	0,02		0,038
Men 15 - 17 years	65,6	110	20,9	0,26	0,18	1,54	2,59	0,17	0,055
Women 15 - 17 years	55,6	110	14,5	0,18	0,13	0,31	-1,39	0,38	0,026
Men 18 - 59 years	82,5	1422	26,7	0,19	0,14	2,80	16,43	0,18	0,049
Women 18 - 59 years	67,7	1492	13,3	0,17	0,13	1,49	2,64	0,10	0,022
Men 60+ years	82,9	332	19,3	0,17	0,11	0,96	0,63		0,032
Women 60+ years	75,2	510	14,3	0,14	0,10	1,16	1,88		0,020

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	8,5	0,02	0,03	0,20	0,69	0,72	0,93
Children 7 - 10 years	32,3	622	8,2	0,02	0,08	0,30	0,77	0,92	1,02
Boys 11 - 14 years	46,9	108	15,7	0,05	0,06	0,19	0,41	0,55	0,65
Girls 11 - 14 years	45,3	110	20,0	0,03	0,06	0,16	0,39	0,49	0,53
Men 15 - 17 years	65,6	110	20,9	0,09	0,09	0,20	0,46	0,60	0,70
Women 15 - 17 years	55,6	110	14,5	0,02	0,02	0,15	0,37	0,38	0,38
Men 18 - 59 years	82,5	1422	26,7	0,05	0,07	0,15	0,35	0,42	0,55
Women 18 - 59 years	67,7	1492	13,3	0,02	0,03	0,13	0,31	0,44	0,50
Men 60+ years	82,9	332	19,3	0,03	0,07	0,15	0,33	0,41	0,44
Women 60+ years	75,2	510	14,3	0,02	0,03	0,12	0,25	0,29	0,35

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	33	0,3	0,3	0,9	5,0	7,0	14,0	17,0	22,0
Children 7 - 10 years	58	0,9	1,5	5,0	7,0	14,0	20,0	30,0	35,8
Boys 11 - 14 years	19	1,3	1,4	3,0	7,0	14,0	21,6	24,4	26,2
Girls 11 - 14 years	23	1,7	2,5	4,3	7,0	12,0	15,8	16,0	17,8
Men 15 - 17 years	27	5,3	6,6	8,5	10,0	17,5	28,8	30,0	36,3
Women 15 - 17 years	20	1,3	1,5	2,0	6,0	11,5	20,0	20,0	20,0
Men 18 - 59 years	434	3,0	5,0	7,0	10,0	15,0	25,0	30,0	33,5
Women 18 - 59 years	216	1,2	1,7	4,9	7,3	14,0	20,0	28,0	32,9
Men 60+ years	70	1,9	4,8	7,0	13,3	14,0	20,1	27,8	33,1
Women 60+ years	78	2,0	2,1	5,0	7,3	14,0	20,0	20,0	21,8

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **3 - MUSTARD, OTHER SEASONINGS**

Commodity: **soup condiment**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	28,3	0,05	0,02	1,26	2,64	0,05	0,014
Children 7 - 10 years	32,3	622	32,2	0,04	0,03	6,30	50,11	0,03	0,012
Boys 11 - 14 years	46,9	108	22,2	0,03	0,01	0,01	-0,84	0,03	0,007
Girls 11 - 14 years	45,3	110	24,5	0,03	0,02	1,83	4,15	0,03	0,007
Men 15 - 17 years	65,6	110	25,5	0,03	0,01	2,48	8,82	0,03	0,007
Women 15 - 17 years	55,6	110	17,3	0,03	0,01	2,39	6,58		0,005
Men 18 - 59 years	82,5	1422	27,8	0,02	0,01	10,42	160,85	0,02	0,006
Women 18 - 59 years	67,7	1492	20,7	0,02	0,01	4,14	30,72	0,02	0,004
Men 60+ years	82,9	332	30,7	0,02	0,01	2,81	11,83	0,02	0,006
Women 60+ years	75,2	510	22,4	0,02	0,01	1,31	2,43	0,02	0,004

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	28,3	0,03	0,03	0,05	0,08	0,09	0,10
Children 7 - 10 years	32,3	622	32,2	0,02	0,02	0,03	0,06	0,07	0,10
Boys 11 - 14 years	46,9	108	22,2	0,02	0,02	0,03	0,05	0,05	0,05
Girls 11 - 14 years	45,3	110	24,5	0,02	0,02	0,03	0,05	0,06	0,07
Men 15 - 17 years	65,6	110	25,5	0,02	0,02	0,03	0,04	0,04	0,06
Women 15 - 17 years	55,6	110	17,3	0,02	0,02	0,02	0,04	0,05	0,07
Men 18 - 59 years	82,5	1422	27,8	0,01	0,01	0,02	0,03	0,03	0,04
Women 18 - 59 years	67,7	1492	20,7	0,01	0,01	0,02	0,03	0,04	0,05
Men 60+ years	82,9	332	30,7	0,01	0,01	0,02	0,03	0,04	0,05
Women 60+ years	75,2	510	22,4	0,01	0,01	0,02	0,03	0,03	0,04

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	106	0,6	0,7	0,9	0,9	1,2	1,5	1,5	1,6
Children 7 - 10 years	203	0,6	0,7	0,9	0,9	1,4	1,5	1,8	2,5
Boys 11 - 14 years	24	0,9	0,9	1,2	1,5	1,5	1,8	1,8	1,8
Girls 11 - 14 years	27	0,7	0,7	0,9	1,1	1,5	1,6	1,9	2,7
Men 15 - 17 years	28	1,1	1,1	1,2	1,5	2,1	2,1	2,7	3,6
Women 15 - 17 years	19	0,9	0,9	0,9	1,2	1,5	2,1	3,1	3,6
Men 18 - 59 years	408	0,9	0,9	1,2	1,5	1,8	2,1	2,4	3,0
Women 18 - 59 years	315	0,7	0,9	0,9	1,4	1,5	1,8	2,1	2,7
Men 60+ years	107	0,9	0,9	1,2	1,5	1,8	2,1	2,8	3,0
Women 60+ years	119	0,7	0,9	0,9	1,2	1,5	1,8	1,8	2,3

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **3 - MUSTARD, OTHER SEASONINGS**
 Commodity: **Vegeta flavouring**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	40,4	0,02	0,03	8,30	84,24		0,010
Children 7 - 10 years	32,3	622	34,4	0,02	0,01	4,13	24,92	0,02	0,005
Boys 11 - 14 years	46,9	108	26,9	0,01	0,01	0,22	-0,96		0,003
Girls 11 - 14 years	45,3	110	35,5	0,01	0,01	2,61	8,75	0,02	0,004
Men 15 - 17 years	65,6	110	21,8	0,01	0,00	0,64	0,97		0,002
Women 15 - 17 years	55,6	110	20,0	0,01	0,01	3,31	12,08	0,00	0,002
Men 18 - 59 years	82,5	1422	20,3	0,01	0,01	6,16	64,92		0,001
Women 18 - 59 years	67,7	1492	22,1	0,01	0,01	9,58	122,84	0,00	0,002
Men 60+ years	82,9	332	25,3	0,01	0,00	1,10	1,76		0,002
Women 60+ years	75,2	510	30,0	0,01	0,01	4,43	27,40	0,01	0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	40,4	0,01	0,01	0,02	0,04	0,04	0,06
Children 7 - 10 years	32,3	622	34,4	0,00	0,01	0,01	0,03	0,03	0,05
Boys 11 - 14 years	46,9	108	26,9	0,01	0,01	0,01	0,02	0,02	0,02
Girls 11 - 14 years	45,3	110	35,5	0,01	0,01	0,01	0,02	0,04	0,04
Men 15 - 17 years	65,6	110	21,8	0,00	0,01	0,01	0,01	0,01	0,02
Women 15 - 17 years	55,6	110	20,0	0,00	0,00	0,01	0,02	0,03	0,04
Men 18 - 59 years	82,5	1422	20,3	0,00	0,00	0,01	0,01	0,01	0,02
Women 18 - 59 years	67,7	1492	22,1	0,00	0,00	0,01	0,01	0,02	0,03
Men 60+ years	82,9	332	25,3	0,00	0,00	0,01	0,01	0,01	0,01
Women 60+ years	75,2	510	30,0	0,00	0,00	0,01	0,01	0,02	0,03

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	157	0,2	0,2	0,3	0,4	0,5	0,8	0,9	1,0
Children 7 - 10 years	220	0,2	0,2	0,3	0,4	0,5	0,8	0,9	1,2
Boys 11 - 14 years	33	0,2	0,2	0,4	0,5	0,6	0,8	0,9	1,0
Girls 11 - 14 years	41	0,2	0,2	0,4	0,5	0,6	0,9	1,1	1,3
Men 15 - 17 years	25	0,2	0,3	0,4	0,5	0,7	0,8	0,8	0,9
Women 15 - 17 years	23	0,2	0,2	0,3	0,4	0,7	0,8	0,9	2,0
Men 18 - 59 years	302	0,2	0,3	0,4	0,5	0,8	0,9	1,1	1,1
Women 18 - 59 years	346	0,2	0,3	0,4	0,5	0,6	0,9	1,1	2,3
Men 60+ years	87	0,2	0,3	0,4	0,5	0,8	0,9	1,1	1,1
Women 60+ years	165	0,2	0,2	0,3	0,5	0,7	0,9	1,2	1,9

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**
 Subgroup: **5 - JAMS AND MARMALADE**
 Commodity: **jam**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	4,7	1,70	1,40				0,074
Children 7 - 10 years	32,3	622	4,7	0,82	0,64				0,036
Boys 11 - 14 years	46,9	108	2,8	0,78	0,57				0,020
Girls 11 - 14 years	45,3	110	1,8	1,92	0,48				0,036
Men 15 - 17 years	65,6	110	4,5	0,49	0,28				0,022
Women 15 - 17 years	55,6	110	5,5	0,51	0,18	0,30	-1,53		0,026
Men 18 - 59 years	82,5	1422	2,5	0,48	0,29			0,40	0,012
Women 18 - 59 years	67,7	1492	3,7	0,37	0,26				0,013
Men 60+ years	82,9	332	4,5	0,38	0,25				0,018
Women 60+ years	75,2	510	5,5	0,48	0,33	1,26	1,09		0,025

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	4,7						
Children 7 - 10 years	32,3	622	4,7						
Boys 11 - 14 years	46,9	108	2,8						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	5,5	0,32	0,34	0,51	0,70	0,73	0,75
Men 18 - 59 years	82,5	1422	2,5						
Women 18 - 59 years	67,7	1492	3,7						
Men 60+ years	82,9	332	4,5						
Women 60+ years	75,2	510	5,5	0,14	0,16	0,39	0,91	1,10	1,26

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	6	20,0	20,0	20,0	25,0	30,0	35,0	37,5	38,8
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years	30	10,0	10,0	20,0	30,0	37,5	60,0	79,8	97,1

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**
 Subgroup: **5 - JAMS AND MARMALADE**
 Commodity: **marmelade**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	13,7	1,05	0,83	1,95	4,18	1,11	0,144
Children 7 - 10 years	32,3	622	9,8	0,88	0,75	2,50	7,15	0,67	0,085
Boys 11 - 14 years	46,9	108	10,2	0,84	0,34	0,07	-0,41		0,073
Girls 11 - 14 years	45,3	110	10,0	0,58	0,27	0,50	0,86		0,056
Men 15 - 17 years	65,6	110	10,0	0,56	0,38	2,25	5,86		0,055
Women 15 - 17 years	55,6	110	4,5	0,54	0,34				0,023
Men 18 - 59 years	82,5	1422	4,5	0,54	0,47				0,022
Women 18 - 59 years	67,7	1492	4,6	0,48	0,32			0,29	0,022
Men 60+ years	82,9	332	7,5	0,53	0,35	1,48	2,73		0,038
Women 60+ years	75,2	510	6,1	0,45	0,28	1,13	0,38	0,59	0,027

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	13,7	0,27	0,41	0,80	1,85	2,87	3,45
Children 7 - 10 years	32,3	622	9,8	0,25	0,26	0,70	1,67	2,22	3,27
Boys 11 - 14 years	46,9	108	10,2	0,39	0,53	0,86	1,28	1,34	1,37
Girls 11 - 14 years	45,3	110	10,0	0,23	0,32	0,59	0,77	0,96	1,05
Men 15 - 17 years	65,6	110	10,0	0,25	0,26	0,46	0,79	1,18	1,38
Women 15 - 17 years	55,6	110	4,5						
Men 18 - 59 years	82,5	1422	4,5						
Women 18 - 59 years	67,7	1492	4,6						
Men 60+ years	82,9	332	7,5	0,19	0,21	0,40	0,92	1,05	1,30
Women 60+ years	75,2	510	6,1	0,16	0,19	0,35	0,91	1,01	1,10

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	56	5,0	10,0	10,0	20,0	26,3	30,0	43,3	55,5
Children 7 - 10 years	64	10,0	10,0	10,0	20,0	30,0	56,8	60,0	66,4
Boys 11 - 14 years	13	5,0	8,0	20,0	30,0	35,8	48,0	54,0	57,0
Girls 11 - 14 years	11	12,5	14,9	17,5	20,0	30,0	40,0	44,0	46,0
Men 15 - 17 years	13	18,0	20,0	20,0	30,0	40,0	40,0	48,0	54,0
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	26	15,4	18,3	20,0	35,0	47,9	68,6	93,7	107,5
Women 60+ years	32	10,0	11,0	20,0	27,5	40,0	59,0	64,5	81,3

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**

Subgroup: **6 - CONSERVANTS**

Commodity: **vinegar**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	27,7	0,17	0,12	1,17	0,72	0,10	0,048
Children 7 - 10 years	32,3	622	26,8	0,14	0,12	3,72	23,97	0,13	0,038
Boys 11 - 14 years	46,9	108	39,8	0,13	0,08	1,40	3,28	0,07	0,052
Girls 11 - 14 years	45,3	110	30,0	0,12	0,11	3,61	16,38		0,034
Men 15 - 17 years	65,6	110	28,2	0,11	0,06	0,84	-0,03		0,030
Women 15 - 17 years	55,6	110	30,0	0,10	0,08	1,68	3,43		0,029
Men 18 - 59 years	82,5	1422	30,2	0,08	0,06	2,32	9,97	0,13	0,023
Women 18 - 59 years	67,7	1492	28,2	0,08	0,08	4,80	34,54	0,07	0,023
Men 60+ years	82,9	332	26,5	0,07	0,07	3,58	19,43	0,04	0,020
Women 60+ years	75,2	510	27,6	0,08	0,06	1,36	1,03	0,07	0,021

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	27,7	0,04	0,06	0,13	0,37	0,42	0,47
Children 7 - 10 years	32,3	622	26,8	0,04	0,05	0,12	0,25	0,33	0,44
Boys 11 - 14 years	46,9	108	39,8	0,04	0,06	0,13	0,22	0,25	0,30
Girls 11 - 14 years	45,3	110	30,0	0,04	0,05	0,10	0,18	0,24	0,35
Men 15 - 17 years	65,6	110	28,2	0,04	0,05	0,09	0,21	0,22	0,24
Women 15 - 17 years	55,6	110	30,0	0,02	0,03	0,08	0,19	0,24	0,31
Men 18 - 59 years	82,5	1422	30,2	0,02	0,03	0,06	0,14	0,17	0,22
Women 18 - 59 years	67,7	1492	28,2	0,02	0,03	0,06	0,15	0,20	0,26
Men 60+ years	82,9	332	26,5	0,02	0,02	0,05	0,14	0,18	0,22
Women 60+ years	75,2	510	27,6	0,02	0,02	0,06	0,20	0,23	0,25

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	104	0,8	1,3	1,8	2,6	4,2	6,7	8,9	10,9
Children 7 - 10 years	181	1,2	1,7	2,0	3,3	5,0	7,5	8,3	12,8
Boys 11 - 14 years	50	1,6	1,7	3,0	4,5	6,9	8,4	12,8	15,0
Girls 11 - 14 years	36	1,7	1,9	2,6	3,6	5,4	9,4	10,7	11,8
Men 15 - 17 years	33	2,2	2,6	3,5	5,3	8,7	12,5	13,3	13,3
Women 15 - 17 years	36	1,4	1,7	2,4	4,1	7,5	9,2	10,2	11,5
Men 18 - 59 years	471	1,7	2,0	3,0	5,0	7,5	10,4	13,0	14,2
Women 18 - 59 years	455	1,5	1,7	2,6	4,0	6,0	8,9	12,5	16,4
Men 60+ years	95	1,7	1,8	2,5	4,0	7,5	10,0	13,0	13,7
Women 60+ years	148	1,6	1,7	2,5	4,2	6,7	12,7	13,3	15,9

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **7 - SALT**

Commodity: **salt**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	99,7	0,22	0,12	0,71	0,32		0,210
Children 7 - 10 years	32,3	622	99,8	0,17	0,10	2,04	10,18	0,08	0,160
Boys 11 - 14 years	46,9	108	98,1	0,15	0,08	0,97	1,68		0,144
Girls 11 - 14 years	45,3	110	99,1	0,15	0,10	2,43	8,20		0,140
Men 15 - 17 years	65,6	110	99,1	0,13	0,07	1,09	1,47		0,125
Women 15 - 17 years	55,6	110	98,2	0,10	0,06	0,83	0,51		0,094
Men 18 - 59 years	82,5	1422	97,6	0,10	0,06	1,55	5,07	0,05	0,094
Women 18 - 59 years	67,7	1492	95,2	0,09	0,06	1,84	8,11	0,05	0,083
Men 60+ years	82,9	332	97,9	0,09	0,05	0,97	1,52		0,087
Women 60+ years	75,2	510	98,6	0,08	0,05	2,16	10,61	0,03	0,077

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	99,7	0,06	0,08	0,21	0,38	0,43	0,48
Children 7 - 10 years	32,3	622	99,8	0,04	0,06	0,15	0,29	0,33	0,41
Boys 11 - 14 years	46,9	108	98,1	0,04	0,06	0,14	0,25	0,27	0,31
Girls 11 - 14 years	45,3	110	99,1	0,05	0,06	0,12	0,26	0,31	0,46
Men 15 - 17 years	65,6	110	99,1	0,03	0,05	0,11	0,22	0,25	0,32
Women 15 - 17 years	55,6	110	98,2	0,02	0,03	0,09	0,16	0,20	0,24
Men 18 - 59 years	82,5	1422	97,6	0,03	0,04	0,09	0,16	0,20	0,23
Women 18 - 59 years	67,7	1492	95,2	0,02	0,03	0,08	0,16	0,19	0,22
Men 60+ years	82,9	332	97,9	0,02	0,04	0,08	0,15	0,17	0,20
Women 60+ years	75,2	510	98,6	0,02	0,03	0,07	0,14	0,17	0,21

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	649	0,1	0,2	0,7	2,1	3,8	5,4	6,6	7,8
Children 7 - 10 years	1030	0,2	0,5	1,2	2,8	4,5	6,2	7,5	8,6
Boys 11 - 14 years	203	0,3	0,5	1,3	2,9	5,1	7,7	8,8	9,7
Girls 11 - 14 years	196	0,3	0,5	1,5	3,3	4,9	6,3	7,7	9,0
Men 15 - 17 years	195	0,5	0,8	2,3	4,1	6,3	9,2	10,7	11,4
Women 15 - 17 years	171	0,3	0,5	1,5	3,3	4,6	6,5	7,2	8,2
Men 18 - 59 years	2317	0,5	1,0	2,3	4,2	6,7	8,9	10,5	12,1
Women 18 - 59 years	2226	0,3	0,6	1,7	3,3	5,3	7,3	8,6	9,8
Men 60+ years	569	0,4	0,5	1,7	3,6	6,1	8,6	9,9	11,2
Women 60+ years	797	0,3	0,5	1,4	3,3	5,1	7,2	8,6	10,1

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **8 - OTHER FOODS**

Commodity: **yeast**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	15,1	0,10	0,11	3,34	14,27		0,016
Children 7 - 10 years	32,3	622	21,7	0,07	0,08	6,38	53,55	0,07	0,014
Boys 11 - 14 years	46,9	108	29,6	0,06	0,04	2,58	8,78	0,06	0,017
Girls 11 - 14 years	45,3	110	21,8	0,08	0,10	3,27	12,97		0,018
Men 15 - 17 years	65,6	110	19,1	0,04	0,03	2,59	8,56	0,04	0,008
Women 15 - 17 years	55,6	110	17,3	0,05	0,03	1,15	1,02		0,008
Men 18 - 59 years	82,5	1422	17,6	0,04	0,03	4,57	32,15	0,03	0,007
Women 18 - 59 years	67,7	1492	12,2	0,05	0,06	6,08	48,78	0,03	0,006
Men 60+ years	82,9	332	18,1	0,04	0,02	1,48	2,62		0,006
Women 60+ years	75,2	510	15,7	0,05	0,11	7,77	65,48	0,02	0,007

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	15,1	0,03	0,04	0,07	0,21	0,31	0,33
Children 7 - 10 years	32,3	622	21,7	0,02	0,03	0,05	0,11	0,15	0,22
Boys 11 - 14 years	46,9	108	29,6	0,02	0,02	0,05	0,09	0,12	0,17
Girls 11 - 14 years	45,3	110	21,8	0,02	0,02	0,05	0,15	0,17	0,32
Men 15 - 17 years	65,6	110	19,1	0,02	0,03	0,04	0,06	0,07	0,10
Women 15 - 17 years	55,6	110	17,3	0,02	0,02	0,04	0,08	0,10	0,11
Men 18 - 59 years	82,5	1422	17,6	0,01	0,02	0,03	0,07	0,09	0,12
Women 18 - 59 years	67,7	1492	12,2	0,01	0,01	0,03	0,07	0,13	0,21
Men 60+ years	82,9	332	18,1	0,01	0,01	0,03	0,06	0,07	0,09
Women 60+ years	75,2	510	15,7	0,01	0,01	0,03	0,08	0,12	0,16

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	64	0,6	0,6	1,0	1,2	2,2	3,5	5,4	7,1
Children 7 - 10 years	146	0,6	0,8	1,0	1,5	2,3	3,0	4,6	6,2
Boys 11 - 14 years	37	0,9	1,1	1,4	2,0	2,5	3,7	4,5	5,2
Girls 11 - 14 years	28	0,9	1,0	1,2	1,8	3,7	5,0	6,6	12,8
Men 15 - 17 years	21	1,2	1,2	2,0	2,5	3,0	3,8	4,8	6,1
Women 15 - 17 years	22	0,6	0,7	1,2	1,9	2,9	4,6	5,3	6,0
Men 18 - 59 years	275	1,1	1,4	2,0	2,5	3,1	4,5	6,0	7,2
Women 18 - 59 years	198	0,7	1,0	1,2	2,0	2,9	4,5	7,8	10,8
Men 60+ years	72	0,7	1,0	1,5	2,2	3,0	3,7	5,1	6,0
Women 60+ years	94	0,6	0,7	1,2	1,6	2,9	5,9	7,5	8,8

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **O - OTHER FOODS**

Subgroup: **8 - OTHER FOODS**

Commodity: **baking powder**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,6	0,02	0,01	0,60	-0,97		0,002
Children 7 - 10 years	32,3	622	9,6	0,02	0,02	2,28	5,02		0,002
Boys 11 - 14 years	46,9	108	9,3	0,01	0,00	0,98	0,28		0,001
Girls 11 - 14 years	45,3	110	10,0	0,02	0,02	1,05	-0,44		0,002
Men 15 - 17 years	65,6	110	11,8	0,01	0,01	0,80	-0,97		0,002
Women 15 - 17 years	55,6	110	3,6	0,01	0,00				0,000
Men 18 - 59 years	82,5	1422	8,3	0,01	0,01	1,24	0,77	0,01	0,001
Women 18 - 59 years	67,7	1492	7,9	0,01	0,01	2,61	9,64		0,001
Men 60+ years	82,9	332	9,6	0,01	0,01	0,77	-0,77	0,01	0,001
Women 60+ years	75,2	510	7,8	0,01	0,01	2,30	6,58		0,001

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,6	0,01	0,01	0,02	0,05	0,05	0,05
Children 7 - 10 years	32,3	622	9,6	0,01	0,01	0,01	0,05	0,08	0,10
Boys 11 - 14 years	46,9	108	9,3	0,00	0,01	0,01	0,01	0,01	0,01
Girls 11 - 14 years	45,3	110	10,0	0,00	0,01	0,01	0,05	0,05	0,05
Men 15 - 17 years	65,6	110	11,8	0,00	0,00	0,01	0,03	0,03	0,03
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	8,3	0,00	0,00	0,01	0,03	0,03	0,03
Women 18 - 59 years	67,7	1492	7,9	0,00	0,00	0,01	0,02	0,02	0,03
Men 60+ years	82,9	332	9,6	0,00	0,00	0,01	0,03	0,03	0,03
Women 60+ years	75,2	510	7,8	0,00	0,00	0,00	0,02	0,02	0,02

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	28	0,1	0,2	0,2	0,3	0,6	1,0	1,0	1,0
Children 7 - 10 years	69	0,1	0,2	0,3	0,4	0,8	1,3	2,1	2,8
Boys 11 - 14 years	11	0,2	0,2	0,2	0,3	0,3	0,5	0,6	0,6
Girls 11 - 14 years	14	0,2	0,2	0,3	0,5	0,5	0,8	1,2	1,6
Men 15 - 17 years	14	0,3	0,3	0,4	0,6	1,2	1,4	1,8	2,0
Women 15 - 17 years									
Men 18 - 59 years	133	0,2	0,2	0,3	0,5	1,0	1,9	2,3	2,3
Women 18 - 59 years	134	0,1	0,1	0,2	0,4	0,7	1,1	1,5	1,5
Men 60+ years	37	0,1	0,2	0,3	0,5	1,5	2,2	2,4	2,8
Women 60+ years	48	0,1	0,1	0,2	0,3	0,7	1,0	1,4	1,5

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **O - OTHER FOODS**
 Subgroup: **8 - OTHER FOODS**
 Commodity: **artificial sweetener**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	0,0						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,9	0,00				0,00	0,000
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	1,5	0,00	0,00				0,000
Women 18 - 59 years	67,7	1492	2,0	0,01	0,03				0,000
Men 60+ years	82,9	332	6,0	0,00	0,00	1,54	2,65		0,000
Women 60+ years	75,2	510	6,9	0,00	0,00	1,84	3,60		0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	0,0						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	1,5						
Women 18 - 59 years	67,7	1492	2,0						
Men 60+ years	82,9	332	6,0	0,00	0,00	0,00	0,00	0,01	0,01
Women 60+ years	75,2	510	6,9	0,00	0,00	0,00	0,01	0,01	0,01

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	31	0,1	0,1	0,2	0,2	0,2	0,2	0,2	0,2
Women 60+ years	60	0,1	0,1	0,1	0,2	0,2	0,2	0,2	0,2

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **1 - COFFEE**

Commodity: **coffee**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,5	0,36	0,15				0,003
Children 7 - 10 years	32,3	622	0,5	0,53	0,07				0,002
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	1,8	0,24	0,02				0,004
Women 15 - 17 years	55,6	110	7,3	0,17	0,06	0,68	-1,91		0,013
Men 18 - 59 years	82,5	1422	50,5	0,18	0,11	1,65	3,46	0,16	0,087
Women 18 - 59 years	67,7	1492	53,9	0,21	0,14	2,59	13,16	0,10	0,112
Men 60+ years	82,9	332	59,0	0,17	0,10	1,72	3,73	0,18	0,102
Women 60+ years	75,2	510	52,7	0,18	0,10	1,52	2,52	0,09	0,095

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,5						
Children 7 - 10 years	32,3	622	0,5						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	7,3	0,12	0,12	0,13	0,25	0,25	0,25
Men 18 - 59 years	82,5	1422	50,5	0,07	0,08	0,16	0,33	0,37	0,45
Women 18 - 59 years	67,7	1492	53,9	0,08	0,09	0,18	0,38	0,48	0,58
Men 60+ years	82,9	332	59,0	0,07	0,08	0,16	0,31	0,35	0,46
Women 60+ years	75,2	510	52,7	0,08	0,08	0,17	0,31	0,41	0,47

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	8	7,0	7,0	7,0	7,0	14,0	14,0	14,0	14,0
Men 18 - 59 years	1127	7,0	7,0	7,0	7,0	14,0	14,0	14,0	14,0
Women 18 - 59 years	1290	7,0	7,0	7,0	7,0	14,0	14,0	14,0	14,0
Men 60+ years	289	7,0	7,0	7,0	7,0	14,0	14,0	14,0	14,0
Women 60+ years	385	7,0	7,0	7,0	7,0	14,0	14,0	14,0	14,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **1 - COFFEE**

Commodity: **instant coffee**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	1,1	0,08	0,02				0,001
Children 7 - 10 years	32,3	622	1,0	0,06	0,01			0,05	0,001
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	2,7	0,05	0,02				0,001
Men 15 - 17 years	65,6	110	2,7	0,02	0,01				0,001
Women 15 - 17 years	55,6	110	6,4	0,04	0,02	2,13	5,22		0,002
Men 18 - 59 years	82,5	1422	18,1	0,03	0,02	3,55	23,13	0,03	0,006
Women 18 - 59 years	67,7	1492	30,5	0,04	0,02	1,29	1,81	0,03	0,013
Men 60+ years	82,9	332	15,1	0,03	0,02	1,08	0,15		0,005
Women 60+ years	75,2	510	23,7	0,04	0,02	1,11	0,55		0,009

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	1,1						
Children 7 - 10 years	32,3	622	1,0						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	2,7						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	6,4	0,02	0,02	0,03	0,06	0,07	0,08
Men 18 - 59 years	82,5	1422	18,1	0,02	0,02	0,03	0,06	0,07	0,08
Women 18 - 59 years	67,7	1492	30,5	0,02	0,03	0,04	0,07	0,08	0,10
Men 60+ years	82,9	332	15,1	0,02	0,02	0,03	0,06	0,06	0,07
Women 60+ years	75,2	510	23,7	0,02	0,02	0,03	0,06	0,07	0,08

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years	7	1,3	1,6	2,0	2,0	2,0	2,8	3,4	3,7
Men 18 - 59 years	347	2,0	2,0	2,0	2,0	2,0	2,0	2,7	4,0
Women 18 - 59 years	639	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,6
Men 60+ years	70	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,6
Women 60+ years	169	1,4	2,0	2,0	2,0	2,0	2,0	2,0	2,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **1 - COFFEE**

Commodity: **coffee-substitute**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,0	0,37	0,19			0,30	0,012
Children 7 - 10 years	32,3	622	1,1	0,17	0,12				0,002
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,9	0,28				0,28	0,002
Women 15 - 17 years	55,6	110	2,7	0,27	0,01				0,007
Men 18 - 59 years	82,5	1422	1,3	0,15	0,10				0,002
Women 18 - 59 years	67,7	1492	2,1	0,23	0,27				0,005
Men 60+ years	82,9	332	6,9	0,16	0,10	1,02	0,36		0,010
Women 60+ years	75,2	510	9,6	0,12	0,06	0,72	1,15	0,09	0,011

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,0						
Children 7 - 10 years	32,3	622	1,1						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	1,3						
Women 18 - 59 years	67,7	1492	2,1						
Men 60+ years	82,9	332	6,9	0,06	0,07	0,12	0,27	0,34	0,37
Women 60+ years	75,2	510	9,6	0,03	0,03	0,11	0,19	0,20	0,24

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	25	4,2	5,0	6,0	9,0	14,0	21,0	21,0	21,0
Women 60+ years	50	2,0	2,0	7,0	7,0	14,0	14,0	17,9	21,0

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **2 - TEA**

Commodity: **tea**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	22,0	0,13	0,07	1,64	2,94	0,07	0,027
Children 7 - 10 years	32,3	622	30,9	0,08	0,06	2,67	9,10		0,022
Boys 11 - 14 years	46,9	108	31,5	0,06	0,04	2,07	6,36		0,019
Girls 11 - 14 years	45,3	110	34,5	0,05	0,03	1,41	1,85	0,03	0,016
Men 15 - 17 years	65,6	110	46,4	0,03	0,02	3,14	13,52	0,02	0,016
Women 15 - 17 years	55,6	110	30,9	0,04	0,03	2,58	7,38	0,03	0,013
Men 18 - 59 years	82,5	1422	37,8	0,03	0,02	2,73	9,51	0,02	0,010
Women 18 - 59 years	67,7	1492	34,3	0,04	0,02	2,82	12,26	0,03	0,012
Men 60+ years	82,9	332	40,4	0,03	0,02	1,99	3,84	0,02	0,011
Women 60+ years	75,2	510	35,9	0,03	0,02	2,20	6,87	0,02	0,011

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	22,0	0,06	0,07	0,09	0,24	0,25	0,30
Children 7 - 10 years	32,3	622	30,9	0,03	0,04	0,05	0,14	0,18	0,24
Boys 11 - 14 years	46,9	108	31,5	0,02	0,03	0,05	0,11	0,11	0,14
Girls 11 - 14 years	45,3	110	34,5	0,02	0,03	0,04	0,08	0,09	0,12
Men 15 - 17 years	65,6	110	46,4	0,02	0,02	0,03	0,06	0,06	0,07
Women 15 - 17 years	55,6	110	30,9	0,02	0,03	0,03	0,07	0,10	0,12
Men 18 - 59 years	82,5	1422	37,8	0,02	0,02	0,02	0,04	0,06	0,08
Women 18 - 59 years	67,7	1492	34,3	0,02	0,02	0,03	0,06	0,08	0,09
Men 60+ years	82,9	332	40,4	0,01	0,02	0,02	0,05	0,07	0,08
Women 60+ years	75,2	510	35,9	0,02	0,02	0,02	0,05	0,06	0,07

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	130	1,5	1,5	1,5	1,5	1,5	2,0	2,0	2,0
Children 7 - 10 years	267	1,5	1,5	1,5	1,5	1,5	2,0	2,0	2,5
Boys 11 - 14 years	59	1,5	1,5	1,5	1,5	1,5	2,0	2,0	2,0
Girls 11 - 14 years	53	1,5	1,5	1,5	1,5	1,5	1,5	2,0	2,0
Men 15 - 17 years	68	1,5	1,5	1,5	1,5	1,5	1,7	3,0	4,0
Women 15 - 17 years	46	1,5	1,5	1,5	1,5	1,5	2,0	2,8	3,1
Men 18 - 59 years	708	1,5	1,5	1,5	1,5	1,5	1,5	3,0	3,0
Women 18 - 59 years	722	1,5	1,5	1,5	1,5	1,5	1,5	3,0	3,0
Men 60+ years	186	1,5	1,5	1,5	1,5	1,5	1,5	1,5	2,2
Women 60+ years	262	1,5	1,5	1,5	1,5	1,5	1,5	2,0	2,6

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **P - BEVERAGES**

Subgroup: **2 - TEA**

Commodity: **fruit tea**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	68,4	0,18	0,10	1,46	2,43	0,11	0,117
Children 7 - 10 years	32,3	622	53,2	0,11	0,08	3,76	24,14	0,06	0,053
Boys 11 - 14 years	46,9	108	49,1	0,08	0,06	2,43	6,39	0,04	0,034
Girls 11 - 14 years	45,3	110	56,4	0,08	0,05	2,49	7,22		0,040
Men 15 - 17 years	65,6	110	34,5	0,04	0,03	2,09	3,91	0,03	0,014
Women 15 - 17 years	55,6	110	46,4	0,05	0,02	1,73	2,29	0,04	0,024
Men 18 - 59 years	82,5	1422	24,6	0,04	0,02	3,02	11,93	0,03	0,009
Women 18 - 59 years	67,7	1492	36,0	0,05	0,03	2,88	14,90	0,03	0,017
Men 60+ years	82,9	332	18,7	0,04	0,03	1,85	4,03	0,03	0,008
Women 60+ years	75,2	510	33,3	0,05	0,03	1,77	3,39	0,05	0,015

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	68,4	0,07	0,08	0,14	0,32	0,39	0,44
Children 7 - 10 years	32,3	622	53,2	0,05	0,05	0,08	0,19	0,24	0,28
Boys 11 - 14 years	46,9	108	49,1	0,03	0,04	0,05	0,13	0,19	0,26
Girls 11 - 14 years	45,3	110	56,4	0,03	0,04	0,06	0,12	0,15	0,25
Men 15 - 17 years	65,6	110	34,5	0,03	0,03	0,03	0,08	0,10	0,12
Women 15 - 17 years	55,6	110	46,4	0,03	0,03	0,04	0,08	0,11	0,11
Men 18 - 59 years	82,5	1422	24,6	0,02	0,02	0,03	0,05	0,07	0,10
Women 18 - 59 years	67,7	1492	36,0	0,02	0,03	0,04	0,08	0,11	0,13
Men 60+ years	82,9	332	18,7	0,02	0,02	0,03	0,07	0,10	0,11
Women 60+ years	75,2	510	33,3	0,02	0,02	0,04	0,08	0,10	0,12

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	439	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,1
Children 7 - 10 years	510	2,0	2,0	2,0	2,0	2,0	2,0	2,0	4,0
Boys 11 - 14 years	78	2,0	2,0	2,0	2,0	2,0	2,0	4,0	4,0
Girls 11 - 14 years	92	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0
Men 15 - 17 years	48	2,0	2,0	2,0	2,0	2,0	2,0	2,0	3,7
Women 15 - 17 years	67	2,0	2,0	2,0	2,0	2,0	2,0	4,0	4,0
Men 18 - 59 years	441	2,0	2,0	2,0	2,0	2,0	4,0	4,0	4,0
Women 18 - 59 years	740	2,0	2,0	2,0	2,0	2,0	2,0	4,0	4,0
Men 60+ years	87	2,0	2,0	2,0	2,0	2,0	4,0	4,0	4,0
Women 60+ years	245	2,0	2,0	2,0	2,0	2,0	2,0	4,0	4,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **P - BEVERAGES**

Subgroup: **2 - TEA**

Commodity: **herb tea**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	9,3	0,13	0,07	1,94	4,74		0,012
Children 7 - 10 years	32,3	622	4,7	0,08	0,06			0,05	0,004
Boys 11 - 14 years	46,9	108	0,9	0,02				0,02	0,000
Girls 11 - 14 years	45,3	110	6,4	0,06	0,04	1,39	0,24	0,04	0,004
Men 15 - 17 years	65,6	110	4,5	0,03	0,01				0,001
Women 15 - 17 years	55,6	110	2,7	0,06	0,05				0,002
Men 18 - 59 years	82,5	1422	3,5	0,03	0,02			0,02	0,001
Women 18 - 59 years	67,7	1492	11,1	0,04	0,02	3,28	16,26	0,02	0,004
Men 60+ years	82,9	332	11,4	0,04	0,02	0,74	0,20		0,004
Women 60+ years	75,2	510	17,5	0,04	0,03	2,38	6,30	0,02	0,007

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	9,3	0,06	0,06	0,10	0,20	0,24	0,31
Children 7 - 10 years	32,3	622	4,7						
Boys 11 - 14 years	46,9	108	0,9						
Girls 11 - 14 years	45,3	110	6,4	0,03	0,03	0,04	0,12	0,13	0,14
Men 15 - 17 years	65,6	110	4,5						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	3,5						
Women 18 - 59 years	67,7	1492	11,1	0,02	0,02	0,03	0,06	0,08	0,10
Men 60+ years	82,9	332	11,4	0,02	0,02	0,03	0,06	0,06	0,07
Women 60+ years	75,2	510	17,5	0,02	0,02	0,03	0,08	0,10	0,15

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	54	1,5	1,5	1,5	1,5	2,0	2,0	2,0	2,0
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years	11	1,5	1,5	1,5	1,5	1,5	2,0	2,0	2,0
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years	217	1,5	1,5	1,5	1,5	2,0	2,0	3,0	3,0
Men 60+ years	51	1,5	1,5	1,5	2,0	2,0	3,0	3,5	4,0
Women 60+ years	138	1,5	1,5	1,5	1,5	2,0	3,0	3,0	3,9

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **coca-cola**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	5,2	18,79	16,23	2,21	4,37		0,881
Children 7 - 10 years	32,3	622	10,5	15,95	11,65	2,01	5,04	10,00	1,627
Boys 11 - 14 years	46,9	108	18,5	12,08	7,81	1,18	0,69	12,50	2,130
Girls 11 - 14 years	45,3	110	10,9	6,66	3,67	1,04	0,57		0,759
Men 15 - 17 years	65,6	110	23,6	11,26	8,51	1,01	-0,26		2,662
Women 15 - 17 years	55,6	110	12,7	9,35	5,34	0,82	-0,83		1,169
Men 18 - 59 years	82,5	1422	10,1	6,52	4,47	2,62	11,01	3,53	0,633
Women 18 - 59 years	67,7	1492	6,1	7,25	5,43	2,57	7,12		0,407
Men 60+ years	82,9	332	2,4	6,01	3,38				0,156
Women 60+ years	75,2	510	2,2	4,24	1,38				0,097

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	5,2	7,91	8,56	12,50	37,67	56,17	61,42
Children 7 - 10 years	32,3	622	10,5	5,03	6,10	12,50	30,61	33,07	50,00
Boys 11 - 14 years	46,9	108	18,5	4,95	5,09	10,39	23,88	25,94	28,76
Girls 11 - 14 years	45,3	110	10,9	2,98	3,40	5,41	10,18	12,28	13,55
Men 15 - 17 years	65,6	110	23,6	3,52	3,76	7,62	25,16	26,95	28,67
Women 15 - 17 years	55,6	110	12,7	4,23	4,57	8,13	17,79	18,18	18,35
Men 18 - 59 years	82,5	1422	10,1	2,53	3,06	5,13	12,16	13,51	17,96
Women 18 - 59 years	67,7	1492	6,1	3,08	3,39	5,56	11,32	17,62	26,19
Men 60+ years	82,9	332	2,4						
Women 60+ years	75,2	510	2,2						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	24	200,0	200,0	200,0	250,0	300,0	500,0	500,0	500,0
Children 7 - 10 years	89	200,0	200,0	200,0	300,0	330,0	500,0	500,0	500,0
Boys 11 - 14 years	32	205,0	250,0	300,0	300,0	300,0	500,0	500,0	612,5
Girls 11 - 14 years	13	200,0	200,0	200,0	200,0	330,0	500,0	500,0	500,0
Men 15 - 17 years	36	237,5	250,0	300,0	500,0	500,0	500,0	925,0	997,5
Women 15 - 17 years	18	200,0	235,0	300,0	300,0	500,0	530,0	615,0	657,5
Men 18 - 59 years	182	200,0	200,0	300,0	300,0	500,0	500,0	500,0	530,4
Women 18 - 59 years	117	200,0	200,0	250,0	300,0	330,0	500,0	500,0	500,0
Men 60+ years									
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **juice**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	26,4	20,07	15,41	2,60	7,84	11,11	5,064
Children 7 - 10 years	32,3	622	23,2	13,04	13,55	4,73	30,46	7,14	2,902
Boys 11 - 14 years	46,9	108	8,3	8,56	7,12	1,48	1,30		0,534
Girls 11 - 14 years	45,3	110	20,0	8,01	5,16	0,68	-0,31	6,67	1,558
Men 15 - 17 years	65,6	110	11,8	10,87	6,33	0,76	1,00		1,240
Women 15 - 17 years	55,6	110	15,5	7,01	4,11	1,82	3,94		1,063
Men 18 - 59 years	82,5	1422	5,7	5,70	3,53	1,12	0,36	4,00	0,302
Women 18 - 59 years	67,7	1492	11,3	5,92	4,27	3,88	23,20	5,45	0,630
Men 60+ years	82,9	332	2,1	5,95	3,35			6,25	0,131
Women 60+ years	75,2	510	5,9	4,73	3,06	3,45	15,51		0,257

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	26,4	7,97	8,70	15,00	32,43	48,44	69,58
Children 7 - 10 years	32,3	622	23,2	4,06	5,50	9,09	19,23	37,43	48,60
Boys 11 - 14 years	46,9	108	8,3	2,65	3,27	6,10	18,46	20,90	22,11
Girls 11 - 14 years	45,3	110	20,0	2,40	2,87	6,67	14,57	15,89	17,88
Men 15 - 17 years	65,6	110	11,8	3,14	3,44	11,54	16,59	20,34	22,88
Women 15 - 17 years	55,6	110	15,5	3,47	3,65	5,77	11,04	13,08	16,15
Men 18 - 59 years	82,5	1422	5,7	2,27	2,50	4,29	11,76	12,50	13,02
Women 18 - 59 years	67,7	1492	11,3	2,64	2,86	4,70	10,00	13,12	15,17
Men 60+ years	82,9	332	2,1						
Women 60+ years	75,2	510	5,9	1,98	2,79	4,03	6,30	7,62	11,20

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	132	100,0	200,0	200,0	200,0	300,0	300,0	350,0	453,5
Children 7 - 10 years	191	150,0	200,0	200,0	200,0	300,0	300,0	450,0	500,0
Boys 11 - 14 years	11	150,0	200,0	200,0	250,0	300,0	300,0	350,0	375,0
Girls 11 - 14 years	30	145,0	200,0	200,0	250,0	300,0	320,0	500,0	500,0
Men 15 - 17 years	18	200,0	235,0	300,0	400,0	500,0	1 000,0	1 000,0	1 000,0
Women 15 - 17 years	16	200,0	200,0	200,0	300,0	425,0	675,0	812,5	906,3
Men 18 - 59 years	101	200,0	200,0	200,0	300,0	400,0	500,0	1 000,0	1 000,0
Women 18 - 59 years	210	150,0	200,0	200,0	300,0	300,0	500,0	500,0	500,0
Men 60+ years									
Women 60+ years	32	155,0	200,0	200,0	300,0	300,0	400,0	500,0	500,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **lemonade**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	24,5	20,08	15,23	1,50	1,73	20,00	4,705
Children 7 - 10 years	32,3	622	33,0	16,46	16,93	5,61	46,72	10,00	5,096
Boys 11 - 14 years	46,9	108	33,3	20,38	16,11	1,36	1,03		6,502
Girls 11 - 14 years	45,3	110	37,3	12,32	9,31	1,32	0,94	12,50	4,064
Men 15 - 17 years	65,6	110	21,8	11,42	8,36	0,94	-0,59		2,516
Women 15 - 17 years	55,6	110	26,4	12,04	9,18	1,49	1,73		2,986
Men 18 - 59 years	82,5	1422	13,5	8,41	6,48	1,55	1,93	6,67	1,096
Women 18 - 59 years	67,7	1492	10,3	8,10	7,94	3,97	23,03	6,67	0,792
Men 60+ years	82,9	332	6,6	6,23	6,19	2,92	9,93		0,421
Women 60+ years	75,2	510	8,6	7,42	6,08	1,46	1,33		0,654

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	24,5	6,02	7,05	14,81	43,43	52,63	60,27
Children 7 - 10 years	32,3	622	33,0	5,29	6,58	11,90	29,21	38,14	54,53
Boys 11 - 14 years	46,9	108	33,3	5,53	6,62	13,51	43,31	51,39	57,22
Girls 11 - 14 years	45,3	110	37,3	3,70	4,17	8,75	26,92	33,33	34,74
Men 15 - 17 years	65,6	110	21,8	3,50	3,64	8,75	25,58	26,38	27,05
Women 15 - 17 years	55,6	110	26,4	3,85	3,85	9,43	24,46	31,15	33,88
Men 18 - 59 years	82,5	1422	13,5	2,38	2,78	6,34	18,69	23,27	26,38
Women 18 - 59 years	67,7	1492	10,3	2,25	2,92	5,60	15,77	21,25	25,82
Men 60+ years	82,9	332	6,6	2,31	2,40	4,00	12,18	12,61	20,75
Women 60+ years	75,2	510	8,6	2,22	2,50	5,02	16,91	20,99	21,56

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	138	100,0	185,0	200,0	225,0	300,0	400,0	500,0	500,0
Children 7 - 10 years	313	200,0	200,0	200,0	250,0	300,0	400,0	500,0	500,0
Boys 11 - 14 years	62	200,0	200,0	250,0	300,0	500,0	500,0	500,0	595,0
Girls 11 - 14 years	63	200,0	200,0	200,0	300,0	300,0	500,0	500,0	500,0
Men 15 - 17 years	40	200,0	200,0	250,0	315,0	500,0	500,0	500,0	555,0
Women 15 - 17 years	45	200,0	200,0	250,0	300,0	400,0	500,0	500,0	500,0
Men 18 - 59 years	271	200,0	200,0	250,0	300,0	500,0	500,0	900,0	1 000,0
Women 18 - 59 years	211	200,0	200,0	200,0	300,0	300,0	500,0	500,0	500,0
Men 60+ years	27	200,0	200,0	250,0	300,0	300,0	400,0	470,0	675,0
Women 60+ years	53	200,0	200,0	200,0	250,0	300,0	500,0	700,0	1 000,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **instant drink**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	1,1	0,45	0,40				0,005
Children 7 - 10 years	32,3	622	2,1	0,21	0,08				0,004
Boys 11 - 14 years	46,9	108	7,4	0,20	0,17	2,26	5,70		0,015
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	1,8	0,24	0,04				0,005
Women 15 - 17 years	55,6	110	1,8	0,23	0,23				0,004
Men 18 - 59 years	82,5	1422	0,4	0,11	0,06				0,000
Women 18 - 59 years	67,7	1492	0,7	0,14	0,09				0,001
Men 60+ years	82,9	332	0,6	0,14	0,11				0,001
Women 60+ years	75,2	510	0,8	0,06	0,02				0,000

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	1,1						
Children 7 - 10 years	32,3	622	2,1						
Boys 11 - 14 years	46,9	108	7,4	0,06	0,07	0,15	0,34	0,47	0,53
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	1,8						
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	0,4						
Women 18 - 59 years	67,7	1492	0,7						
Men 60+ years	82,9	332	0,6						
Women 60+ years	75,2	510	0,8						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years	12	3,0	3,0	3,0	3,8	7,8	10,0	14,5	17,3
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years									
Women 60+ years									

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **mineral water**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	23,6	20,64	17,05	2,66	8,67		4,895
Children 7 - 10 years	32,3	622	29,4	17,22	14,36	3,44	18,04	14,29	4,867
Boys 11 - 14 years	46,9	108	35,2	11,48	6,02	1,68	3,92	8,57	3,775
Girls 11 - 14 years	45,3	110	37,3	11,64	8,71	2,47	7,12		4,177
Men 15 - 17 years	65,6	110	36,4	12,38	7,76	0,86	0,35	16,67	4,351
Women 15 - 17 years	55,6	110	29,1	11,65	8,53	2,12	6,25		3,439
Men 18 - 59 years	82,5	1422	41,6	10,32	8,34	2,40	8,22	10,00	4,236
Women 18 - 59 years	67,7	1492	45,9	10,79	7,72	1,44	2,05	10,00	4,815
Men 60+ years	82,9	332	32,2	7,87	5,67	1,69	3,61	2,50	2,507
Women 60+ years	75,2	510	43,7	8,73	6,42	1,44	2,09	7,14	3,705

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	23,6	6,72	8,05	15,63	35,42	49,40	72,65
Children 7 - 10 years	32,3	622	29,4	4,89	6,13	13,04	30,41	36,18	54,81
Boys 11 - 14 years	46,9	108	35,2	5,95	6,21	9,63	18,79	19,80	23,82
Girls 11 - 14 years	45,3	110	37,3	3,92	5,00	9,86	16,22	29,17	36,19
Men 15 - 17 years	65,6	110	36,4	3,69	4,24	11,36	21,16	27,02	29,30
Women 15 - 17 years	55,6	110	29,1	3,33	3,86	9,18	19,57	26,26	31,14
Men 18 - 59 years	82,5	1422	41,6	2,54	3,27	7,64	19,23	25,55	33,94
Women 18 - 59 years	67,7	1492	45,9	3,08	3,57	8,33	22,06	26,63	30,47
Men 60+ years	82,9	332	32,2	2,34	2,60	6,25	15,86	20,30	21,39
Women 60+ years	75,2	510	43,7	2,53	3,02	6,67	18,03	22,06	23,34

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	128	150,0	200,0	200,0	200,0	250,0	300,0	465,0	500,0
Children 7 - 10 years	294	150,0	200,0	200,0	250,0	300,0	500,0	500,0	500,0
Boys 11 - 14 years	55	200,0	200,0	250,0	300,0	300,0	500,0	500,0	500,0
Girls 11 - 14 years	69	200,0	200,0	200,0	250,0	300,0	500,0	500,0	532,0
Men 15 - 17 years	59	250,0	290,0	300,0	500,0	500,0	500,0	700,0	865,0
Women 15 - 17 years	50	200,0	200,0	250,0	300,0	400,0	500,0	500,0	500,0
Men 18 - 59 years	943	200,0	200,0	250,0	300,0	500,0	500,0	700,0	850,0
Women 18 - 59 years	1134	200,0	200,0	200,0	300,0	300,0	500,0	500,0	567,0
Men 60+ years	160	200,0	200,0	200,0	300,0	400,0	500,0	500,0	784,5
Women 60+ years	361	200,0	200,0	200,0	250,0	300,0	400,0	500,0	540,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **table water**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	11,3	18,26	13,94	1,81	3,68	10,00	2,185
Children 7 - 10 years	32,3	622	11,3	16,99	12,22	1,30	0,66	7,14	1,825
Boys 11 - 14 years	46,9	108	17,6	11,55	5,61	1,06	1,68		2,115
Girls 11 - 14 years	45,3	110	14,5	11,50	7,43	2,22	5,83	5,32	1,737
Men 15 - 17 years	65,6	110	18,2	19,40	9,76	1,59	3,10		3,485
Women 15 - 17 years	55,6	110	26,4	13,72	8,73	0,92	-0,14	5,77	3,613
Men 18 - 59 years	82,5	1422	14,8	9,76	7,20	1,83	4,37	6,67	1,423
Women 18 - 59 years	67,7	1492	21,8	11,33	8,09	1,25	1,16		2,368
Men 60+ years	82,9	332	7,8	5,92	4,26	2,14	5,98		0,488
Women 60+ years	75,2	510	15,1	8,87	7,13	1,97	4,77		1,302

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	11,3	5,56	7,14	12,50	35,00	42,11	55,47
Children 7 - 10 years	32,3	622	11,3	6,03	6,92	12,50	37,18	43,19	46,23
Boys 11 - 14 years	46,9	108	17,6	4,41	5,33	10,64	16,61	21,41	23,98
Girls 11 - 14 years	45,3	110	14,5	5,24	5,32	9,33	18,57	23,62	29,05
Men 15 - 17 years	65,6	110	18,2	7,78	9,66	16,81	33,33	34,09	41,24
Women 15 - 17 years	55,6	110	26,4	4,29	5,42	10,91	26,95	30,19	31,83
Men 18 - 59 years	82,5	1422	14,8	2,66	3,19	7,34	18,09	23,64	29,10
Women 18 - 59 years	67,7	1492	21,8	3,13	3,42	8,70	23,54	26,79	30,94
Men 60+ years	82,9	332	7,8	2,05	2,30	4,68	9,50	12,79	16,53
Women 60+ years	75,2	510	15,1	2,53	2,86	7,35	16,68	23,11	27,63

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	54	100,0	174,5	200,0	200,0	270,0	400,0	500,0	668,8
Children 7 - 10 years	97	200,0	200,0	200,0	300,0	300,0	500,0	500,0	780,0
Boys 11 - 14 years	27	200,0	200,0	200,0	300,0	450,0	500,0	500,0	675,0
Girls 11 - 14 years	23	200,0	200,0	250,0	300,0	450,0	500,0	500,0	500,0
Men 15 - 17 years	24	207,5	250,0	300,0	500,0	500,0	850,0	1 000,0	1 000,0
Women 15 - 17 years	48	200,0	200,0	250,0	300,0	500,0	500,0	500,0	503,0
Men 18 - 59 years	289	200,0	200,0	250,0	300,0	500,0	500,0	500,0	686,0
Women 18 - 59 years	527	200,0	200,0	200,0	300,0	300,0	500,0	500,0	550,0
Men 60+ years	38	200,0	200,0	200,0	275,0	322,5	500,0	500,0	500,0
Women 60+ years	108	200,0	200,0	200,0	300,0	300,0	500,0	500,0	500,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**
 Subgroup: **3 - NON-ALCOHOLIC DRINKS**
 Commodity: **drinking water**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	97,5	33,06	20,62	1,77	5,79	12,50	31,190
Children 7 - 10 years	32,3	622	97,9	20,36	14,59	1,85	6,97		18,792
Boys 11 - 14 years	46,9	108	97,2	16,16	9,60	0,56	-0,24		14,978
Girls 11 - 14 years	45,3	110	99,1	16,40	11,56	1,60	3,28	6,67	14,960
Men 15 - 17 years	65,6	110	98,2	12,02	7,72	1,04	1,11		11,684
Women 15 - 17 years	55,6	110	95,5	12,77	11,14	3,41	19,07		11,914
Men 18 - 59 years	82,5	1422	98,0	10,15	6,59	2,34	12,36		9,779
Women 18 - 59 years	67,7	1492	99,1	13,39	8,20	1,94	7,64	10,00	12,941
Men 60+ years	82,9	332	99,7	11,32	6,19	1,08	1,11		11,021
Women 60+ years	75,2	510	99,6	12,63	6,32	0,99	1,24	6,15	12,234

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	97,5	7,91	12,38	29,04	55,45	69,48	84,94
Children 7 - 10 years	32,3	622	97,9	3,27	5,61	17,38	38,25	45,99	56,35
Boys 11 - 14 years	46,9	108	97,2	3,38	4,36	15,08	29,99	33,69	38,73
Girls 11 - 14 years	45,3	110	99,1	3,04	5,21	13,27	30,24	36,82	50,16
Men 15 - 17 years	65,6	110	98,2	3,11	4,08	11,42	21,75	27,85	32,97
Women 15 - 17 years	55,6	110	95,5	2,79	3,70	9,90	24,54	28,44	37,29
Men 18 - 59 years	82,5	1422	98,0	2,78	3,53	8,86	17,63	22,41	26,83
Women 18 - 59 years	67,7	1492	99,1	3,73	5,13	11,74	22,91	27,96	34,03
Men 60+ years	82,9	332	99,7	3,43	4,97	10,15	20,18	24,08	27,01
Women 60+ years	75,2	510	99,6	4,27	5,56	11,75	20,75	25,18	28,28

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	1023	50,0	100,0	187,4	200,0	250,0	337,0	427,0	506,5
Children 7 - 10 years	1548	27,0	83,3	185,0	200,0	300,0	400,0	485,5	522,6
Boys 11 - 14 years	274	35,8	93,0	200,0	250,0	300,0	412,6	500,0	529,7
Girls 11 - 14 years	293	33,0	99,1	200,0	240,0	266,0	353,4	436,3	465,6
Men 15 - 17 years	260	36,4	66,7	200,0	265,9	450,0	513,7	593,9	748,4
Women 15 - 17 years	250	37,6	75,7	200,0	250,0	300,0	500,0	500,0	530,9
Men 18 - 59 years	4228	62,2	100,0	200,0	250,0	300,0	500,0	500,0	571,5
Women 18 - 59 years	5097	60,0	108,8	200,0	200,0	283,9	400,0	500,0	500,6
Men 60+ years	1101	70,0	121,7	200,0	250,0	300,0	500,0	500,0	586,3
Women 60+ years	1813	60,0	108,1	200,0	227,3	300,0	400,0	500,0	513,6

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **P - BEVERAGES**

Subgroup: **4 - BEER**

Commodity: **beer**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	1,0	15,42	11,69			13,89	0,184
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,9	11,11				11,11	0,100
Men 15 - 17 years	65,6	110	5,5	8,37	6,85	1,75	3,60		0,471
Women 15 - 17 years	55,6	110	3,6	14,50	12,98				0,523
Men 18 - 59 years	82,5	1422	56,0	15,65	13,30	3,24	20,97		8,644
Women 18 - 59 years	67,7	1492	14,4	7,93	7,44	4,52	32,38	7,69	1,121
Men 60+ years	82,9	332	54,8	14,91	11,13	1,90	5,05	6,25	8,127
Women 60+ years	75,2	510	14,3	6,29	4,31	2,38	7,16		0,866

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	1,0						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,9						
Men 15 - 17 years	65,6	110	5,5	2,66	2,81	7,36	14,95	18,19	19,81
Women 15 - 17 years	55,6	110	3,6						
Men 18 - 59 years	82,5	1422	56,0	5,10	5,43	11,76	33,33	40,00	45,46
Women 18 - 59 years	67,7	1492	14,4	2,59	2,94	6,35	15,53	21,43	25,52
Men 60+ years	82,9	332	54,8	3,77	5,21	12,22	27,67	39,94	42,73
Women 60+ years	75,2	510	14,3	2,68	2,86	5,00	10,14	13,13	19,87

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years	8	200,0	200,0	425,0	500,0	500,0	500,0	500,0	500,0
Women 15 - 17 years									
Men 18 - 59 years	1293	300,0	500,0	500,0	500,0	500,0	1 000,0	1 000,0	1 500,0
Women 18 - 59 years	248	200,0	200,0	250,0	315,0	500,0	500,0	1 000,0	1 379,5
Men 60+ years	324	250,0	300,0	500,0	500,0	500,0	1 000,0	1 425,0	1 500,0
Women 60+ years	85	200,0	200,0	250,0	300,0	500,0	500,0	660,0	748,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **6 - WINE**

Commodity: **white wine***

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	1,6	0,19	0,10				0,003
Children 7 - 10 years	32,3	622	1,3	0,41	0,65				0,006
Boys 11 - 14 years	46,9	108	0,9	0,09				0,09	0,001
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	2,7	0,11	0,02				0,003
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	6,5	4,01	3,82	1,25	1,61	2,11	0,259
Women 18 - 59 years	67,7	1492	9,1	4,93	4,46	3,01	13,58	3,45	0,414
Men 60+ years	82,9	332	2,7	2,01	2,58				0,056
Women 60+ years	75,2	510	4,3	2,38	1,84			3,03	0,100

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	1,6						
Children 7 - 10 years	32,3	622	1,3						
Boys 11 - 14 years	46,9	108	0,9						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	2,7						
Women 15 - 17 years	55,6	110	0,0						
Men 18 - 59 years	82,5	1422	6,5	0,06	0,08	2,74	9,43	11,28	12,90
Women 18 - 59 years	67,7	1492	9,1	0,12	0,25	3,74	8,78	11,77	15,34
Men 60+ years	82,9	332	2,7						
Women 60+ years	75,2	510	4,3						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years	104	5,2	7,5	65,0	200,0	400,0	700,0	700,0	1 000,0
Women 18 - 59 years	158	7,8	12,2	200,0	200,0	300,0	400,0	500,0	700,0
Men 60+ years									
Women 60+ years									

Notes:

*Food item white wine includes commodities: wine and white wine.

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **P - BEVERAGES**

Subgroup: **6 - WINE**

Commodity: **red wine**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	0,2	2,00				2,00	0,004
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	1,8	4,68	3,67				0,082
Men 18 - 59 years	82,5	1422	3,7	4,45	3,00			2,35	0,159
Women 18 - 59 years	67,7	1492	5,1	5,18	2,77	1,25	2,59		0,249
Men 60+ years	82,9	332	5,4	3,05	1,70	0,49	-0,31		0,156
Women 60+ years	75,2	510	2,5	3,96	2,55			2,50	0,102

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	0,0						
Children 7 - 10 years	32,3	622	0,2						
Boys 11 - 14 years	46,9	108	0,0						
Girls 11 - 14 years	45,3	110	0,0						
Men 15 - 17 years	65,6	110	0,0						
Women 15 - 17 years	55,6	110	1,8						
Men 18 - 59 years	82,5	1422	3,7						
Women 18 - 59 years	67,7	1492	5,1	2,13	2,67	4,66	8,87	9,94	10,45
Men 60+ years	82,9	332	5,4	1,22	1,43	2,70	5,48	5,62	6,01
Women 60+ years	75,2	510	2,5						

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years	82	101,3	200,0	200,0	275,0	400,0	500,0	500,0	619,0
Men 60+ years	19	90,1	100,0	200,0	200,0	250,0	400,0	410,0	455,0
Women 60+ years									

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **P - BEVERAGES**

Subgroup: **7 - SYRUP**

Commodity: **syrup**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	23,4	2,43	3,30	3,52	15,21		0,508
Children 7 - 10 years	32,3	622	25,9	1,17	1,13	3,03	11,47	0,50	0,285
Boys 11 - 14 years	46,9	108	22,2	0,90	0,65	1,16	0,70		0,195
Girls 11 - 14 years	45,3	110	23,6	1,03	1,05	1,61	1,95		0,224
Men 15 - 17 years	65,6	110	22,7	0,84	0,79	2,80	10,32		0,183
Women 15 - 17 years	55,6	110	15,5	0,76	0,81	1,89	3,76		0,110
Men 18 - 59 years	82,5	1422	10,1	0,78	1,16	7,63	74,74		0,075
Women 18 - 59 years	67,7	1492	8,1	0,75	0,81	3,07	13,22		0,061
Men 60+ years	82,9	332	8,4	0,52	0,43	1,57	2,56		0,041
Women 60+ years	75,2	510	10,4	0,53	0,41	1,27	0,79		0,055

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	23,4	0,38	0,52	1,33	5,85	6,81	11,86
Children 7 - 10 years	32,3	622	25,9	0,28	0,39	0,81	2,22	3,57	4,25
Boys 11 - 14 years	46,9	108	22,2	0,19	0,26	0,72	1,96	1,99	2,24
Girls 11 - 14 years	45,3	110	23,6	0,19	0,24	0,50	2,58	3,12	3,57
Men 15 - 17 years	65,6	110	22,7	0,19	0,23	0,74	1,50	1,71	2,63
Women 15 - 17 years	55,6	110	15,5	0,13	0,14	0,39	1,75	2,16	2,64
Men 18 - 59 years	82,5	1422	10,1	0,14	0,17	0,54	1,51	1,76	2,54
Women 18 - 59 years	67,7	1492	8,1	0,13	0,16	0,49	1,73	2,07	2,76
Men 60+ years	82,9	332	8,4	0,14	0,17	0,43	1,09	1,24	1,46
Women 60+ years	75,2	510	10,4	0,14	0,19	0,43	1,20	1,34	1,54

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	134	7,0	10,0	14,0	15,0	28,0	34,0	63,5	150,0
Children 7 - 10 years	226	7,0	7,0	14,0	15,0	30,0	32,0	50,0	50,0
Boys 11 - 14 years	37	7,0	7,0	7,0	14,0	30,0	45,0	50,0	57,0
Girls 11 - 14 years	32	10,9	14,0	14,0	15,0	31,8	60,0	67,0	74,4
Men 15 - 17 years	36	13,0	14,0	15,0	29,0	50,0	55,0	71,3	74,9
Women 15 - 17 years	22	5,1	7,0	14,0	20,0	45,0	50,0	50,0	50,0
Men 18 - 59 years	188	7,0	14,0	15,0	30,0	50,0	60,0	60,0	93,9
Women 18 - 59 years	176	7,0	7,0	14,0	20,0	30,0	50,0	60,0	70,0
Men 60+ years	41	10,0	10,0	14,0	20,0	30,0	45,0	50,0	50,0
Women 60+ years	71	7,0	14,0	15,0	20,0	30,0	46,0	55,0	60,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.

Group: **Q - CONVENIENT FOOD, MEALS**

Subgroup: **1 - DUMPLINGS**

Commodity: **dumpling**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	10,2	3,68	1,42	0,28	-0,10	4,00	0,391
Children 7 - 10 years	32,3	622	7,9	3,59	1,86	2,01	5,18	3,20	0,278
Boys 11 - 14 years	46,9	108	12,0	3,82	0,99	0,03	-0,92	5,00	0,428
Girls 11 - 14 years	45,3	110	5,5	2,38	1,56	0,23	-2,01		0,106
Men 15 - 17 years	65,6	110	15,5	3,03	0,92	0,89	1,22	5,00	0,459
Women 15 - 17 years	55,6	110	8,2	2,44	0,99	0,82	0,06		0,185
Men 18 - 59 years	82,5	1422	14,7	2,68	1,16	2,76	12,48	2,00	0,388
Women 18 - 59 years	67,7	1492	7,9	1,97	0,81	0,83	1,01	1,14	0,154
Men 60+ years	82,9	332	15,1	2,03	0,51	0,70	0,54		0,314
Women 60+ years	75,2	510	11,2	1,71	0,60	0,27	-0,61	1,50	0,190

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	10,2	1,61	2,03	3,81	5,44	5,90	6,67
Children 7 - 10 years	32,3	622	7,9	1,83	1,90	3,20	5,14	7,06	8,83
Boys 11 - 14 years	46,9	108	12,0	2,60	2,96	3,68	5,00	5,13	5,23
Girls 11 - 14 years	45,3	110	5,5	0,68	0,86	2,09	4,17	4,19	4,20
Men 15 - 17 years	65,6	110	15,5	1,74	2,03	2,94	4,23	5,00	5,00
Women 15 - 17 years	55,6	110	8,2	1,44	1,45	2,26	3,53	3,94	4,14
Men 18 - 59 years	82,5	1422	14,7	1,55	1,70	2,44	3,88	4,54	5,45
Women 18 - 59 years	67,7	1492	7,9	0,97	1,05	1,82	2,87	3,24	3,74
Men 60+ years	82,9	332	15,1	1,31	1,45	1,98	2,67	2,96	3,27
Women 60+ years	75,2	510	11,2	0,97	1,01	1,60	2,43	2,60	2,88

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	39	40,0	40,0	70,0	80,0	80,0	120,0	120,0	124,8
Children 7 - 10 years	51	73,3	80,0	80,0	100,0	126,7	160,0	160,0	160,0
Boys 11 - 14 years	13	80,0	84,0	133,3	160,0	200,0	240,0	244,0	247,0
Girls 11 - 14 years	6	42,5	45,0	57,5	80,0	110,0	140,0	150,0	155,0
Men 15 - 17 years	17	116,0	144,0	160,0	200,0	240,0	254,0	268,0	284,0
Women 15 - 17 years	10	69,0	78,0	80,0	120,0	142,5	160,0	160,0	160,0
Men 18 - 59 years	219	132,0	160,0	160,0	200,0	240,0	300,0	320,0	335,0
Women 18 - 59 years	120	80,0	80,0	80,0	120,0	160,0	182,0	200,0	212,4
Men 60+ years	50	120,0	120,0	160,0	160,0	190,0	240,0	240,0	240,6
Women 60+ years	62	66,8	80,0	80,0	120,0	160,0	160,0	166,3	200,0

Notes:

**Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

Explanatory notes: b.w.kg - average body weight in the population group, n - total number of individuals in the population group, %cons - % of persons who consumed the commodity, Avg - arithmetic mean of consumption, StdD - standard deviation, Skew - skewness, Kurt - kurtosis, Mode - mode, Avgall - per capita consumption in the population group, nperc - n-th percentile of consumption (n-th percentile of portion size), nportion - number of portions consumed in the population group.

Group: **Q - CONVENIENT FOOD, MEALS**

Subgroup: **2 - INSTANT SOUP**

Commodity: **meat cube**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	6,9	0,05	0,02	1,16	1,03	0,05	0,003
Children 7 - 10 years	32,3	622	8,5	0,03	0,02	3,69	20,10	0,02	0,003
Boys 11 - 14 years	46,9	108	9,3	0,03	0,01	0,76	-1,09		0,003
Girls 11 - 14 years	45,3	110	9,1	0,03	0,01	0,76	1,32		0,002
Men 15 - 17 years	65,6	110	9,1	0,03	0,01	0,23	-1,21	0,04	0,002
Women 15 - 17 years	55,6	110	8,2	0,02	0,01	0,19	-2,22	0,03	0,002
Men 18 - 59 years	82,5	1422	6,9	0,02	0,01	1,91	6,66	0,02	0,001
Women 18 - 59 years	67,7	1492	5,8	0,02	0,01	0,53	0,18	0,03	0,001
Men 60+ years	82,9	332	10,8	0,02	0,01	1,45	3,74	0,02	0,002
Women 60+ years	75,2	510	7,5	0,02	0,01	0,67	1,02		0,002

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	6,9	0,02	0,03	0,05	0,08	0,09	0,10
Children 7 - 10 years	32,3	622	8,5	0,02	0,02	0,03	0,05	0,05	0,06
Boys 11 - 14 years	46,9	108	9,3	0,02	0,02	0,03	0,05	0,05	0,05
Girls 11 - 14 years	45,3	110	9,1	0,02	0,02	0,03	0,03	0,04	0,04
Men 15 - 17 years	65,6	110	9,1	0,02	0,02	0,02	0,04	0,04	0,04
Women 15 - 17 years	55,6	110	8,2	0,02	0,02	0,02	0,03	0,03	0,03
Men 18 - 59 years	82,5	1422	6,9	0,01	0,01	0,02	0,03	0,03	0,04
Women 18 - 59 years	67,7	1492	5,8	0,01	0,01	0,02	0,03	0,03	0,04
Men 60+ years	82,9	332	10,8	0,01	0,01	0,02	0,03	0,03	0,04
Women 60+ years	75,2	510	7,5	0,01	0,01	0,02	0,03	0,03	0,04

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years	25	0,6	0,7	0,9	0,9	1,2	1,7	1,8	1,8
Children 7 - 10 years	53	0,6	0,9	0,9	0,9	1,2	1,2	1,5	1,5
Boys 11 - 14 years	10	0,9	0,9	0,9	1,2	1,7	1,8	2,0	2,1
Girls 11 - 14 years	10	0,6	0,6	1,0	1,5	1,5	1,5	1,5	1,5
Men 15 - 17 years	10	1,0	1,2	1,5	1,5	1,8	2,1	2,1	2,1
Women 15 - 17 years	9	0,9	0,9	0,9	1,2	1,5	1,5	1,5	1,5
Men 18 - 59 years	99	0,9	1,2	1,5	1,5	1,8	2,1	2,1	2,7
Women 18 - 59 years	86	0,9	0,9	0,9	1,5	1,5	1,8	2,0	2,2
Men 60+ years	38	0,9	0,9	1,5	1,5	1,8	2,1	2,2	2,4
Women 60+ years	39	0,7	0,9	1,2	1,5	1,7	2,1	2,2	3,0

Notes:

***Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).*

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.

SISP - FOOD CONSUMPTION DATA FOR ACUTE EXPOSURE ASSESSMENT

*Explanatory notes: **b.w.kg** - average body weight in the population group, **n** - total number of individuals in the population group, **%cons** - % of persons who consumed the commodity, **Avg** - arithmetic mean of consumption, **StdD** - standard deviation, **Skew** - skewness, **Kurt** - kurtosis, **Mode** - mode, **Avgall** - per capita consumption in the population group, **nperc** - n-th percentile of consumption (n-th percentile of portion size), **nportion** - number of portions consumed in the population group.*

Group: **Q - CONVENIENT FOOD, MEALS**

Subgroup: **2 - INSTANT SOUP**

Commodity: **packet soup**

Statistics describing food consumption for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	Avg	StdD	Skew	Kurt	Mode	Avgall**
Children 4 - 6 years	21,4	364	3,6	0,88	0,28			0,83	0,030
Children 7 - 10 years	32,3	622	1,9	0,60	0,21				0,011
Boys 11 - 14 years	46,9	108	3,7	0,55	0,17				0,020
Girls 11 - 14 years	45,3	110	1,8	0,37	0,22				0,007
Men 15 - 17 years	65,6	110	0,9	0,32				0,32	0,003
Women 15 - 17 years	55,6	110	2,7	0,42	0,07				0,011
Men 18 - 59 years	82,5	1422	3,6	0,37	0,49			0,26	0,013
Women 18 - 59 years	67,7	1492	2,5	0,33	0,10			0,33	0,008
Men 60+ years	82,9	332	6,6	0,40	0,24	3,34	12,83		0,025
Women 60+ years	75,2	510	7,6	0,31	0,09	-0,13	-0,32		0,023

Food consumption distribution for consumers only (g/kg b.w./day)

Category	b.w.kg	n	%cons	5perc	10perc	50perc	90perc	95perc	97,5perc
Children 4 - 6 years	21,4	364	3,6						
Children 7 - 10 years	32,3	622	1,9						
Boys 11 - 14 years	46,9	108	3,7						
Girls 11 - 14 years	45,3	110	1,8						
Men 15 - 17 years	65,6	110	0,9						
Women 15 - 17 years	55,6	110	2,7						
Men 18 - 59 years	82,5	1422	3,6						
Women 18 - 59 years	67,7	1492	2,5						
Men 60+ years	82,9	332	6,6	0,24	0,25	0,34	0,53	0,69	1,01
Women 60+ years	75,2	510	7,6	0,18	0,19	0,30	0,42	0,44	0,46

Portion sizes in grams in the population groups

Category	nportion	5perc	10perc	25perc	50perc	75perc	90perc	95perc	97,5perc
Children 4 - 6 years									
Children 7 - 10 years									
Boys 11 - 14 years									
Girls 11 - 14 years									
Men 15 - 17 years									
Women 15 - 17 years									
Men 18 - 59 years									
Women 18 - 59 years									
Men 60+ years	23	22,0	22,0	25,0	25,0	32,5	49,0	50,0	50,0
Women 60+ years	39	15,0	15,0	20,0	25,0	25,0	30,0	30,5	34,7

Notes:

****Figure represents the arithmetic mean of consumption in g/kg b.w./day among all individuals in the population group (per capita consumption).**

Consumer = person who consumed the commodity at least once over the period studied.

kg b.w. = kilogram of body weight

Mode - if a tie exists, there is no mode.

If the % of consumers in the population group is less than 5%, only selected statistics are presented.